



UK PSTI STATEMENT OF COMPLIANCE

No. : ZAT01742.00

We, Vimar SpA, Viale Vicenza, 14 – 36063 Marostica (VI) – Italy, hereby declare that, in their opinion, the products covered in this document are in conformance with the applicable security requirements in Schedule 1 of The Product Security and Telecommunications Infrastructure (Security Requirements for Relevant Connectable Products) Regulations 2023.

Smart systems&products - By-me Plus


For the UK Defined Support Period see <https://www.vimar.com/uk-psti> or



This statement of compliance is prepared by the manufacturer of the products.

Please note that this statement of compliance, including the Defined Support Period stated herein, is only applicable to products sold in the UK.

Marostica, 24/04/2024


Piero Camillo Gusi
(Managing Director)




UK PSTI STATEMENT OF COMPLIANCE

No. : ZAT01742.00

| Catalogue reference | Description |
|---------------------|---|
| 01417 | Home autom. actuator+RGBW 4OUT dimmer |
| 01418 | Home autom. dimmer 2OUT200W LED120-240V |
| 01419.1 | By-me/DALI-2 gateway 64-channel/16groups |
| 01450 | Energy meter 3IN toroidal sensor |
| 01451 | Energy meter with current sensor |
| 01452 | Impulse counter interface |
| 01455 | Loads control module 3IN current sensor |
| 01456 | Actuator 16A+current and RCBO-sensor |
| 01465 | Climate dimmer for heat system |
| 01466.1 | 4-analog outputs domotic actuator |
| 01467 | 3-analog inputs domotic interface |
| 01468 | Domotic logic unit |
| 01470.1 | Multifunct. autom. module 9IN 8OUT relay |
| 01471 | Multifunct. autom. actuator 4OUT relay |
| 01475 | Home automation module 3IN 3OUT LED |
| 01476 | Home autom. module 2IN 3OUT (1blind+2LED) |
| 01477 | Home autom. module 2IN 3OUT (1relay+2LED) |
| 01480 | 4-button control 2M |
| 01480.AX | 4-button home autom. control Flat 2M |
| 01480.TR | Tropicalized 4-button control 2M |
| 01481 | 4-button control+actuator 2M |
| 01482 | 4-button control+shutter-laths 2M |
| 01483 | 4-button+1 LINEOUT switch 2M |
| 01484 | 4 amplif. buttons 1+1W 2M switch 2M |
| 01485 | 6-button control 3M |
| 01485.AX | 6-button home autom. control Flat 3M |
| 01485.TR | Tropicalized 6-button control 3M |
| 01486 | 6-button control+actuator 3M |
| 01487 | 6-button control+shutter-laths 3M |
| 01488 | 4-button control+dim. LED 240V 2M |
| 01489 | Device 4 buttons+dimmer 0/1-10V 2M |
| 01845.1 | Line coupler |
| 01850.2 | Relay actuator |
| 01971 | 4-relay actuator 24V |
| 01974 | Multifunct. autom. actuator 4OUT MARINE |
| 01975 | Actuator 1-10Vdc LED 120-230V MARINE |
| 01976 | Actuator 1-10Vdc LED 12-24V MARINE |
| 01993 | Programming hardware interfaces |
| 02971 | Home autom. dial thermostat 2M grey |
| 02971.B | Home autom. dial thermostat 2M white |
| 02971.M | Home autom. dial thermostat 2M Metal |
| 02971.N | Home autom. dial thermostat 2M Next |
| 14485 | IR motion detector white |
| 14485.SL | IR motion detector Silver |
| 14508 | BUS EnOcean interface white |
| 14508.SL | BUS EnOcean interface Silver |
| 14518 | 2 switches interface 1M white |
| 14518.SL | 2 switches interface 1M Silver |
| 14534 | Relay actuator 1M white |
| 14534.SL | Relay actuator 1M Silver |
| 14537 | 16A relay actuator+current sensor white |
| 14537.SL | 16A relay actuator+current sensor Silver |
| 14538 | Domotic temperature probe white |
| 14538.SL | Domotic temperature probe Silver |
| 14584.1 | Domotic IR transmitter white |
| 14584.1.SL | Domotic IR transmitter Silver |
| 14586 | Call microphone white |
| 14586.SL | Call microphone Silver |
| 14589 | By-me Bluetooth interface 2M white |

| Catalogue reference | Description |
|---------------------|--|
| 30471.B | Home autom. dial thermostat 2M white |
| 30471.C | Home autom. dial thermostat 2M canvas |
| 30471.G | Home autom. dial thermostat 2M black |
| 30472.B | 2 traditional contr. interface white |
| 30472.C | 2 traditional contr. interface canvas |
| 30472.G | 2 traditional contr. interface black |
| 30473.B | Relay actuator 1M white |
| 30473.C | Relay actuator 1M canvas |
| 30473.G | Relay actuator 1M black |
| 30474.B | Relay actuator 16A sensor white |
| 30474.C | Relay actuator 16A sensor canvas |
| 30474.G | Relay actuator 16A sensor black |
| 30475.B | Home automation IR detector white |
| 30475.C | Home automation IR detector Canvas |
| 30475.G | Home automation IR detector black |
| 30478.B | Home automation temperature probe white |
| 30478.C | By-me temperature probe Canvas |
| 30478.G | Home automation temperature probe black |
| 30480 | 4-button Home automation syst. control 2M |
| 30481 | 4-button Home autom. control+actuator 2M |
| 30482 | 4-button control+roller shutter slats 2M |
| 30484 | 4 ampl. button Home autom. control 1+1W 2M |
| 30485 | 6-button Home automation syst. control 3M |
| 30486 | 6-button Home autom. control+actuator 3M |
| 30487 | 6-button control+roller shutter slats 3M |
| 30488 | 4-button control+dim. LED 240V 2M |
| 30489 | 4-button control+dimmer 0/1-10V 2M |
| 30495.B | By-me Bluetooth interface white |
| 30495.C | By-me Bluetooth interface canvas |
| 30495.G | By-me Bluetooth interface black |
| 32001 | Hub XT By-me Plus |
| 32002 | Actuator XT By-me Plus 2 relay |
| 32021.B | Device XT By-me Plus 1M white |
| 32021.C | Device XT By-me Plus 1M canvas |
| 32021.G | Device XT By-me Plus 1M black |
| 32023.B | Advanced device XT By-me Plus 1M white |
| 32023.C | Advanced device XT By-me Plus 1M canvas |
| 32023.G | Advanced device XT By-me Plus 1M black |
| 32024.B | Advanced device XT By-me Plus 1M 4P whit |
| 32024.C | Advanced device XT By-me Plus 1M 4P can. |
| 32024.G | Advanced device XT By-me Plus 1M 4Pblack |
| 32031.G | By-me XT control 1M label black |
| 32033.G | By-me XT control Advanced 1M label black |
| 32034.G | 2 By-me XT control Advan. 1M label black |
| 32041.B | By-me Plus XT thermostat 2M white |
| 32041.C | By-me Plus XT thermostat 2M canvas |
| 32041.G | By-me Plus XT thermostat 2M black |
| 32042.B | Multi sensor XT By-me 2M white |
| 32042.C | Multi sensor XT By-me 2M canvas |
| 32042.G | Multi sensor XT By-me 2M black |
| 32044.B | Device XT By-me Plus 1M 4-function white |
| 32044.C | Device XT By-me Plus 1M 4-function canvas |
| 32044.G | Device XT By-me Plus 1M 4-function black |
| R01846 | Interface emergency devices-By-me |
| R01870 | MASTER dimmer 230V spare part |
| R01870.120 | MASTER dimmer 120V spare part |
| R01963 | Due Fili video door entry module |
| R01965 | By-me module f/Due Fili video door unit |
| R14515 | Switches interface white |

Marostica, 24/04/2024


Piero Camillo Gusi
(Managing Director)




UK PSTI STATEMENT OF COMPLIANCE

No. : ZAT01742.00

| | |
|-----------|---|
| 14589.SL | By-me Bluetooth interface 2M Silver |
| 16935 | SAI-BUS IR presence detector grey |
| 16935.B | SAI-BUS IR presence detector white |
| 16958 | 2 switches interface 1M grey |
| 16958.B | 2 switches interface 1M white |
| 16974 | Relay actuator 1M grey |
| 16974.B | Relay actuator 1M white |
| 16975 | Relay actuator grey |
| 16975.B | Relay actuator white |
| 19485 | IR motion detector grey |
| 19485.B | IR motion detector white |
| 19485.M | IR motion detector Metal |
| 19486 | IR-orientable-detector grey |
| 19486.B | Orientable IR detector white |
| 19486.M | Orientable IR detector Metal |
| 19508 | BUS EnOcean interface grey |
| 19508.B | BUS EnOcean interface white |
| 19508.M | BUS EnOcean interface Metal |
| 19518 | 2 switches interface 1M grey |
| 19518.B | 2 switches interface 1M white |
| 19518.M | 2 switches interface 1M Metal |
| 19534 | Relay actuator 1M grey |
| 19534.B | Relay actuator 1M white |
| 19534.M | Relay actuator 1M Metal |
| 19537 | 16A relay actuator+current sensor grey |
| 19537.B | 16A relay actuator+current sensor white |
| 19537.M | 16A relay actuator+current sensor Metal |
| 19538 | Domotic temperature probe grey |
| 19538.B | Domotic temperature probe white |
| 19538.M | Domotic temperature probe Metal |
| 19584.1 | Domotic IR transmitter grey |
| 19584.1.B | Domotic IR transmitter white |
| 19584.1.M | Domotic IR transmitter Metal |
| 19586 | Call microphone grey |
| 19586.B | Call microphone white |
| 19586.M | Call microphone Metal |
| 19589 | By-me Bluetooth interface 2M grey |
| 19589.B | By-me Bluetooth interface 2M white |
| 19589.M | By-me Bluetooth interface 2M Metal |
| 20485 | IR presence detector grey |
| 20485.B | IR motion detector white |
| 20485.N | IR motion detector Next |
| 20486 | Orientable IR detector grey |
| 20486.B | Orientable IR detector white |
| 20486.N | Orientable IR detector Next |
| 20508 | BUS EnOcean interface grey |
| 20508.B | BUS EnOcean interface white |
| 20508.N | BUS EnOcean interface Next |
| 20518 | 2 switches interface 1M grey |
| 20518.B | 2 switches interface 1M white |
| 20518.N | 2 switches interface 1M Next |
| 20534 | Relay actuator 1M grey |
| 20534.B | Relay actuator 1M white |
| 20534.N | Relay actuator 1M Next |
| 20537 | 16A relay actuator+current sensor grey |
| 20537.B | 16A relay actuator+current sensor white |
| 20537.N | 16A relay actuator+current sensor Next |
| 20538 | Domotic temperature probe grey |
| 20538.B | Domotic temperature probe white |
| 20538.N | Domotic temperature probe Next |
| 20584.1 | Domotic IR transmitter grey |

| | |
|-----------|--|
| R14515.SL | Switches interface Silver |
| R14516 | Receiver for IR remote control white |
| R14516.SL | Receiver for IR remote control Silver |
| R14520 | Two push buttons |
| R14521 | Two rocker push buttons |
| R14525 | Two push buttons+actuator |
| R14526 | Two rocker push buttons+actuator |
| R14527 | Two rocker buttons + blind actuator |
| R14527.1 | Two rocker butt.+roller laths actuator |
| R14540 | Three push buttons |
| R14541 | Three rocker push buttons |
| R14545 | Three push buttons+actuator |
| R14546 | Three rocker push buttons+actuator |
| R14547 | Three rocker buttons + blind actuator |
| R16955 | Switches interface grey |
| R16955.B | Switches interface white |
| R16956 | Receiver for IR remote control grey |
| R16956.B | Receiver for IR remote control white |
| R16957 | Receiver for IR remote control grey MARI |
| R16957.B | Receiver for IR remote control white MAR |
| R16960 | Two simple push buttons grey |
| R16960.B | Two simple push buttons white |
| R16961 | Two rocker push buttons grey |
| R16961.B | Two rocker push buttons white |
| R16963 | Two rocker push buttons MARINE grey |
| R16963.B | Two rocker push buttons white |
| R16965 | Two simple push buttons+actuator grey |
| R16965.B | Two simple push buttons+actuator white |
| R16966 | Two rocker push buttons+actuator grey |
| R16966.B | Two rocker push buttons+actuator white |
| R16967 | Two rocker buttons+blind-actuator grey |
| R16967.B | Two rocker buttons+blind-actuator white |
| R19515 | Switches interface grey |
| R19515.B | Switches interface white |
| R19516 | Receiver for IR remote control grey |
| R19516.B | Receiver for IR remote control white |
| R19520 | Two simple push buttons |
| R19521 | Two rocker push buttons |
| R19525 | Two simple push buttons+actuator |
| R19526 | Two rocker push buttons+actuator |
| R19527.1 | Two rocker butt.+roller laths actuator |
| R19540 | Three push buttons |
| R19541 | Three rocker push buttons |
| R19545 | Three push buttons+actuator |
| R19546 | Three rocker push buttons+actuator |
| R19547 | Three rocker buttons + blind actuator |
| R20515 | Switches interface grey |
| R20515.B | Switches interface white |
| R20515.N | Switches interface Next |
| R20516 | Receiver for IR remote control grey |
| R20516.B | Receiver for IR remote control white |
| R20516.N | Receiver for IR remote control Next |
| R20517 | Receiver for IR remote control grey |
| R20517.B | Receiver for IR remote control white |
| R20517.N | Receiver for IR remote control Next |
| R20520 | Two simple push buttons |
| R20521 | Two rocker push buttons |
| R20523 | Two rocker push buttons MARINE |
| R20525 | Two simple push buttons+relais |
| R20526 | Two rocker push buttons+relais |
| R20527 | Two rocker push buttons+blind actuator |

Marostica, 24/04/2024


 Piero Camillo Gusi
 (Managing Director)



UK PSTI STATEMENT OF COMPLIANCE

No. : ZAT01742.00

| | |
|------------|--|
| 20584.1.B | Domotic IR transmitter white |
| 20584.1.N | Domotic IR transmitter Next |
| 20586 | Call microphone grey |
| 20586.B | Call microphone white |
| 20586.N | Call microphone Next |
| 20589 | By-me Bluetooth interface 2M grey |
| 20589.B | By-me Bluetooth interface 2M white |
| 20589.N | By-me Bluetooth interface 2M Next |
| 21514.F.70 | Home-Thermostat FAN 2M white diamond |
| 21514.F.76 | Home-Thermostat FAN 2M black diamond |
| 21514.H.70 | Home-Thermostat HOTEL 2M white diamond |
| 21514.H.76 | Home-Thermostat HOTEL 2M black diamond |
| 21514.S.70 | Home-Thermostat STAR 2M white diamond |
| 21514.S.76 | Home-Thermostat STAR 2M black diamond |
| 21520.1 | 4-button home automation device |
| 21540.1 | 6-button home automation device |

| | |
|-------------|--|
| R20527.1 | Two rocker butt.+roller laths actuator |
| R20540 | Three push buttons |
| R20541 | Three rocker push buttons |
| R20545 | Three push buttons+actuator |
| R20546 | Three rocker push buttons+actuator |
| R20547 | Three rocker buttons + blind actuator |
| R21509 | Touch control unit 3M grey |
| R21509.B | Touch control unit 3M white |
| R21509.N | Touch control unit 3M Next |
| R21511.1 | Touch screen 4,3in Full Flat grey |
| R21511.1.B | Touch screen 4,3in Full Flat white |
| R21511.1.BN | Touch screen 4,3in Full Flat neutral |
| R21512.1 | Touch screen 3M Full Flat grey |
| R21512.1.B | Touch screen 3M Full Flat white |
| R21512.1.BN | Touch screen 3M Full Flat neutral |
| R21554 | Video touch screen 4,3in FullFlat grey |
| R21554.BN | Video touch screen 4,3in FullFlatneutral |

END OF THE DOCUMENT

Marostica, 24/04/2024

Piero Camillo Gusi
(Managing Director)