



ΕΙΚΟΝ: Αλέ-ρετούρ 1P 16AX - 2M Next

20005.2.N

Οικιακές σειρές / Παραδοσιακές οικιακές σειρές / ΕΙΚΟΝ / Μηχανισμοί

Αλέ-ρετούρ 1P 16AX - 2M Next

Διακόπτης αλέ-ρετούρ 1P 16 AX 250 V~, φωτεινός, πλήκτρο εναλασσόμενο, Next - 2 θέσεων. 200 W το μέγ. για λαμπτήρες με ενσωματωμένο ballast


Κατάσταση Προϊόντος

3 - Προϊόν διαχειριζόμεν


Ελάχιστη ποσότητα παραγγελίας

20 NR


Σχέδια



Διαστάσεις



Πίσω πλευρά



3d σχέδιο




Τεχνικά δεδομένα

- **Class group:** Domestic switching devices
- **Class:** Installation switch
- **Wiring system:** Two-way switch
- **Method of operation:** Rocker/button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Number of modules (module system):** 2
- **Push button switch:** Yes
- **Number of rockers:** 1
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **With mounting plate:** No
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Surface protection:** Lacquered
- **Surface finishing:** Matt
- **Colour:** Silver
- **RAL-number (similar):** 9022
- **Label space/information surface:** Yes
- **Illumination:** Optional
- **Function lighting:** Control and orientation
- **Type of lighting:** LED exchangeable
- **Suitable for degree of protection (IP):** IP40
- **Nominal voltage:** 250 V
- **Rated current:** 16,00 A
- **Feedback-signal contact:** No
- **Connection type:** Screwed terminal
- **Washing machine switch:** No
- **Device width:** 44,80 mm
- **Device height:** 49,00 mm
- **Device depth:** 35,90 mm
- **Built-in depth:** 25,00 mm

Εμπορικά σήματα

- 00. Σήμανση CE - ΕΕ
- 01. IMQ - Ιταλία ([download](#))
- 10. EAC - Τελωνειακή Ένωση
- 13. SNI - Ινδονησία
- 14. TSE - Τουρκία ([download](#))
- 15. CCC - Κίνα ([download](#))
- 19. NOM - Μεξικό
- 28. NSW - Αυστραλία ([download](#))
- 29. QCERT - Κολομβία
- 31. TISI - Ταϊλάνδη
- 36. ISI - Ινδία
- 37. Σήμανση - Μαρόκο
- 43. UKCA - Μεγάλη Βρετανία
- 92. RoHS EAE
- 96. Ηλεκτρικές εμπειρογνώμονα ([download](#))
- 99. Οδηγία ΑΗΗΕ ([download](#))

Συσκευασίες



8 007352285491

Κωδικός 8007352285491
Ποσότητα 1 NR
Διαστ. 5,1x4,3x5,3 [cm]
Βάρος 37,2 [g]



8 007352285507

Κωδικός 8007352285507
Ποσότητα 20 NR
Διαστ. 26,9x11,6x9 [cm]
Βάρος 826,13 [g]



8 007352647336

Κωδικός 8007352647336
Ποσότητα 240 NR
Διαστ. 38x28,5x35,5 [cm]
Βάρος 10.452 [g]

Legal

Η Vimar διατηρεί το δικαίωμα τροποποίησης ανά πάσα στιγμή και χωρίς προειδοποίηση των χαρακτηριστικών των προϊόντων που αναφέρονται. Η εγκατάσταση πρέπει να πραγματοποιείται από εξειδικευμένο προσωπικό σύμφωνα με τους κανονισμούς που διέπουν την εγκατάσταση του ηλεκτρολογικού εξοπλισμού και ισχύουν στη χώρα όπου εγκαθίστανται τα προϊόντα. Για τις συνθήκες χρήσης των πληροφοριών που παρέχονται στο δελτίο προϊόντος, βλ. [Όροι χρήσης](#).