


Eikon Evo and Eikon: the luxury evolves.



EIKON EVO | EIKON

 **VIMAR**

# Vimar presents the evolution of energy.

Two style icons with a single origin: Eikon Evo and Eikon are based on the same idea of luxury and beauty but each one has its own separate personality. Giving you more quality and freedom of choice.



## EIKON **EVO**

Exclusive, precious, high-performing.

Important sizes, ultra-light profiles, sophisticated finishes, great attention to detail and to technological performance. Eikon Evo makes all things chic.



Two series, totally designed and produced in Italy, with a selective research into materials, close attention to detail and globally recognised quality.



Round

Classic

## EIKON

Noble, charming, sophisticated.

Materials, colours and shapes which talk together using a language of refined beauty. Two cover plate designs, three total looks and the possibility to create charming compositions. Eikon is the mark of new living.

Geometries, finishes and materials  
of excellence.



### Large size.


Elegant geometries with a defined cut, for cover plates that bring out the best in any setting.



### Chrome frame.

Surrounding controls and buttons with different proportions which underline the richness of the details.





### Materials.


Exclusive variety of stone, crystal, wood and leather, noble metal alloys and Corian® technology.



### Total look.


Anthracite grey, white and Next buttons, freely associated with your favourite material and colour.

## Ultra-thin profile and wide range of installation possibilities




### Ultra-thin profile.

Stands out from the wall by just a few millimetres, to satisfy the latest interior design trends.



### Installation.

The Vimar-patented Plack-clack attachment system quickly and easily fixes the lighting point components to the cover plate by inserting and removing the devices from the front.



### Soft action.

The controls stand out for their silent and precise movements, with reduced stand-out. The button movement is based on a worldwide-patented joint-pin system.



### Internationality.

In any corner of the world you may be, there is a socket, control and cover plate to suit your needs. For safe, efficient and functional living systems with that extra touch of class: the one made in Italy.

# Eikon Evo improves home management.



Behind the sophisticated appearance of the Eikon Evo range there is plenty of equally sophisticated substance. The range is based on intelligent technologies and functions which manage energy simply and elegantly. Every device complies with Vimar's most important principle of automation: to simplify and improve the life of its users.



### Advanced functions.

By increasing system performance, and viewing the energy profile, it offers full supervision of the system and control of the video door entry system.



### Evolved video touch screens.

Which offer perfect images of what is happening inside and outside the home with elegant and intuitive graphics.



### Web interface.

New, easy-to-programme hardware for supervising the system from a LAN network, Wi-Fi or the Internet.



A careful selection of materials for making the most of any room.

## Primari

Anodized aluminium



Brilliant aluminium



Next grey



Neutral bronze



Dark bronze



Lava grey

---

## Esclusivi

Refined aluminium



Silver



Titanium



Polished gold



Satin gold



Black sapphire

## Scolpiti

Carved stone



Carrara white



Grey quartzite



Neutral split slate

## Naturali

Solid wood



White oak



Italian walnut



Wengé

## Luminosi

Crystal



Silver ice



Bronze mirror



White diamond



Aqua



Pearl grey



Opal brown



Black diamond

---

## Raffinati

Natural leather



Cream



Tobacco

## Speciali

Corian®



Glacier ice

---

## Essenziali

Total aluminium and crystal



Total white



Total black



Total white diamond



Total black diamond


Eikon: more than a style, a way of being.



Classic

Classic's rigorous and refined lines frame lighting points in a clear yet delicate manner. Round's softer, more embracing forms surround the buttons with grace and simplicity. The two Eikon designs are available in three different total looks: anthracite grey, rigorous and refined, satin-finish white, sombre and light, Next silver, charming and technological.





Round



Eikon, anthracite grey.



Eikon, white.



Eikon Next.

Six precious materials in a range of different colours, to highlight any living style.

Metal



Bright

With anthracite grey frame



Arctic white




Antique white



Heron grey



Metallic imperial red



Metallic Oxford green



Metallic Toledo blue



Metallic champagne



Metallic titanium



Metallic Atlantic grey



Metallic silver



Metallic Siena brown



Metallic anthracite



Matt silver



Matt titanium




Matt anthracite

With white frame



Arctic white



Antique white

Whit Next frame



Metallic champagne




Matt silver



Matt titanium

Galvanic

With anthracite grey frame



Satin gold



Satin nickel



Satin chrome



Polished gold



Black chrome



Antique brass

With white frame



Polished gold

# Inox

Stainless steel



With anthracite grey frame



Brushed inox



Cotton



Brushed anthracite

Whit Next frame



Brushed inox

# Glass

## Crystal



With anthracite grey frame



Black ice



White ice



Amber ice



Blue ice



Yellow ice



Green ice



Silver mirror



Ash mirror



Bronze mirror

With white frame



White ice

Whit Next frame



Silver mirror

# Reflex

## Technopolymer (only for Classic cover plates)



With anthracite grey frame



Reflex graphite

With white frame



Reflex ice

# Wood

Natural wood



With anthracite grey frame



African wengé



White oak



Dark oak



Burma teak



Italian walnut



American cherrywood



European maple

# Stone

Natural stone (only for Classic cover plates)



With anthracite grey frame



Absolute black



Cardoso



Carrara white



Guatemala green



Asiago red



Atlantis yellow



Jerusalem stone

With white frame



Jerusalem stone



# Intelligent technologies that are extremely easy to install.

## the soft touch.

A silent, satin-finished touch: this is how the buttons switch the connected functions on and off. Electronic touch-control functions are available in addition to the traditional controls.



Soft-action control.



Touch control.



Infrared control.

## the light.

Back-lit buttons and LEDs in different colour variants to control light, automatic devices and fluorescent emergency lighting, with high-efficiency LED technologies.



Controls with LED back-lighting.



TORCIA, hand lamp.



Modular lights.

## the climate.

Timer-switches, thermostats and timer thermostats with digital technologies and manual regulation options, fitted with large displays and amber back-lighting.



Timer-thermostat.



Thermostat with fan-coil switch.



Timer-switch.

## the sound.

A complete speaker system that manages various independent compatible audio inputs from external sound sources such as MP3 music players, iPods and iPhones.



Sound system touch screen.



Controls.



Speakers with bass reflex technology.

## the multimediality.

A wide range of audio, video and USB inputs, a complete system offering extraordinary multimedia performance.



RCA, HDMI and USB socket outlets.



Power unit with 2 USB outputs.



TV, SAT, FM and RJ45 socket outlets.

## the safety.

Intrusion and perimeter alarms which monitor up to thirty differentiated zones at the same time or singly, gas detectors and SICURY sockets with protective shutters to avoid accidental contact.



Digital keypad.



Methane gas detector.



Sockets with Sicury protection shutters.

# And with By-me home automation, you can satisfy all your needs in terms of control, comfort, safety, energy saving and communication.

Eikon Evo and Eikon dress up By-me home automation, taking care of the home and improving and simplifying everyday life. With a range of intuitive, coordinated functions: controlling all areas, while offering extraordinary comfort including the speaker system, room safety, unlimited energy savings and communication. By-me dialogues with mobile phones, smartphones and PCs, shaping itself to the home, and the needs and desires of the people who live there.



**Safety and security.**  
Supervision of the intrusion detection system and all alarms.



**Comfort.**  
Customised temperature and lighting management in every room.



**Energy saving.**  
Monitoring of consumption, energy management with radio-frequency control system.



**Control.**  
Supervises the whole home at the touch of a button.



**Communication.**  
Web interface for remote control via mobile phone, smartphone and tablet.



**Sound system.**  
For listening music independently in every room.



## 10" IP Multimedia video touch screen

Home management becomes spectacular. All thanks to the 10" ultra-flat screen, high definition graphics, customised screens with photos of actual settings to make function control even more user-friendly. The web interface also offers access to a range of other Internet services.



## 4.3" Full Flat touch video

Controlling everything that happens inside and outside the home has never been so easy or so enjoyable. You can supervise all the functions active in the home and manage the video door entry system from the wide screen.

## Mounting features for Eikon Evo Italian standard

### Ultra-flat mounting frame with metal core.

Just 2 mm thick, it guarantees strength, flexibility and electric insulation. The metal core has a galvanised, anti-oxidant coating and attaches devices quickly and easily. It can mount also Eikon cover plates.

### Interchangeable buttons

1-, 2- and 3-module, with backlighting symbols and customizables.

### Technical information

On the back next to each terminal for functional information, on the side for sales and technical data.

### Cover plates

Large and square size, from 2 to 7 and 4 +4 modules. In 6 high-quality materials, a wide range of colors and 4 different total look.

### Plack-clack system.


The Vimar-patented Plack-clack system fixes quickly and easily the lighting point components to the cover plate by inserting and removing the devices from the front.

### Night&day symbols

Controllers and keys are marked with standard symbols or custom symbols on request, laser engraved in the specific area backlit with coloured LEDs.

### Chrome frame

Flat frame with no shaping, symmetrical and elegant to make the most of the lighting device.





Composition	Box	Frame	Device	Cover plate
 2 modules	 Flush mounting ø 60 mm or 56x56 mm	 With/without screws	 2 x 1-module 1 x 2-module	 2 modules
 From 3 to 7 modules	 Flush mounting from 3 to 6/7 modules	 With screws	 3 x 1-module 1- and 2-module 1 x 3-module	 From 3 to 7 modules*
 10" multimedia video touch	 Semi-flush mounting			 Cover plate for multimedia video touch 10"
 4,3" Full Flat touch screen	 Flush mounting		 Full Flat touch screen 4,3"	 8 modules cover plate*
 4,3" Full Flat video touch			 Full Flat video touch 4,3"	 8 modules cover plate*, rotated at 90° angle

## Mounting features for Eikon Evo German standard - 71 mm

### Ultra-flat mounting frame with metal core.


Just 2 mm thick, it guarantees strength, flexibility and electric insulation. The metal core has a galvanised, anti-oxidant coating and attaches devices quickly and easily. Wide range of installation possibilities because of the 71 mm between centres.

### Plack-clack system.

The Vimar-patented Plack-clack system fixes quickly and easily the lighting point components to the cover plate by inserting and removing the devices from the front.

### Interchangeable buttons

1- and 2-module, with backlighting symbols and customizables.


















### Technical information

On the back next to each terminal for functional information, on the side for sales and technical data.



### Cover plates

Wide range of cover plates, from 2+2 to 2+2+2+2 modules, for safe and functional vertical and horizontal installation for any country.

Composition	Box	Frame	Device	Cover plate
 <p>2+2 modules</p>		 <p>With/without screws with 71 mm between centres</p>	 <p>2 x 2 modules</p>	 <p>2+2 modules, vertical installation</p> <p>2+2 modules, horizontal installation</p>
 <p>2+2+2 modules</p>		 <p>With/without screws with 71 mm between centres</p>	 <p>3 x 2 modules</p>	 <p>2+2+2 modules, vertical installation</p> <p>2+2+2 modules, horizontal installation</p>
 <p>2+2+2+2 modules</p>		 <p>With/without screws with 71 mm between centres</p>	 <p>4 x 2 modules</p>	 <p>2+2+2+2 modules, vertical installation</p> <p>2+2+2+2 modules, horizontal installation</p>

## Mounting features for Eikon Italian standard

### Cover plates.

Wide range of colours in six premium materials:

**Metal:** Bright and Galvanic

**Wood:** solid natural wood

**Stone:** natural stone

**Glass:** crystal

**Inox:** stainless steel

**Reflex:** technopolymer.

### Technical information


On the back next to each terminal for functional information, on the side for sales and technical data.

### Interchangeable buttons.

1-, 2- and 3-module, with backlighting symbols and customizables.

### Lowered frame

Sturdy because of the honeycomb structure and semi-transparent to facilitate the wiring and installation of devices. Minimum projection from the wall of the lighting controls.



### Plack-clack system.

Easier frontal hooking and unhooking of the lighting control, patented by Vimar. Facilitate any type or work on the electrical system, without frame removing.
































### Customisation

Controllers and keys are marked with standard symbols or custom symbols on request, laser engraved in the specific area backlit with coloured LEDs.

### Single packing in box with barcode

The appliance is protected against knocks, dropping and dust and is well identified. In all cases where the methods of installation are not obvious, the appliances are equipped with an instruction sheet. The EAN 13 barcode, used by over 100 countries, is printed on every level packing and permits automatic inventory management with optical readers and computer systems connected to them.



Composition	Box	Frame	Device	Cover plate
 Panel mounting	 Panel mounting	 With screws	 1-module	 From 1 to 2 modules Classic or Round, Bright finish*
 From 1 to 2 modules	 Flush mounting  Surface mounting	 With/without screws or with claws	 2 x 1-module  1 x 2-module	 From 1 to 2 modules Classic or Round*
 For 2 central modules	 Flush mounting  Surface mounting	 With screws  With screws	 2 x 1-module  1 x 2-module  3 x 1-module  1- and 2-module  1 x 3-module	 2-central-module Classic or Round*  From 3 to 7 modules Classic or Round*
 Table mounting 4 and 7 modules	 Table box	 With screws	 4 x 1-module  1 x 2-module and 2 x 1-module  1- and 3-module	 4 and 7 modules Classic or Round*

\* For other combinations, see the installation types from page 48



# Mounting features for Eikon British standard

## Modular devices mounting



### Cover plates

Wide range of colours and combinations in five premium materials:

**Metal:** Bright and Galvanic

**Wood:** solid natural wood

**Stone:** natural stone

**Glass:** crystal

**Inox:** stainless steel, brushed, brushed anthracite and cotton

The frame is available in 3 colours: grey anthracite, white and Next.

### Technical information

On the back next to each terminal for functional information, on the side for sales and technical data.



### Interchangeable buttons

One or two modules, with backlit symbols and customizable.

### Customisation

Controllers and keys are marked with standard symbols or custom symbols on request, laser engraved in the specific area backlit with coloured LEDs.



### Lowered frame.

Stainless steel mounting frame with earth terminal, with lugs for an easy and fast installation of the devices from the front. Available also for 1 module with built-in blank module.

## Monobloc device (with built-in mounting frame)



### Socket outlet

With SICURY patented system to prevent accidental contacts.



**Monobloc device**  
Built-in mounting frame.

### Fixing lugs

Possibility of horizontal and vertical mounting of device.

### Signalling LED

Signalling of power supply, with integrated signalling unit, perfectly visible by day and night.

























### Cover plates

For vertical and horizontal mounting, it is available in a wide range of colours and combinations: **Metal:** Bright and Galvanic; **Wood:** solid natural wood; **Stone:** natural stone; **Glass:** crystal; **Inox:** stainless steel, brushed, brushed anthracite and cotton. The frame is available in 3 colours: grey anthracite, white and Next.

## Matching possibility



Joining possibility with minimum 25 mm of distance between boxes

Example of composition	Box	Frame	Device	Cover plate
 <p>1 module, modular mounting (1-gang)</p>	 <p>1-gang mounting box Fixing centres: 60,3 mm</p>	 <p>1-module with screws M 3,5</p>	 <p>1-gang switch, 1 module</p>	 <p>For 2 modules*</p>
 <p>2 modules, modular mounting (1-, 2-, 3-gang switch)</p>	 <p>1-gang mounting box Fixing centres: 60,3 mm</p>	 <p>2-module with screws M 3,5</p>	 <p>3-gang switch, 2 modules</p>  <p>2 x 1-gang switches, 1 module</p>  <p>1-gang switch, 2 modules</p>	 <p>For 2 modules*</p>
 <p>monobloc device</p>	 <p>1-gang mounting box Fixing centres: 60,3 mm</p>		 <p>Socket outlet monobloc device</p>  <p>Cooker unit monobloc device</p>	 <p>monobloc horizontal mounting*</p>  <p>monobloc vertical mounting*</p>
 <p>monobloc device or 5 modules modular mounting</p>	 <p>2-gang mounting box Fixing centres: 120,6 mm</p>	 <p>5-module with screws M 3,5</p>	 <p>2-gang switched socket outlets monobloc device</p>  <p>2 modular unswitched socket outlets - 2 modules + 1-module blank module</p>	 <p>5 modules*</p>

\* For other combinations, see the installation types from page 56



# Devices

Grey	White	Next
------	-------	------

## Blank modules and cable outlets



**20041**  
Blank module

**20044**  
Cable outlet



**20042**  
Blank module  
- 2 modules



**20046<sup>2</sup>**  
Cable outlet  
+ terminalbar  
20 A



**20047<sup>2</sup>**  
45 A 1-gang cable  
outlet supplied with  
cover plate



• **20049.L<sup>3</sup>**  
13 A, 1-gang, switched  
and fused connection unit



**20041.B**  
Blank module

**20044.B**  
Cable outlet



**20042.B**  
Blank module  
- 2 modules



**20046.B<sup>2</sup>**  
Cable outlet  
+ terminalbar  
20 A



**20047.B<sup>2</sup>**  
45 A 1-gang cable  
outlet supplied with  
cover plate



• **20049.L.B<sup>3</sup>**  
13 A, 1-gang, switched  
and fused connection unit




**20041.N**  
Blank module

**20044.N**  
Cable outlet



**20042.N**  
Blank module  
- 2 modules



**20046.N<sup>2</sup>**  
Cable outlet  
+ terminalbar  
20 A



**20047.N<sup>2</sup>**  
45 A 1-gang cable  
outlet supplied with  
cover plate



• **20049.L.N<sup>3</sup>**  
13 A, 1-gang, switched  
and fused connection unit

## 1P 1-way switches 250 V~ (lightable°)



**20001**  
16 AX

**20001.2**  
16 AX  
- 2 modules

**Δ 20001.7**  
16 AX, with diffu-  
ser - 2 modules



**20002**  
20 AX

**20002.2**  
20 AX  
- 2 modules

**20003**  
20 AX, 3-gang  
- 2 modules



**20001.B**  
16 AX

**20001.2.B**  
16 AX  
- 2 modules

**Δ 20001.7.B**  
16 AX, with diffu-  
ser - 2 modules



**20002.B**  
20 AX

**20002.2.B**  
20 AX  
- 2 modules

**20003.B**  
20 AX, 3-gang  
- 2 modules



**20001.N**  
16 AX

**20001.2.N**  
16 AX  
- 2 modules

**Δ 20001.7.N**  
16 AX, with diffu-  
ser - 2 modules



**20002.N**  
20 AX

**20002.2.N**  
20 AX  
- 2 modules

**20003.N**  
20 AX, 3-gang  
- 2 modules

## 2P 1-way switches 250 V~ (lightable°)



**20015**  
16 AX

**20015.2**  
16 AX  
- 2 modules



**20015.B**  
16 AX

**20015.2.B**  
16 AX  
- 2 modules





**20015.N**  
16 AX

**20015.2.N**  
16 AX  
- 2 modules

## Devices

Grey	White	Next
------	-------	------















































## 2P 1-way switches 250 V~ (lightable°)









































## Badge switch (lightable°)










































# Devices

Grey			White			Next		
1P 2-way switches 250 V~ (lightable°)								
								
20005 16 AX	20005.2 16 AX - 2 modules	Δ 20005.7 16 AX, with diffuser - 2 modules	20005.B 16 AX	20005.2.B 16 AX - 2 modules	Δ 20005.7.B 16 AX, with diffuser - 2 modules	20005.N 16 AX	20005.2.N 16 AX - 2 modules	Δ 20005.7.N 16 AX, with diffuser - 2 modules
								
20006 20 AX	20006.2 20 AX, - 2 modules	20007 20 AX, 3-gang - 2 modules	20006.B 20 AX	20006.2.B 20 AX - 2 modules	20007.B 20 AX, 3-gang - 2 modules	20006.N 20 AX	20006.2.N 20 AX - 2 modules	20007.N 20 AX, 3-gang - 2 modules
1P reversing switches 250 V~ (lightable°)								
								
20013 16 AX	20013.2 16 AX - 2 modules		20013.B 16 AX	20013.2.B 16 AX - 2 modules		20013.N 16 AX	20013.2.N 16 AX - 2 modules	
1P NO 10 A push buttons 250 V~ (lightable°)								
								
20008 10 A	20008.2 10 A - 2 modules	20008.2.C Bell symbol - 2 modules	20008.B 10 A	20008.2.B 10 A - 2 modules	20008.2.C.B Bell symbol - 2 modules	20008.N 10 A	20008.2.N 10 A - 2 modules	20008.2.C.N Bell symbol - 2 modules
								
20008.2.L Light symbol - 2 modules	Δ 20008.2.P Key symbol - 2 modules	Δ 20008.7 With diffuser - 2 modules	20008.2.L.B Light symbol - 2 modules	Δ 20008.2.P.B Key symbol - 2 modules	Δ 20008.7.B With diffuser - 2 modules	20008.2.L.N Light symbol - 2 modules	Δ 20008.2.P.N Key symbol - 2 modules	Δ 20008.7.N With diffuser - 2 modules
1P NC 10 A push button 250 V~ (lightable°)								
								
20010 10 A			20010.B 10 A			20010.N 10 A		
Lightable° mechanisms 250 V~ (common devices for the three versions)								
								
20001.0 1P 16 AX 1-way switch	20015.0 2P 16 AX 1-way switch	20005.0 1P 16 AX 2-way switch	20013.0 1P 16 AX reversing switch	20008.0 1P NO 10 A push button	20010.0 1P NC 10 A push button	20002.0 1P 20 AX 1-way switch	20016.0 2P 20 AX 1-way switch	20006.0 1P 20 AX 2-way switch






























## Devices

Grey				White				Next			
1-module interchangeable buttons (lightable°)											
											
20021 No symbol	20026 With diffuser	20031 Customizable	20021.C Bell symbol	20021.B No symbol	20026.B With diffuser	20031.B Customizable	20021.C.B Bell symbol	20021.N No symbol	20026.N With diffuser	20031.N Customizable	20021.C.N Bell symbol
											
20021.L Light symbol	20021.P Key symbol	20021.99 O I symbols for DP switches		20021.L.B Light symbol	20021.P.B Key symbol	20021.99.B O I symbols for DP switches		20021.L.N Light symbol	20021.P.N Key symbol	20021.99.N O I symbols for DP switches	
											
20031.PS 'Press' marked				20031.PS.B 'Press' marked				20031.PS.N 'Press' marked			
2-module interchangeable buttons (lightable°)											
											
20022 No symbol	20027 With diffuser	20032 Customizable		20022.B No symbol	20027.B With diffuser	20032.B Customizable		20022.N No symbol	20027.N With diffuser	20032.N Customizable	
											
20022.C Bell symbol	20022.L Light symbol	20022.P Key symbol		20022.C.B Bell symbol	20022.L.B Light symbol	20022.P.B Key symbol		20022.C.N Bell symbol	20022.L.N Light symbol	20022.P.N Key symbol	
											
20022.99 O I symbols for DP switches				20022.99.B O I symbols for DP switches				20022.99.N O I symbols for DP switches			
											
20032.PS 'Press' marked				20032.PS.B 'Press' marked				20032.PS.N 'Press' marked			

# Devices

Grey		White		Next	
3-module interchangeable buttons (lightable°)					
					
<b>20023</b> No symbol	<b>20028</b> With diffuser	<b>20023.B</b> No symbol	<b>20028.B</b> With diffuser	<b>20023.N</b> No symbol	<b>20028.N</b> With diffuser
					
<b>20033</b> Customizable	<b>20023.C</b> Bell symbol	<b>20033.B</b> Customizable	<b>20023.C.B</b> Bell symbol	<b>20033.N</b> Customizable	<b>20023.C.N</b> Bell symbol
1P special switches 250 V~					
					
<b>20050</b> NO 10 A, with lightable name- plate - 2 modules	<b>20052</b> NO 10 A cord- operated	<b>20053</b> NC 10 A cord- operated	<b>20050.B</b> NO 10 A, with lightable name- plate - 2 modules	<b>20052.B</b> NO 10 A cord- operated	<b>20053.B</b> NC 10 A cord- operated
					
<b>20050.N</b> NO 10 A, with lightable name- plate - 2 modules	<b>20052.N</b> NO 10 A cord- operated	<b>20053.N</b> NC 10 A cord- operated			
Additional 1P switches 250 V~					
					
<b>20056.33</b> 10 A, NO + NC-contact, OFF symbol	<b>20056.34</b> 10 A, NO + NC-contact, ON symbol	<b>20058</b> Two 10 A NO+NC independent contacts, OFF/ON symbols	<b>20056.33.B</b> 10 A, NO + NC-contact, OFF symbol	<b>20056.34.B</b> 10 A, NO + NC-contact, ON symbol	<b>20058.B</b> Two 10 A NO+NC independent contacts, OFF/ON symbols
					
<b>20056.33.N</b> 10 A, NO + NC-contact, OFF symbol	<b>20056.34.N</b> 10 A, NO + NC-contact, ON symbol	<b>20058.N</b> Two 10 A NO+NC independent contacts, OFF/ON symbols			
1P push buttons 250 V~					
					
<b>20066</b> Two NO 10 A, independents	<b>20066.B</b> Two NO 10 A, independents	<b>20066.N</b> Two NO 10 A, independents			
1P NO 10 A push buttons 250 V~ with indicator (for signalling units°)					
					
<b>20068.A</b> Orange diffuser	<b>20068.B</b> White diffuser	<b>20068.A.B</b> Orange diffuser	<b>20068.B.B</b> White diffuser	<b>20068.A.N</b> Orange diffuser	<b>20068.B.N</b> White diffuser

## Devices

Grey			White			Next																				
1P NO 10 A push buttons 250 V~ with indicator (for signalling units°)																										
 <b>20068.R</b> Red diffuser			 <b>20068.V</b> Green diffuser			 <b>20068.R.B</b> Red diffuser			 <b>20068.V.B</b> Green diffuser			 <b>20068.R.N</b> Red diffuser			 <b>20068.V.N</b> Green diffuser											
Switches 250 V~																										
 <b>20060</b> 2P 10 AX 2-way switch, OFF-central			 <b>20062</b> 2 1P NO 10 A push buttons, interlocked			 <b>20060.B</b> 2P 10 AX 2-way switch, OFF-central			 <b>20062.B</b> 2 1P NO 10 A push buttons, interlocked			 <b>20060.N</b> 2P 10 AX 2-way switch, OFF-central			 <b>20062.N</b> 2 1P NO 10 A push buttons, interlocked											
2P key-operated switches 250 V~ (add .CU to the basic code for switches with 000 unified key)																										
 <b>20082</b> 16 AX 1-way switch, key removable in "O" (OFF) position			 <b>20083</b> 16 AX 1-way switch, key removable in both positions			 <b>20082.B</b> 16 AX 1-way switch, key removable in "O" (OFF) position			 <b>20083.B</b> 16 AX 1-way switch, key removable in both positions			 <b>20082.N</b> 16 AX 1-way switch, key removable in "O" (OFF) position			 <b>20083.N</b> 16 AX 1-way switch, key removable in both positions											
 <b>20086</b> NO 16 A push button, key removable in "O" position						 <b>20086.B</b> NO 16 A push button, key removable in "O" position						 <b>20086.N</b> NO 16 A push button, key removable in "O" position														
Dimmers**																										
 <b>20160</b> MASTER, 500 W/300 VA 230 V~			 <b>20161</b> SLAVE, 500 W/300 VA 230 V~			 <b>20162</b> 300 VA 230 V~			 <b>20160.B</b> MASTER, 500 W/300 VA 230 V~			 <b>20161.B</b> SLAVE, 500 W/300 VA 230 V~			 <b>20162.B</b> 300 VA 230 V~			 <b>20160.N</b> MASTER, 500 W/300 VA 230 V~			 <b>20161.N</b> SLAVE, 500 W/300 VA 230 V~			 <b>20162.N</b> 300 VA 230 V~		
<b>*20148</b> MASTER, 800 W/500 VA 120-230 V~			<b>*20149</b> SLAVE, 800 W/500 VA 120-230 V~						<b>*20148.B</b> MASTER, 800 W/500 VA 120-230 V~			<b>*20149.B</b> SLAVE, 800 W/500 VA 120-230 V~			<b>*20148.N</b> MASTER, 800 W/500 VA 120-230 V~			<b>*20149.N</b> SLAVE, 800 W/500 VA 120-230 V~								

\* Only for Countries not member of the EU

\*\* Please refer to instruction sheets for load type

° Lamps and signalling units, page 44



# Devices

Grey	White	Next
------	-------	------

## Dimmers (fuse protected for British Standard boxes with depth equal or higher than 35 mm)



**\*20140**  
MASTER, 700 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**\*20142**  
As above, 500 VA  
- 2 modules  
Only for electronic  
transformers



**\*20141**  
SLAVE, 700 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**\*20143**  
As above, 500 VA  
- 2 modules  
Only for electronic  
transformers



**\*20140.B**  
MASTER, 700 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**\*20142.B**  
As above, 500 VA  
- 2 modules  
Only for electronic  
transformers



**\*20141.B**  
SLAVE, 700 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**\*20143.B**  
As above, 500 VA  
- 2 modules  
Only for electronic  
transformers



**\*20140.N**  
MASTER, 700 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**\*20142.N**  
As above, 500 VA  
- 2 modules  
Only for electronic  
transformers



**\*20141.N**  
SLAVE, 700 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**\*20143.N**  
As above, 500 VA  
- 2 modules  
Only for electronic  
transformers



**20165**  
MASTER, 500 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**20167**  
As above, 400 VA  
- 2 modules.  
Only for electronic  
transformers



**20166**  
SLAVE, 500 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**20168**  
As above, 400 VA  
- 2 modules.  
Only for electronic  
transformers



**20165.B**  
MASTER, 500 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**20167.B**  
As above, 400 VA  
- 2 modules.  
Only for electronic  
transformers



**20166.B**  
SLAVE, 500 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**20168.B**  
As above, 400 VA  
- 2 modules.  
Only for electronic  
transformers



**20165.N**  
MASTER, 500 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**20167.N**  
As above, 400 VA  
- 2 modules.  
Only for electronic  
transformers



**20166.N**  
SLAVE, 500 W  
230 V~ - 2 modules.  
For incandescent lamps  
and ferromagnetic  
transformers

**20168.N**  
As above, 400 VA  
- 2 modules.  
Only for electronic  
transformers



## Electronic transformers (230-240 V~ 50-60 Hz)



**01860.60**  
20-60 W,  
12 V~ (SELV) output



**01860.105**  
20-105 W,  
12 V~ (SELV) output


## Touch switches (230 V~ with built-in touch sensor)



**20120**  
Electronic  
switch, NO  
6 A relay




**20121**  
Electronic  
switch,  
40-300 W



**20120.B**  
Electronic  
switch, NO  
6 A relay



**20121.B**  
Electronic  
switch,  
40-300 W



**20120.N**  
Electronic  
switch, NO  
6 A relay



**20121.N**  
Electronic  
switch,  
40-300 W



**20125**  
Dimmer,  
40-500 W/VA,  
MASTER



**20123**  
Push button  
for remote  
control,  
50-60 Hz



**20125.B**  
Dimmer,  
40-500 W/VA,  
MASTER



**20123.B**  
Push button  
for remote  
control,  
50-60 Hz



**20125.N**  
Dimmer,  
40-500 W/VA,  
MASTER



**20123.N**  
Push button  
for remote  
control,  
50-60 Hz

## Devices

Grey	White	Next
------	-------	------

## Infrared switches



**20172**  
Receiver, NO  
6 A 230 V~  
relay output,  
50-60 Hz  
**\*20172.120**  
As above,  
120 V~



**20173**  
Receiver, 4 A  
230 V~ relay  
outputs, for  
rolling shutters  
- 2 modules



**20172.B**  
Receiver, NO  
6 A 230 V~  
relay output,  
50-60 Hz  
**\*20172.120.B**  
As above,  
120 V~



**20173.B**  
Receiver, 4 A  
230 V~ relay  
outputs, for  
rolling shutters  
- 2 modules



**20172.N**  
Receiver, NO  
6 A 230 V~  
relay output,  
50-60 Hz  
**\*20172.120.N**  
As above,  
120 V~



**20173.N**  
Receiver, 4 A  
230 V~ relay  
outputs, for  
rolling shutters  
- 2 modules



**20175**  
Receiver,  
40-450 W/VA  
dimmer,  
230 V~



**20175.B**  
Receiver,  
40-450 W/VA  
dimmer,  
230 V~



**20175.N**  
Receiver,  
40-450 W/VA  
dimmer,  
230 V~



**01849**  
IR remote control, 14-channel



**20181**  
Lighting switch,  
NO 6 A 230 V~  
relay output,  
50-60 Hz  
**\*20181.120**  
As above,  
120 V~



**20184**  
For incandescent  
lamps,  
60-300 W,  
230 V~  
50-60 Hz



**20635**  
Orientable  
support  
- 1 module



**20181.B**  
Lighting switch,  
NO 6 A 230 V~  
relay output,  
50-60 Hz  
**\*20181.120.B**  
As above,  
120 V~



**20184.B**  
For incandescent  
lamps,  
60-300 W,  
230 V~  
50-60 Hz



**20635.B**  
Orientable  
support  
- 1 module



**20181.N**  
Lighting switch,  
NO 6 A 230 V~  
relay output,  
50-60 Hz  
**\*20181.120.N**  
As above,  
120 V~



**20184.N**  
For incandescent  
lamps,  
60-300 W,  
230 V~  
50-60 Hz



**20635.N**  
Orientable  
support  
- 1 module

## Set/Reset push buttons



**20183**  
For emergency call, 2 NO 5 A 250 V~,  
12 V~/12-24 V d.c. (SELV) - 2 modules



**20183.B**  
For emergency call, 2 NO 5 A 250 V~,  
12 V~/12-24 V d.c. (SELV) - 2 modules



**20183.N**  
For emergency call, 2 NO 5 A 250 V~,  
12 V~/12-24 V d.c. (SELV) - 2 modules

## Switches with current sensor



**20188**  
For SLAVE-sockets control,  
230 V~ 50-60 Hz  
- 2 modules



**20188.B**  
For SLAVE-sockets control,  
230 V~ 50-60 Hz  
- 2 modules



**20188.N**  
For SLAVE-sockets control,  
230 V~ 50-60 Hz  
- 2 modules

\* Only for Countries not member of the EU







° Lamps and signalling units, page 44










# Socket outlets

Grey	White	Next
------	-------	------

## SICURY 2P+E Italian standard socket outlets 250 V~



## SICURY 2P+E interlocked socket outlets with CB and RCBO $I_{\Delta n}$ 10 mA, (120-230 V~ 50-60 Hz)



## Socket outlets

Grey	White	Next
------	-------	------

## Shaver supply units



**20290**  
230 V~ 50-60 Hz, with 20 VA  
isolating transformer, 230 V~  
and 120 V~ outputs - 3 modules



**20290.B**  
230 V~ 50-60 Hz, with 20 VA  
isolating transformer, 230 V~  
and 120 V~ outputs - 3 modules



**20290.N**  
230 V~ 50-60 Hz, with 20 VA  
isolating transformer, 230 V~  
and 120 V~ outputs - 3 modules



● **20291**<sup>6</sup>  
230 V~ 50-60 Hz,  
with 20 VA isolating  
transformer, 230 V~  
and 120 V~ outputs



● **20291.B**<sup>6</sup>  
230 V~ 50-60 Hz,  
with 20 VA isolating  
transformer, 230 V~  
and 120 V~ outputs



● **20291.N**<sup>6</sup>  
230 V~ 50-60 Hz,  
with 20 VA isolating  
transformer, 230 V~  
and 120 V~ outputs

## SICURY 2P+E socket outlets 250 V~ (for dedicated supply lines)



**20203.R**  
Bpresa 16 A,  
P17/11, red  
- 2 modules



**20209.A**  
16 A, P30, orange  
- 2 modules



**20209.R**  
16 A, P30, red  
- 2 modules



**20209.V**  
16 A, P30, green  
- 2 modules



**20210.R**  
16 A, universal, red  
- 2 modules

## Other standard socket outlets 250 V~



**20208**  
SICURY 2P+E  
16 A, German  
- 2 modules



▲ **20208.C**  
SICURY 2P+E 16 A,  
German, with cover  
- 2 modules



**20208.B**  
SICURY 2P+E  
16 A, German  
- 2 modules



▲ **20208.C.B**  
SICURY 2P+E 16 A,  
German, with cover  
- 2 modules



**20208.N**  
SICURY 2P+E  
16 A, German  
- 2 modules



▲ **20208.C.N**  
SICURY 2P+E 16 A,  
German, with cover  
- 2 modules



**20212**  
SICURY 2P+E  
16 A, French  
- 2 modules



▲ **20212.C**  
SICURY 2P+E 16 A,  
French, with cover  
- 2 modules



**20212.B**  
SICURY 2P+E  
16 A, French  
- 2 modules



▲ **20212.C.B**  
SICURY 2P+E 16 A,  
French, with cover  
- 2 modules



**20212.N**  
SICURY 2P+E  
16 A, French  
- 2 modules



▲ **20212.C.N**  
SICURY 2P+E 16 A,  
French, with cover  
- 2 modules

\* Only for Countries not member of the EU

<sup>6</sup> Lamps and signalling units, page 44

▲ New article

△ Available until stocks last

● Only for Eikon cover plates

# Socket outlets

Grey	White	Next
------	-------	------

## Other standard socket outlets 250 V~



**20219<sup>A</sup>**  
SICURY 2P+E  
13 A, English  
- 2 modules



**20220**  
SICURY 2P+E  
13 A, English  
- 2 modules



**20219.B<sup>A</sup>**  
SICURY 2P+E  
13 A, English  
- 2 modules



**20220.B**  
SICURY 2P+E  
13 A, English  
- 2 modules



**20219.N<sup>A</sup>**  
SICURY 2P+E  
13 A, English  
- 2 modules



**20220.N**  
SICURY 2P+E  
13 A, English  
- 2 modules



**\*20234**  
SICURY 2P  
16 A, Euro-American  
(ø 4,8 mm)



**\*20250**  
SICURY  
2P+E 10 A,  
Argentinian



**20264**  
SICURY  
2P+E 10 A,  
Brazilian



**20265**  
SICURY  
2P+E 20 A,  
Brazilian



**\*20234.B**  
SICURY 2P  
16 A, Euro-American  
(ø 4,8 mm)



**\*20250.B**  
SICURY  
2P+E 10 A,  
Argentinian




**20264.B**  
SICURY  
2P+E 10 A,  
Brazilian



**20265.B**  
SICURY  
2P+E 20 A,  
Brazilian



**\*20234.N**  
SICURY 2P  
16 A, Euro-American  
(ø 4,8 mm)



**\*20250.N**  
SICURY  
2P+E 10 A,  
Argentinian



**20264.N**  
SICURY  
2P+E 10 A,  
Brazilian



**20265.N**  
SICURY  
2P+E 20 A,  
Brazilian



**20226**  
2P+E 10 A,  
Swiss, 13-type  
- 2 modules



**20240**  
SICURY 2P+E  
16 A, Israeli  
- 2 modules



**20226.B**  
2P+E 10 A,  
Swiss, 13-type  
- 2 modules



**20240.B**  
SICURY 2P+E  
16 A, Israeli  
- 2 modules



**20226.N**  
2P+E 10 A,  
Swiss, 13-type  
- 2 modules



**20240.N**  
SICURY 2P+E  
16 A, Israeli  
- 2 modules

## Other standard socket outlets 127 V~



**\*20242**  
SICURY 2P+E  
15 A, USA and  
Arabian



**\*20243**  
Two SICURY 2P+E  
15 A, USA and  
Arabian  
- 3 modules



**\*20242.B**  
SICURY 2P+E  
15 A, USA and  
Arabian



**\*20243.B**  
Two SICURY 2P+E  
15 A, USA and  
Arabian  
- 3 modules



**\*20242.N**  
SICURY 2P+E  
15 A, USA and  
Arabian



**\*20243.N**  
Two SICURY 2P+E  
15 A, USA and  
Arabian  
- 3 modules

## British standard socket outlets 250 V~ (with signalling unit 00930 included)



• **20221.L<sup>4</sup>**  
SICURY 2P+E 13 A,  
1-gang, switched



• **20222.L<sup>4</sup>**  
SICURY 2P+E 13 A, 2-gang,  
switched



• **20221.L.B<sup>4</sup>**  
SICURY 2P+E 13 A,  
1-gang, switched



• **20222.L.B<sup>4</sup>**  
SICURY 2P+E 13 A, 2-gang,  
switched



• **20221.L.N<sup>4</sup>**  
SICURY 2P+E 13 A,  
1-gang, switched



• **20222.L.N<sup>4</sup>**  
SICURY 2P+E 13 A, 2-gang,  
switched



• **20215.L<sup>5</sup>**  
SICURY 2P+E 5 A,  
1-gang, switched



• **20217.L<sup>5</sup>**  
SICURY 2P+E 15 A,  
1-gang, switched



• **20215.L.B<sup>5</sup>**  
SICURY 2P+E 5 A,  
1-gang, switched



• **20217.L.B<sup>5</sup>**  
SICURY 2P+E 15 A,  
1-gang, switched





















• **20215.L.N<sup>5</sup>**  
SICURY 2P+E 5 A,  
1-gang, switched




































• **20217.L.N<sup>5</sup>**  
SICURY 2P+E 15 A,  
1-gang, switched

## Signal reception socket outlets
















































Grey				White				Next			
Special socket outlets											
											
<b>20331</b> 2P 6 A 24 V (SELV), for plug 01616/01617				<b>20331.B</b> 2P 6 A 24 V (SELV), for plug 01616/01617				<b>20331.N</b> 2P 6 A 24 V (SELV), for plug 01616/01617			
<b>20333</b> 5P DIN 41524 socket connector				<b>20333.B</b> 5P DIN 41524 socket connector				<b>20333.N</b> 5P DIN 41524 socket connector			
<b>20334</b> 2P point-line 60130-9 IEC-07 socket connector				<b>20334.B</b> 2P point-line 60130-9 IEC-07 socket connector				<b>20334.N</b> 2P point-line 60130-9 IEC-07 socket connector			
											
<b>20345</b> USB outlet, screw terminals				<b>20345.B</b> USB outlet, screw terminals				<b>20345.N</b> USB outlet, screw terminals			
<b>▲20293</b> 5 V 1 A supply unit, 2 USB, 100-230 V~ 50-60 Hz - 2 modules				<b>▲20293.B</b> 5 V 1 A supply unit, 2 USB, 100-230 V~ 50-60 Hz - 2 modules				<b>▲20293.N</b> 5 V 1 A supply unit, 2 USB, 100-230 V~ 50-60 Hz - 2 modules			
											
<b>20335</b> 3 RCA outlets, screw terminals				<b>20335.B</b> 3 RCA outlets, screw terminals				<b>20335.N</b> 3 RCA outlets, screw terminals			
<b>20346</b> HDMI outlet, Keystone connection				<b>20346.B</b> HDMI outlet, Keystone connection				<b>20346.N</b> HDMI outlet, Keystone connection			
Phone jacks											
											
<b>20320</b> RJ11, 6-position, 4-contact (6/4)				<b>20320.B</b> RJ11, 6-position, 4-contact (6/4)				<b>20320.N</b> RJ11, 6-position, 4-contact (6/4)			
<b>20321</b> RJ12, 6-position, 6-contact (6/6)				<b>20321.B</b> RJ12, 6-position, 6-contact (6/6)				<b>20321.N</b> RJ12, 6-position, 6-contact (6/6)			
<b>▲20324</b> Israeli standard, screw terminals				<b>▲20324.B</b> Israeli standard, screw terminals				<b>▲20324.N</b> Israeli standard, screw terminals			
											
<b>20327</b> 8-contact, French standard - 2 modules				<b>20327.B</b> 8-contact, French standard - 2 modules				<b>20327.N</b> 8-contact, French standard - 2 modules			
											
<b>20322</b> RJ11, 6-position 4-contact (6/4)				<b>20322.B</b> RJ11, 6-position 4-contact (6/4)				<b>20322.N</b> RJ11, 6-position 4-contact (6/4)			
<b>20323</b> RJ12, 6-position 6-contact (6/6)				<b>20323.B</b> RJ12, 6-position 6-contact (6/6)				<b>20323.N</b> RJ12, 6-position 6-contact (6/6)			
<b>20325*</b> BT, MASTER				<b>20325.B*</b> BT, MASTER				<b>20325.N*</b> BT, MASTER			
<b>20326*</b> BT, SLAVE				<b>20326.B*</b> BT, SLAVE				<b>20326.N*</b> BT, SLAVE			

# Signal reception socket outlets

Grey		White		Next	
EDP RJ45 socket connectors					
					
<b>20337.6</b> Cat. 6, UTP, shuttered		<b>20337.6.B</b> Cat. 6, UTP, shuttered		<b>20337.6.N</b> Cat. 6, UTP, shuttered	
 		 		 	
<b>20338.8</b> Netsafe, Cat. 5e, UTP		<b>20338.8.B</b> Netsafe, Cat. 5e, UTP		<b>20338.8.N</b> Netsafe, Cat. 5e, UTP	
<b>20338.9</b> Netsafe, Cat. 5e, UTP		<b>20338.9.B</b> Netsafe, Cat. 5e, UTP		<b>20338.9.N</b> Netsafe, Cat. 5e, UTP	
 		 		 	
<b>20339.4</b> Netsafe, Cat. 5e, UTP 110		<b>20339.4.B</b> Netsafe, Cat. 5e, UTP 110		<b>20339.4.N</b> Netsafe, Cat. 5e, UTP 110	
<b>20339.5</b> Netsafe, Cat. 5e, FTP 110		<b>20339.5.B</b> Netsafe, Cat. 5e, FTP 110		<b>20339.5.N</b> Netsafe, Cat. 5e, FTP 110	
 		 		 	
<b>20339.6</b> Netsafe, Cat. 6, UTP 110		<b>20339.6.B</b> Netsafe, Cat. 6, UTP 110		<b>20339.6.N</b> Netsafe, Cat. 6, UTP 110	
<b>20338.1</b> AT&T/Lucent T./Avaya, Cat. 5e, UTP		<b>20338.1.B</b> AT&T/Lucent T./Avaya, Cat. 5e, UTP		<b>20338.1.N</b> AT&T/Lucent T./Avaya, Cat. 5e, UTP	
 		 		 	
<b>20338.3</b> AMP/Tyco, Cat. 5e, UTP		<b>20338.3.B</b> AMP/Tyco, Cat. 5e, UTP		<b>20338.3.N</b> AMP/Tyco, Cat. 5e, UTP	
<b>20338.4</b> AMP/Tyco, Cat. 5e, FTP		<b>20338.4.B</b> AMP/Tyco, Cat. 5e, FTP		<b>20338.4.N</b> AMP/Tyco, Cat. 5e, FTP	
 		 		 	
<b>20340.1</b> Panduit, Cat. 5e, UTP		<b>20340.1.B</b> Panduit, Cat. 5e, UTP		<b>20340.1.N</b> Panduit, Cat. 5e, UTP	
<b>20340.2</b> Panduit, Cat. 5e, FTP		<b>20340.2.B</b> Panduit, Cat. 5e, FTP		<b>20340.2.N</b> Panduit, Cat. 5e, FTP	



## Signal reception socket outlets

Grey		White		Next	
EDP socket connectors					
 <b>20361</b> BNC, coaxial cable soldering		 <b>20365</b> 9-pin, D-SUB, soldering - 2 modules		 <b>20361.B</b> BNC, coaxial cable soldering	
 <b>20367</b> 25-pin, D-SUB, soldering - 3 modules		 <b>20365.B</b> 9-pin, D-SUB, soldering - 2 modules		 <b>20365.N</b> 9-pin, D-SUB, soldering - 2 modules	
		 <b>20367.B</b> 25-pin, D-SUB, soldering - 3 modules		 <b>20367.N</b> 25-pin, D-SUB, soldering - 3 modules	
Adaptors for EDP connectors					
 <b>20338.C</b> RJ45, Cat. 5/6 AMP, Lucent T.		 <b>20340.C</b> For MINI-COM Panduit		 <b>20341.C</b> For Cat. 5e and 6 Slim of Infra+, Merlin Gerin	
 <b>20338.C.B</b> RJ45, Cat. 5/6 AMP, Lucent T.		 <b>20340.C.B</b> For MINI-COM Panduit		 <b>20341.C.B</b> For Cat. 5e and 6 Slim of Infra+, Merlin Gerin	
 <b>20338.C.N</b> RJ45, Cat. 5/6 AMP, Lucent T.		 <b>20340.C.N</b> For MINI-COM Panduit		 <b>20341.C.N</b> For Cat. 5e and 6 Slim of Infra+, Merlin Gerin	
Coaxial TV-RD-SAT 5-2400 MHz socket outlets (output IEC 60169-2 male and female)					
 <b>20300.01</b> Single connection, 1 dB		 <b>20300.10</b> Through-line, 10 dB		 <b>20300.15</b> Through-line, 15 dB	
 <b>20300.20</b> Through-line, 20 dB		 <b>20300.01.B</b> Single connection, 1 dB		 <b>20300.10.B</b> Through-line, 10 dB	
 <b>20300.15.B</b> Through-line, 15 dB		 <b>20300.20.B</b> Through-line, 20 dB		 <b>20300.01.N</b> Single connection, 1 dB	
 <b>20300.10.N</b> Through-line, 10 dB		 <b>20300.15.N</b> Through-line, 15 dB		 <b>20300.20.N</b> Through-line, 20 dB	
 <b>20310.05</b> Single connection 5 dB - 2 modules		 <b>20310.10</b> Through-line 10 dB - 2 modules		 <b>20310.15</b> Through-line 15 dB - 2 modules	
 <b>20310.20</b> Through-line 20 dB - 2 modules		 <b>20310.05.B</b> Single connection 5 dB - 2 modules		 <b>20310.10.B</b> Through-line 10 dB - 2 modules	
 <b>20310.15.B</b> Through-line 15 dB - 2 modules		 <b>20310.20.B</b> Through-line 20 dB - 2 modules		 <b>20310.15.N</b> Through-line 15 dB - 2 modules	
 <b>20310.20.N</b> Through-line 20 dB - 2 modules		 <b>20310.15.N</b> Through-line 15 dB - 2 modules		 <b>20310.20.N</b> Through-line 20 dB - 2 modules	
Coaxial TV-RD-SAT 5-2400 MHz socket outlets, demix (2 outputs: male and F-type female)					
 <b>20302.01</b> Single connection 1 dB - 2 modules		 <b>20302.10</b> Through-line 10 dB - 2 modules		 <b>20302.01.B</b> Single connection 1 dB - 2 modules	
 <b>20302.10.B</b> Through-line 10 dB - 2 modules		 <b>20302.01.N</b> Single connection 1 dB - 2 modules		 <b>20302.10.N</b> Through-line 10 dB - 2 modules	

# Signal reception socket outlets • Signalling

Grey	White	Next
------	-------	------

## Coaxial TV-FM-SAT 5-2400 MHz socket outlets (3 outputs: IEC 60169-2 male and female + F-type)



**20303**  
Single connection 1 dB  
- 2 modules



**20303.B**  
Single connection 1 dB  
- 2 modules



**20303.N**  
Single connection 1 dB  
- 2 modules

## F-type socket outlets



**20318**  
With F type  
female connector  
(IEC 60169-24)



**20318.B**  
With F type  
female connector  
(IEC 60169-24)



**20318.N**  
With F type  
female connector  
(IEC 60169-24)

## Adaptors for coaxial TV-RD-SAT socket outlets



**▲20319**  
For 2 or 3 outputs  
- 2 modules



**▲20319.B**  
For 2 or 3 outputs  
- 2 modules



**▲20319.N**  
For 2 or 3 outputs  
- 2 modules

## Terminal resistor and coaxial TV-RD-SAT 2400 MHz connectors



**16330**  
Z 75 Ω, for  
frequencies up to  
2400 MHz



**01644**  
Male  
IEC 60169-2,  
axial cable entry



**01645**  
Female  
IEC 60169-2,  
axial cable entry



**01634**  
Male  
IEC 60169-2,  
90°-cable entry



**01635**  
Female  
IEC 60169-2,  
90°-cable entry



**01654**  
Male F-type,  
for RG59  
cable

## Electromechanical bells



**20370**  
12 V~ (SELV)  
50-60 Hz



**20372**  
120 V~  
50-60 Hz



**20373**  
230 V~  
50-60 Hz



**20370.B**  
12 V~ (SELV)  
50-60 Hz



**20372.B**  
120 V~  
50-60 Hz



**20373.B**  
230 V~  
50-60 Hz



**20370.N**  
12 V~ (SELV)  
50-60 Hz



**20372.N**  
120 V~  
50-60 Hz



**20373.N**  
230 V~  
50-60 Hz


## Electronic bells



**20380**  
3-sound-sequence,  
supply voltage 12 V~ and  
12 V d.c. (SELV) - 2 modules





































**20380.B**  
3-sound-sequence,  
supply voltage 12 V~ and  
12 V d.c. (SELV) - 2 modules



**20380.N**  
3-sound-sequence,  
supply voltage 12 V~ and  
12 V d.c. (SELV) - 2 modules




# Signalling

Grey	White	Next
Buzzers		
 <b>20375</b> 12 V~ (SELV) 50-60 Hz	 <b>20377</b> 120 V~ 50-60 Hz	 <b>20378</b> 230 V~ 50-60 Hz
 <b>20375.B</b> 12 V~ (SELV) 50-60 Hz	 <b>20377.B</b> 120 V~ 50-60 Hz	 <b>20378.B</b> 230 V~ 50-60 Hz
 <b>20375.N</b> 12 V~ (SELV) 50-60 Hz	 <b>20377.N</b> 120 V~ 50-60 Hz	 <b>20378.N</b> 230 V~ 50-60 Hz
Luminous indicator units (for signalling units°)		
 <b>20386.A</b> Orange diffuser	 <b>20386.B</b> White diffuser	
 <b>20386.A.B</b> Orange diffuser	 <b>20386.B.B</b> White diffuser	
 <b>20386.A.N</b> Orange diffuser	 <b>20386.B.N</b> White diffuser	
 <b>20386.R</b> Red diffuser	 <b>20386.V</b> Green diffuser	
 <b>20386.R.B</b> Red diffuser	 <b>20386.V.B</b> Green diffuser	
 <b>20386.R.N</b> Red diffuser	 <b>20386.V.N</b> Green diffuser	
Double indicator units (for 2 signalling units°)		
 <b>20388.AB</b> Orange and white diffusers	 <b>20388.AV</b> Orange and green diffusers	
 <b>20388.AB.B</b> Orange and white diffusers	 <b>20388.AV.B</b> Orange and green diffusers	
 <b>20388.AB.N</b> Orange and white diffusers	 <b>20388.AV.N</b> Orange and green diffusers	
 <b>20388.BR</b> White and red diffusers		
 <b>20388.BR.B</b> White and red diffusers	 <b>20388.BV.B</b> White and green diffusers	
 <b>20388.BR.N</b> White and red diffusers		
 <b>20388.RV</b> Red and green diffusers		
 <b>20388.RV.B</b> Red and green diffusers		
 <b>20388.RV.N</b> Red and green diffusers		


# Signalling

Grey	White	Next
------	-------	------

## Prismatic indicator units - 2 modules (for 14770, 14771, 14776 and 14777 lamps - supplied without lamp)



**20387.A**  
Orange  
diffuser



**20387.B**  
White  
diffuser



**20387.R**  
Red  
diffuser



**20387.V**  
Green  
diffuser

## Step marker lamps (with high-efficiency LED)



**20381**  
230 V~ 50-60 Hz  
**20381.012**  
12 V~ 50-60 Hz or  
12 V d.c. (SELV)



**20389**  
230 V~ 50-60 Hz  
- 2 modules  
**20389.120**  
As above, 120 V~



**20381.B**  
230 V~ 50-60 Hz  
**20381.012.B**  
12 V~ 50-60 Hz or  
12 V d.c. (SELV)



**20389.B**  
230 V~ 50-60 Hz  
- 2 modules  
**20389.120.B**  
As above, 120 V~



**20381.N**  
230 V~ 50-60 Hz  
**20381.012.N**  
12 V~ 50-60 Hz or  
12 V d.c. (SELV)



**20389.N**  
230 V~ 50-60 Hz  
- 2 modules  
**20389.120.N**  
As above, 120 V~



**20389.012**  
12 V~ 50-60 Hz  
or 12 V d.c. (SELV)  
- 2 modules



**20389.012.B**  
12 V~ 50-60 Hz  
or 12 V d.c. (SELV)  
- 2 modules



**20389.012.N**  
12 V~ 50-60 Hz  
or 12 V d.c. (SELV)  
- 2 modules

## Lighting devices



**20383**  
With high-efficiency LED,  
120-230 V~ 50-60 Hz  
- 3 modules



**20383.B**  
With high-efficiency LED,  
120-230 V~ 50-60 Hz  
- 3 modules



**20383.N**  
With high-efficiency LED,  
120-230 V~ 50-60 Hz  
- 3 modules



**02670**  
With high-efficiency LED, 120-230 V~ 50-60 Hz  
and built-in 6/7-module frame.  
To complete with Eikon cover plates



**▲ 02671**  
With high-efficiency LED, 120-230 V~ 50-60 Hz  
and built-in 6/7-module frame.  
To complete with Eikon Evo cover plates

# Signalling

Grey	White	Next
------	-------	------

## TORCIA, electronic hand-lamps (with automatic emergency device)



**20395**  
With high-efficiency LED,  
230 V~ 50-60 Hz  
- 2 modules



**20396**  
With high-efficiency LED,  
120 V~ 50-60 Hz  
- 2 modules



**20395.B**  
With high-efficiency LED,  
230 V~ 50-60 Hz  
- 2 modules



**20396.B**  
With high-efficiency LED,  
120 V~ 50-60 Hz  
- 2 modules



**20395.N**  
With high-efficiency LED,  
230 V~ 50-60 Hz  
- 2 modules



**20396.N**  
With high-efficiency LED,  
120 V~ 50-60 Hz  
- 2 modules

## Emergency lighting devices (with automatic emergency device)



**20382**  
With high-efficiency LED,  
230 V~ 50-60 Hz



**20382.B**  
With high-efficiency LED,  
230 V~ 50-60 Hz



**20382.N**  
With high-efficiency LED,  
230 V~ 50-60 Hz



**20384**  
With high-efficiency LED,  
120-230 V~ 50-60 Hz  
- 3 modules



**20384.B**  
With high-efficiency LED,  
120-230 V~ 50-60 Hz  
- 3 modules



**20384.N**  
With high-efficiency LED,  
120-230 V~ 50-60 Hz  
- 3 modules

## Emergency lighting devices



**02660**  
With high-efficiency LED, 230 V~ 50-60 Hz,  
rechargeable Ni-Cd battery and built-in  
6/7-module frame.  
To complete with Eikon cover plates

**02660.120**  
As above 120 V~ 50-60 Hz



**▲02661**  
With high-efficiency LED, 230 V~ 50-60 Hz,  
rechargeable Ni-Cd battery and built-in  
6/7-module frame.  
To complete with Eikon Evo cover plates

**▲02661.120**  
As above 120 V~ 50-60 Hz



**20394**  
230 V~ 50-60 Hz, Ni-Cd battery, with FD 4W G5  
lamp and built-in 7-module frame.  
To complete with Eikon cover plates

**▲ 20393**  
As above 120 V~ 50-60 Hz

## Rechargeable batteries



**00910**  
Ni-MH 4,8 V 80 mAh  
battery, spare part  
for TORCIA



**00911.1**  
Ni-Cd 2,4 V 1,3 Ah battery,  
spare part for emergency  
lighting devices



**00913**  
Ni-Cd 4,8 V 800 mAh spare  
rechargeable battery for  
02660

# Protection • Detection

Grey	White	Next
------	-------	------

## Protection devices



**20416**  
1P 16 A 250 V~  
fuse carrier



**20417**  
230 V~ SPD  
transient voltage  
suppressor



**20416.B**  
1P 16 A 250 V~  
fuse carrier



**20417.B**  
230 V~ SPD  
transient voltage  
suppressor



**20416.N**  
1P 16 A 250 V~  
fuse carrier



**20417.N**  
230 V~ SPD  
transient voltage  
suppressor



**20417.R**  
Spare part for  
20417

## 1P+N circuit breakers (120-230 V~ 50-60 Hz)



**20405.06**  
C 6, breaking  
capacity 1500 A



**20405.10**  
C 10, breaking  
capacity 3000 A



**20405.16**  
C 16, breaking  
capacity 3000 A



**20405.06.B**  
C 6, breaking  
capacity 1500 A



**20405.10.B**  
C 10, breaking  
capacity 3000 A




**20405.16.B**  
C 16, breaking  
capacity 3000 A



**20405.06.N**  
C 6, breaking  
capacity 1500 A



**20405.10.N**  
C 10, breaking  
capacity 3000 A



**20405.16.N**  
C 16, breaking  
capacity 3000 A

## 1P+N residual current breakers with overcurrent protection (RCBO) (120-230 V~ 50-60 Hz )



**20411.06**  
C 6,  $I_{\Delta n}$  10 mA  
breaking capacity  
1500 A - 2 modules



**20411.10**  
C 10,  $I_{\Delta n}$  10 mA  
breaking capacity  
3000 A - 2 modules



**20411.06.B**  
C 6,  $I_{\Delta n}$  10 mA  
breaking capacity  
1500 A - 2 modules



**20411.10.B**  
C 10,  $I_{\Delta n}$  10 mA  
breaking capacity  
3000 A - 2 modules



**20411.06.N**  
C 6,  $I_{\Delta n}$  10 mA  
breaking capacity  
1500 A - 2 modules



**20411.10.N**  
C 10,  $I_{\Delta n}$  10 mA  
breaking capacity  
3000 A - 2 modules



**20411.16**  
C 16,  $I_{\Delta n}$  10 mA  
breaking capacity  
3000 A - 2 modules



**20411.16.6**  
C 16,  $I_{\Delta n}$  6 mA  
breaking capacity  
3000 A - 2 modules



**20411.16.B**  
C 16,  $I_{\Delta n}$  10 mA  
breaking capacity  
3000 A - 2 modules



**20411.16.6.B**  
C 16,  $I_{\Delta n}$  6 mA  
breaking capacity  
3000 A - 2 modules



**20411.16.N**  
C 16,  $I_{\Delta n}$  10 mA  
breaking capacity  
3000 A - 2 modules



**20411.16.6.N**  
C 16,  $I_{\Delta n}$  6 mA  
breaking capacity  
3000 A - 2 modules

## Detectors (230 V~ 50-60 Hz)



**20420**  
Gas Stop Metano, methane  
gas detector, solenoid valve  
control - 3 modules



**20421**  
Gas Stop GPL, LPG gas  
detector, solenoid valve  
control - 3 modules



**20420.B**  
Gas Stop Metano, methane  
gas detector, solenoid valve  
control - 3 modules



**20421.B**  
Gas Stop GPL, LPG gas  
detector, solenoid valve  
control - 3 modules



**20420.N**  
Gas Stop Metano, methane  
gas detector, solenoid valve  
control - 3 modules



**20421.N**  
Gas Stop GPL, LPG gas  
detector, solenoid valve  
control - 3 modules

## Detection • Comfort

Grey	White	Next
------	-------	------

## Detectors (230 V~ 50-60 Hz)



**20422**  
CO Stop, carbone monoxide detector, 6 A 230 V~ change-over relay output - 3 modules



**20422.B**  
CO Stop, carbone monoxide detector, 6 A 230 V~ change-over relay output - 3 modules



**20422.N**  
CO Stop, carbone monoxide detector, 6 A 230 V~ change-over relay output - 3 modules



**16590**  
3/4" NO manually resettable solenoid valve



**01899**  
Gas test cylinder for testing Gas Stop Metano and GPL detectors

## Switches for fan-coil regulation



**20095**  
Slide, 1P 6(2) A 250 V~, 4-position



**20096**  
Rotary, 1P 6(3) A 250 V~, 4-position - 2 modules



**20095.B**  
Slide, 1P 6(2) A 250 V~, 4-position



**20096.B**  
Rotary, 1P 6(3) A 250 V~, 4-position - 2 modules



**20095.N**  
Slide, 1P 6(2) A 250 V~, 4-position



**20096.N**  
Rotary, 1P 6(3) A 250 V~, 4-position - 2 modules

## Electronic thermostats (heating and air-conditioning, 120-230 V~ 50-60 Hz)



**20440**  
For residential sector, 6(2) A 230 V~ change-over relay output - 2 modules



**20441**  
For tertiary sector, 6(2) A 230 V~ change-over relay output - 2 modules



**20440.B**  
For residential sector, 6(2) A 230 V~ change-over relay output - 2 modules



**20441.B**  
For tertiary sector, 6(2) A 230 V~ change-over relay output - 2 modules



**20440.N**  
For residential sector, 6(2) A 230 V~ change-over relay output - 2 modules



**20441.N**  
For tertiary sector, 6(2) A 230 V~ change-over relay output - 2 modules

## Electronic timer-thermostats (heating and air-conditioning)



**20445**  
6(2) A 230 V~ change-over relay output, 120-230 V~ 50-60 Hz - 2 modules



**20446**  
5(2) A 250 V~ change-over relay output, AA LR6 1,5 V battery (supplied) - 3 modules



**20445.B**  
6(2) A 230 V~ change-over relay output, 120-230 V~ 50-60 Hz - 2 modules



**20446.B**  
5(2) A 250 V~ change-over relay output, AA LR6 1,5 V battery (supplied) - 3 modules



**20445.N**  
6(2) A 230 V~ change-over relay output, 120-230 V~ 50-60 Hz - 2 modules



**20446.N**  
5(2) A 250 V~ change-over relay output, AA LR6 1,5 V battery (supplied) - 3 modules

## Clocks (120-230 V~ 50-60 Hz)



**20448**  
24h/7day timer-switch, 1-canal, 8 A 230 V~ change-over relay output - 2 modules



**20449**  
Electronic alarm clock - 2 modules



**20448.B**  
24h/7day timer-switch, 1-canal, 8 A 230 V~ change-over relay output - 2 modules



**20449.B**  
Electronic alarm clock - 2 modules



**20448.N**  
24h/7day timer-switch, 1-canal, 8 A 230 V~ change-over relay output - 2 modules



**20449.N**  
Electronic alarm clock - 2 modules

# By-me

Grey

White

Next

## 10" IP multimedia video touch screen



**▲21553**  
10" IP multimedia video touch screen for Due Fili video door system and By-me system supervising by web server

## Full Flat video touch screen



**▲21554**  
4,3" for Due Fili video door system and control, temperature sensor input, with built-in 8-module mounting frame, grey



**▲21554.BN**  
4,3" for Due Fili video door system and control, temperature sensor input, with built-in 8-module mounting frame, neutral

## Full Flat touch screens



**▲21511**  
4,3" for control, temperature sensor input, with built-in 8-module mounting frame, grey



**▲21511.BN**  
4,3" for control, temperature sensor input, with built-in 8-module mounting frame, neutral



**▲21512**  
For control, temperature sensor input, grey - 3 modules



**▲21512.BN**  
For control, temperature sensor input, neutral - 3 modules

## Control units



**▲21509**  
For control and configuration, touch display, temperature sensor input, for DIN rail (60715 TH35) or mounting installation - 3 modules



**▲21509.B**  
For control and configuration, touch display, temperature sensor input, for DIN rail (60715 TH35) or mounting installation - 3 modules



**▲21509.N**  
For control and configuration, touch display, temperature sensor input, for DIN rail (60715 TH35) or mounting installation - 3 modules



Grey	White	Next
------	-------	------

## Flush mounting monitors - 8 modules

**▲21550**

3,5" LCD, to complete with control unit, video door entry or CCTV modules, with built-in 8-module mounting frame.  
To complete with Eikon Evo cover plates

**20550**

As above.  
To complete with Eikon cover plates

**▲21550.B**

3,5" LCD, to complete with control unit, video door entry or CCTV modules, with built-in 8-module mounting frame.  
To complete with Eikon Evo cover plates

**20550.B**

As above.  
To complete with Eikon cover plates

**▲21550.N**

3,5" LCD, to complete with control unit, video door entry or CCTV modules, with built-in 8-module mounting frame.  
To complete with Eikon Evo cover plates

**20550.N**

As above.  
To complete with Eikon cover plates

## Color monitor modules



**01960°**  
Control unit module



**01961°**  
Elvox Sound System  
video door entry  
system module



**01962°**  
Elvox DigiBus video  
door entry system  
module



**01963°**  
Elvox Due Fili video  
door entry system  
module



**01964**  
CCTV system module

## Surface mounting control units

**01950°**

Control unit with  
LCD 3,5" color  
monitor,  
white

**01950.14°**

Anthracite

**01950.20°**

Silver

## Surface mounting video door entryphones

**01955°**

Video door  
entryphone with  
LCD 3,5" color  
monitor, for Elvox  
Due Fili system,  
white

**01955.14°**

Anthracite

**01955.20°**

Silver

## Surface mounting control units with video door entry function

**01956°**

Control unit with  
LCD 3,5" color  
monitor with Elvox  
Due Fili system  
video door entry  
function, white

**01956.14°**

Anthracite

**01956.20°**

Silver



# By-me

Grey

White

Next

## Video door entry - Entrance plates



**02001**  
Audio/video Due Fili system entrance plate, 1 name-plate, with built-in videocamera, phonic unit and subject light, inox

**02002**  
As above, 2 name-plates, inox

**02003**  
As above, 3 name-plates, inox

**02004**  
As above, 4 name-plates, inox



**02001.BR**  
Audio/video Due Fili system entrance plate, 1 name-plate, with built-in videocamera, phonic unit and subject light, bronze

**02002.BR**  
As above, 2 name-plates, bronze

**02003.BR**  
As above, 3 name-plates, bronze

**02004.BR**  
As above, 4 name-plates, bronze



**02011**  
Flush mounting box for entrance plate



**02012**  
Rainproof frame for flush mounting box, inox



**02012.BR**  
Rainproof frame for flush mounting box, bronze



**02013**  
Surface mounting box with built-in rainproof frame, inox



**02013.BR**  
Surface mounting box with built-in rainproof frame, bronze

## Video door entry - Devices



**20555**  
Speakerphone for Elvox Sound System - 3 modules  
**20556** As above, for Elvox DigiBus system  
**20557** As above, for Elvox Due Fili system



**20555.B**  
Speakerphone for Elvox Sound System - 3 modules  
**20556.B** As above, for Elvox DigiBus system  
**20557.B** As above, for Elvox Due Fili system



**20555.N**  
Speakerphone for Elvox Sound System - 3 modules  
**20556.N** As above, for Elvox DigiBus system  
**20557.N** As above, for Elvox Due Fili system



**20575**  
Call button for Elvox Sound System - 3 modules  
**20576** As above, for Elvox DigiBus system  
**20577** As above, for Elvox Due Fili system



**20575.B**  
Call button for Elvox Sound System - 3 modules  
**20576.B** As above, for Elvox DigiBus system  
**20577.B** As above, for Elvox Due Fili system



**20575.N**  
Call button for Elvox Sound System - 3 modules  
**20576.N** As above, for Elvox DigiBus system  
**20577.N** As above, for Elvox Due Fili system



**20560**  
Inner color video camera



**20565**  
Inner color video camera and built-in microphone - 2 modules



**20560.B**  
Inner color video camera



**20565.B**  
Inner color video camera and built-in microphone - 2 modules



**20560.N**  
Inner color video camera



**20565.N**  
Inner color video camera and built-in microphone - 2 modules



**20570**  
Inner light, with LED



**20570.B**  
Inner light, with LED



**20570.N**  
Inner light, with LED

Grey

White

Next

## Touch screens 4,3"

**20511.1**

Energy, for control, 1 temperature sensor input, with built-in 8-module mounting frame. To complete with Eikon cover plates

**20511.1.B**

Energy, for control, 1 temperature sensor input, with built-in 8-module mounting frame. To complete with Eikon cover plates

**20511.1.N**

Energy, for control, 1 temperature sensor input, with built-in 8-module mounting frame. To complete with Eikon cover plates

**20432**

Electronic temperature sensor

**20432.B**

Electronic temperature sensor

**20432.N**

Electronic temperature sensor

**20512**

Monochrome touch screen for local control - 3 modules

**20512.B**

Monochrome touch screen for local control - 3 modules

**20512.N**

Monochrome touch screen for local control - 3 modules

## Automation - Control

**20510°**

Control unit - 2 modules

**20510.B°**

Control unit - 2 modules

**20510.N°**

Control unit - 2 modules

**20513**

Thermostat with display, for fan-coil - 2 modules

**20514**

Thermostat with display - 2 modules

**20513.B**

Thermostat with display, for fan-coil - 2 modules

**20514.B**

Thermostat with display - 2 modules

**20513.N**

Thermostat with display, for fan-coil - 2 modules

**20514.N**

Thermostat with display - 2 modules

# By-me

Grey

White

Next

## Automation - Devices



**20520**  
2 simple push buttons  
- 2 modules



**20525**  
2 simple push buttons  
+ 8 A 120-230 V~  
change-over relay  
output actuator  
- 2 modules



**20521**  
2 rocker push buttons  
- 2 modules



**20526**  
2 rocker push buttons  
+ 8 A 120-230 V~  
change-over relay  
output actuator  
- 2 modules




**20527**  
2 rocker push buttons  
+ 4 A 120-230 V~  
actuator for 1 rolling  
shutter - 2 modules




**▲20527.1**  
2 rocker push buttons  
+ actuator 1 roller shut-  
ter laths positioning,  
2 A 120-230 V~  
- 2 modules




**20528**  
2 rocker push buttons  
+ SLAVE-dimmer  
actuator - 2 modules



**20540**  
3 simple push buttons  
- 3 modules



**20545**  
3 simple push buttons + 8 A  
120-230 V~ change-over relay  
output actuator - 3 modules



**20541**  
3 rocker push buttons  
- 3 modules



**20546**  
3 rocker push buttons + 8 A  
120-230 V~ change-over relay  
output actuator - 3 modules



**20547**  
3 rocker push buttons + 4 A  
120-230 V~ actuator for  
1 rolling shutter - 3 modules



**20548**  
3 rocker push buttons +  
40-300 W/VA MASTER-  
dimmer actuator - 3 modules

## Automation - 1-module interchangeable buttons



**20531**  
No symbol, for  
simple push  
buttons  
**20531.0**  
As above,  
customizable



**20531.S**  
No symbol,  
for rocker  
push buttons  
**20531.S0**  
As above,  
customizable



**20531.20**  
ON/OFF  
symbol  
for rocker  
push buttons




**20531.21**  
Arrows  
symbol,  
for rocker  
push buttons




**20531.B**  
No symbol, for  
simple push  
buttons  
**20531.0.B**  
As above,  
customizable



**20531.S.B**  
No symbol,  
for rocker  
push buttons  
**20531.S0.B**  
As above,  
customizable



**20531.20.B**  
ON/OFF  
symbol  
for rocker  
push buttons



**20531.21.B**  
Arrows  
symbol,  
for rocker  
push buttons



**20531.N**  
No symbol, for  
simple push  
buttons  
**20531.0.N**  
As above,  
customizable



**20531.S.N**  
No symbol,  
for rocker  
push buttons  
**20531.S0.N**  
As above,  
customizable



**20531.20.N**  
ON/OFF  
symbol  
for rocker  
push buttons



**20531.21.N**  
Arrows  
symbol,  
for rocker  
push buttons



**20531.22**  
Regulation sym-  
bol, for rocker  
push buttons



**20531.1T**  
1 name-plate,  
simple push  
buttons



**20531.2T**  
2 name-plates,  
for rocker push  
buttons



**20531.22.B**  
Regulation sym-  
bol, for rocker  
push buttons



**20531.1T.B**  
1 name-plate,  
simple push  
buttons



**20531.2T.B**  
2 name-plates,  
for rocker push  
buttons



**20531.22.N**  
Regulation sym-  
bol, for rocker  
push buttons



**20531.1T.N**  
1 name-plate,  
simple push  
buttons



**20531.2T.N**  
2 name-plates,  
for rocker push  
buttons

## Automation - 2-module interchangeable buttons



**20532**  
No symbol, for  
simple push  
buttons  
**20532.0**  
As above,  
customizable



**20532.S**  
No symbol,  
for rocker  
push buttons  
**20532.S0**  
As above,  
customizable



**20532.B**  
No symbol, for  
simple push  
buttons  
**20532.0.B**  
As above,  
customizable



**20532.S.B**  
No symbol,  
for rocker  
push buttons  
**20532.S0.B**  
As above,  
customizable



**20532.N**  
No symbol, for  
simple push  
buttons  
**20532.0.N**  
As above,  
customizable



**20532.S.N**  
No symbol,  
for rocker  
push buttons  
**20532.S0.N**  
As above,  
customizable



**20532.20**  
ON/OFF symbol  
for rocker push  
buttons




**20532.21**  
Arrows symbol,  
for rocker push  
buttons



**20532.20.B**  
ON/OFF symbol  
for rocker push  
buttons



**20532.21.B**  
Arrows symbol,  
for rocker push  
buttons



**20532.20.N**  
ON/OFF symbol  
for rocker push  
buttons



**20532.21.N**  
Arrows symbol,  
for rocker push  
buttons

## Grey

## White

## Next

## Automation - 2-module interchangeable buttons



**20532.22**  
Regulation symbol,  
for rocker push  
buttons



**20532.1T**  
1 name-plate,  
for simple push  
buttons



**20532.22.B**  
Regulation symbol,  
for rocker push  
buttons



**20532.1T.B**  
1 name-plate,  
for simple push  
buttons



**20532.22.N**  
Regulation symbol,  
for rocker push  
buttons



**20532.1T.N**  
1 name-plate,  
for simple push  
buttons

## Automation - Devices



**20515**  
Interface for  
traditional  
switches 230 V~  
/12-24 V a.c./d.c.  
- 2 modules



**20518**  
Interface for  
traditional  
controls



**20515.B**  
Interface for  
traditional  
switches 230 V~  
/12-24 V a.c./d.c.  
- 2 modules



**20518.B**  
Interface for  
traditional  
controls



**20515.N**  
Interface for  
traditional  
switches 230 V~  
/12-24 V a.c./d.c.  
- 2 modules



**20518.N**  
Interface for  
traditional  
controls



**20516**  
Remote control  
receiver  
- 2 modules



**20516.B**  
Remote control  
receiver  
- 2 modules



**20516.N**  
Remote control  
receiver  
- 2 modules



**01849**  
IR remote control, 14-channel



**20486**  
Orientable IR  
presence detector  
- 2 modules



**20485**  
IR presence  
detector  
- 2 modules



**20487**  
IR and microwaves  
presence detector  
- 2 modules



**20486.B**  
Orientable IR  
presence detector  
- 2 modules



**20485.B**  
IR presence  
detector  
- 2 modules



**20487.B**  
IR and microwaves  
presence detector  
- 2 modules



**20486.N**  
Orientable IR  
presence detector  
- 2 modules



**20485.N**  
IR presence  
detector  
- 2 modules



**20487.N**  
IR and microwaves  
presence detector  
- 2 modules




**20636**  
Orientable  
support  
- 2 modules



**20637**  
Adaptor for orientable  
support flush mounting  
- 2 modules



**20636.B**  
Orientable  
support  
- 2 modules



**20637.B**  
Adaptor for orientable  
support flush mounting  
- 2 modules



**20636.N**  
Orientable  
support  
- 2 modules



**20637.N**  
Adaptor for orientable  
support flush mounting  
- 2 modules



**16831**  
Frame for  
orientable support  
surface mounting



**16831.01**  
Frame for  
orientable support  
surface mounting












**16831.N**  
Frame for  
orientable support  
surface mounting


# By-me


Grey	White	Next
------	-------	------


## Automation - Devices


 <b>20534</b> Actuator 6 A 120-230 V~ change-over relay output	 <b>20535</b> Actuator 16 A 120-230 V~ change-over relay output - 2 modules	 <b>20536</b> SLAVE dimmer, 230 V~ 50 Hz, 40-500 W/VA, 40-300 VA - 2 modules	 <b>20534.B</b> Actuator 6 A 120-230 V~ change-over relay output	 <b>20535.B</b> Actuator 16 A 120-230 V~ change-over relay output - 2 modules	 <b>20536.B</b> SLAVE dimmer, 230 V~ 50 Hz, 40-500 W/VA, 40-300 VA - 2 modules	 <b>20534.N</b> Actuator 6 A 120-230 V~ change-over relay output	 <b>20535.N</b> Actuator 16 A 120-230 V~ change-over relay output - 2 modules	 <b>20536.N</b> SLAVE dimmer, 230 V~ 50 Hz, 40-500 W/VA, 40-300 VA - 2 modules
---	---	---	--	---	--	--	---	---


## Radiofrequency home automation - With EnOcean module

  
**20505**  
 2 flat rocker buttons with EnOcean  
 wireless connection, no battery,  
 to complete with 20506 - 2 modules

  
**01796**  
 Actuator with EnOcean module,  
 relay output, supply voltage  
 230 V~ 50 Hz

  
**20507**  
 Frame for surface mounting of 20505,  
 to complete with 2 central modules  
 cover plate, grey

  
**20507.B**  
 Frame for surface mounting of 20505,  
 to complete with 2 central modules  
 cover plate, white

  
**20506**  
 Pair of buttons  
 for 20505 device,  
 customizable

  
**20506.B**  
 Pair of buttons  
 for 20505 device,  
 customizable

  
**20506.N**  
 Pair of buttons  
 for 20505 device,  
 customizable

  
**20508**  
 Bus-RF interface  
 - 2 modules

  
**20508.B**  
 Bus-RF interface  
 - 2 modules

  
**20508.N**  
 Bus-RF interface  
 - 2 modules

## Automation - Electronic transformers (230-240 V~ 50-60 Hz)

  
**01860.60**  
 20-60 W,  
 12 V~ (SELV) output

  
**01860.105**  
 20-105 W,  
 12 V~ (SELV) output



## Grey

## White

## Next

## Sound system - Devices



**20580**  
Supply unit,  
32 V d.c. 100 mA  
output,  
110-230 V~  
50-60 Hz



**20582**  
Audio input with 2 RCA  
connectors, automatic  
volume adjustment,  
incorporated line  
terminator - 2 modules



**20583**  
Spring  
connector for  
speaker



**20584**  
Interface for By-me  
devices and IR receiver,  
with 3 m of cable




**20585**  
Docking station for iPod/iPhone device  
and supply unit - 2 + 2 modules



**20586**  
Microphone for selective or general call,  
voice activation function for monitoring  
children - 2 modules



**20581**  
2 rocker push buttons and 8 Ω 1+1 W  
amplifier, integrated line terminator,  
to complete with interchangeable  
buttons - 2 modules



**20580.B**  
Supply unit,  
32 V d.c. 100 mA  
output,  
110-230 V~  
50-60 Hz



**20582.B**  
Audio input with 2 RCA  
connectors, automatic  
volume adjustment,  
incorporated line  
terminator - 2 modules



**20583.B**  
Spring  
connector for  
speaker



**20584.B**  
Interface for By-me  
devices and IR receiver,  
with 3 m of cable




**20585.B**  
Docking station for iPod/iPhone device  
and supply unit - 2 + 2 modules



**20586.B**  
Microphone for selective or general call,  
voice activation function for monitoring  
children - 2 modules



**20580.N**  
Alimentatore con  
uscita 32 V d.c.  
100 mA, 110-  
230 V~  
50-60 Hz



**20582.N**  
Audio input with 2 RCA  
connectors, automatic  
volume adjustment,  
incorporated line  
terminator - 2 modules




**20583.N**  
Spring  
connector for  
speaker



**20584.N**  
Interface for By-me  
devices and IR receiver,  
with 3 m of cable



**20585.N**  
Docking station for iPod/iPhone device  
and supply unit - 2 + 2 modules



**20586.N**  
Microphone for selective or general call,  
voice activation function for monitoring  
children - 2 modules

## Sound system - 1-module interchangeable buttons



**20531.23**  
Function/track  
change symbols,  
for rocker push  
buttons



**20531.24**  
O I and volume  
adjustment symbols,  
for rocker push  
buttons



**20531.23.B**  
Function/track  
change symbols,  
for rocker push  
buttons



**20531.24.B**  
O I and volume  
adjustment symbols,  
for rocker push  
buttons



**20531.23.N**  
Function/track  
change symbols,  
for rocker push  
buttons



**20531.24.N**  
O I and volume  
adjustment symbols,  
for rocker push  
buttons



# By-me

Grey

White

Next

## Sound system - Retrofit devices



**01903**  
Branch shunt for By-me devices, flush mounting (retrofit)



**01904**  
Branch shunt for sound system devices, flush mounting (retrofit)

## Sound system - Speakers



**21588**  
Passive speaker, 8  $\Omega$  10 W, with built-in 8-module mounting frame.  
To complete with Eikon Evo cover plates

**20588**  
As above. To complete with Eikon cover plates



**21588.B**  
Passive speaker, 8  $\Omega$  10 W RMS, with built-in 8-module mounting frame.  
To complete with Eikon Evo cover plates

**20588.B**  
As above. To complete with Eikon cover plates



**21588.N**  
Passive speaker, 8  $\Omega$  10 W RMS, with built-in 8-module mounting frame.  
To complete with Eikon Evo cover plates

**20588.N**  
As above. To complete with Eikon cover plates



**20587**  
Passive speaker, 8  $\Omega$  3 W  
- 3 modules



**20587.B**  
Passive speaker, 8  $\Omega$  3 W  
- 3 modules



**20587.N**  
Passive speaker, 8  $\Omega$  3 W  
- 3 modules



**01906**  
IP55 passive speaker, 8  $\Omega$  30 W, for hollow walls and false ceiling installation



**01907**  
Passive speaker, 8  $\Omega$  30 W, for hollow walls and false ceiling installation



**01908**  
Passive speaker, 8  $\Omega$  30 W, orientable, for surface mounting

## Bus burglar alarm system - Control



**20480°**  
Control and configuration unit  
- 2 modules



**20483**  
Digital keypad  
- 2 modules



**20482**  
Activator/partialiser  
- 2 modules



**20480.B°**  
Control and configuration unit  
- 2 modules



**20483.B**  
Digital keypad  
- 2 modules



**20482.B**  
Activator/partialiser  
- 2 modules



**20480.N°**  
Control and configuration unit  
- 2 modules



**20483.N**  
Digital keypad  
- 2 modules



**20482.N**  
Activator/partialiser  
- 2 modules



**01815**  
Transponder key



**01816**  
Transponder card  
**01816.H**  
As above, customizable

## Grey

## White

## Next

## Bus burglar alarm system - Devices



**20490**  
Contacts interface  
with 2 independent  
and configurable  
inputs - 2 modules



**20491**  
Contacts interface  
with configurable  
input, 12 V d.c.  
10 mA output  
- 2 modules



**20493**  
Interface Bus-RF,  
two-way  
dual band,  
- 2 modules



**20490.B**  
Contacts interface  
with 2 independent  
and configurable  
inputs - 2 modules



**20491.B**  
Contacts interface  
with configurable  
input, 12 V d.c.  
10 mA output  
- 2 modules



**20493.B**  
Interface Bus-RF,  
two-way  
dual band,  
- 2 modules



**20490.N**  
Contacts interface  
with 2 independent  
and configurable  
inputs - 2 modules



**20491.N**  
Contacts interface  
with configurable  
input, 12 V d.c.  
10 mA output  
- 2 modules



**20493.N**  
Interface Bus-RF,  
two-way  
dual band,  
- 2 modules



**20486**  
Orientable IR  
presence detector  
- 2 modules



**20485**  
IR presence  
detector  
- 2 modules



**20487**  
IR and microwaves  
presence detector  
- 2 modules



**20486.B**  
Orientable IR  
presence detector  
- 2 modules



**20485.B**  
IR presence  
detector  
- 2 modules



**20487.B**  
IR and microwaves  
presence detector  
- 2 modules



**20486.N**  
Orientable IR  
presence detector  
- 2 modules



**20485.N**  
IR presence  
detector  
- 2 modules



**20487.N**  
IR and microwaves  
presence detector  
- 2 modules



**20636**  
Orientable  
support  
- 2 modules




**20637**  
Adaptor for  
orientable support  
flush mounting  
- 2 modules



**16831**  
Frame for  
orientable support  
surface mounting



**20636.B**  
Orientable  
support  
- 2 modules



**20637.B**  
Adaptor for  
orientable support  
flush mounting  
- 2 modules



**16831.01**  
Frame for  
orientable support  
surface mounting



**20636.N**  
Orientable  
support  
- 2 modules



**20637.N**  
Adaptor for  
orientable support  
flush mounting  
- 2 modules



**16831.N**  
Frame for  
orientable support  
surface mounting



**16897.S**  
Antitamper kit for  
orientable supports



**20489**  
Actuator, 1 A 30 V  
change-over relay  
output - 2 modules



**20495**  
Self-powered indoor siren  
- 3 modules




**20489.B**  
Actuator, 1 A 30 V  
change-over relay  
output - 2 modules



**20495.B**  
Self-powered indoor siren  
- 3 modules



**20489.N**  
Actuator, 1 A 30 V  
change-over relay  
output - 2 modules



**20495.N**  
Self-powered indoor siren  
- 3 modules

## Bus burglar alarm system - Back-up unit



**01804.14**  
Back-up unit, with inner siren  
**01803.14**  
Auxiliary battery holder unit for  
01804...



**01804.01**  
Back-up unit, with inner siren  
**01803.01**  
Auxiliary battery holder unit for  
01804...



**01804.N**  
Back-up unit, with inner siren  
**01803.N**  
Auxiliary battery holder unit for  
01804...

## By-me

Grey

White

Next

### Bus burglar alarm system - Back-up unit



**16895**  
Flush mounting box for  
01803..., 01804...



**16895.C**  
Cover for 16895, white  
**16895.A**  
As above, antimortar, plasticized



**16894**  
Surface mounting box for  
01803..., 01804....



**16894.01**  
Surface mounting box for  
01803..., 01804....



**16894.N**  
Surface mounting box for  
01803..., 01804....

### Bus burglar alarm system - For surface mounting



**01806**  
Outdoor siren



**01828**  
Mini IR presence detector,  
for surface mounting



**01829.1**  
Surface dual-technology  
infrared presence detector



**01810**  
Phone dial for PSTN

### Bus burglar alarm system - Detectors and contacts



**01820**  
Flush mounting  
magnetic contact



**01821**  
Metal flush mounting  
magnetic contact



**01822**  
Visible surface  
magnetic contact



**01823**  
Metal magnetic  
contact



**01825**  
Electromechanical cord-  
operated contact for roll-  
ing shutters protection



**01826**  
Electromechanical inertial  
contact for windows and  
doors protection



**01832.056**  
Active IR multi-beam protection rail,  
NC 50 V relay output, 56 cm long

**01832.076**  
As above, 76 cm long

**01832.112**  
As above, 112 cm long

**01832.152**  
As above, 152 cm long

**01832.200**  
As above, 200 cm long

### Radiofrequency burglar alarm system - Devices



**01819**  
Two-way  
remote control



**01737**  
Supervised  
IR detector,  
dual-band



**01738**  
Supervised detector with  
magnetic contact for windows  
and doors protection, dual-band



**01744**  
Supervised water detector for  
protection against flooding,  
dual-band



**01747**  
Supervised two-way  
outdoor siren,  
dual-band



**00912**  
9 V 12 Ah spare part  
battery for  
outdoor siren

Grey

White

Next

## Safety and security - Emergency lighting devices



**02660**  
With high-efficiency LED, 230 V~ 50-60 Hz, rechargeable Ni-Cd battery and built-in 6/7-module frame.  
To complete with Eikon cover plates

**02660.120** As above, 120 V~ 50-60 Hz



**▲02661**  
With high-efficiency LED, 230 V~ 50-60 Hz, rechargeable Ni-Cd battery and built-in 6/7-module frame.  
To complete with Eikon Evo cover plates

**▲02661.120** As above, 120 V~ 50-60 Hz



**01846**  
Emergency lighting management interface through Bus By-me



**00913**  
Ni-Cd 4.8 V 800 mAh spare rechargeable battery for 02660

## Access control system - Devices



**20470**  
Transponder card and key reader  
- 2 modules



**20471**  
Smart card reader and programmer  
- 3 modules



**20470.B**  
Transponder card and key reader  
- 2 modules



**20471.B**  
Smart card reader and programmer  
- 3 modules



**20470.N**  
Transponder card and key reader  
- 2 modules



**20471.N**  
Smart card reader and programmer  
- 3 modules



**20472**  
Actuator with 3 A 30 V change-over relay output - 2 modules



**20473**  
Smart card programmer in table mounting box  
- 4 modules



**20472.B**  
Actuator with 3 A 30 V change-over relay output - 2 modules



**20473.B**  
Smart card programmer in table mounting box  
- 4 modules



**20472.N**  
Actuator with 3 A 30 V change-over relay output - 2 modules



**20473.N**  
Smart card programmer in table mounting box  
- 4 modules

## Access control system - Accessories



**01816**  
Transponder card  
**01816.H**  
As above, customizable



**01815**  
Transponder key



**16452**  
Programmable smart card  
**16452.H**  
As above, customizable

## Video door entry - Devices for DIN rail (60715 TH35) installation



**02030**  
Due Fili supply unit, with 28 V d.c. 60 VA output, supply voltage 230 V~ 50-60 Hz



**02031**  
Additional Due Fili supply unit, with 28 V d.c. 15 VA output, supply voltage 230 V~ 50-60 Hz



**02032**  
Due Fili supply unit, for LEDs and CCTV videocameras with 10,5 V d.c., 13,5 V d.c., 18 V d.c. 35 VA, outputs, supply voltage 230 V~ 50-60 Hz



**02021**  
Actuator, with 3 A 230 V~ change-over relay output



**02022**  
Programmable digital Due Fili actuator, with 2 NO 3 A 230 V~ relay outputs



**02016**  
Due Fili video selector for 4 videocameras or CCTV



**02018**  
Due Fili video distributor, 4 outputs, for video signal impedance matching on not-balanced lines



**02019**  
Due Fili concentrator for up to 4 entrance plates parallel connection



**02017**  
Due Fili selector for up to 4 entrance plates parallel connection



**02020**  
Due Fili switching module for conversation areas switching



## Automation - Devices for DIN rail (60715 TH35) installation



**01850.2**  
Actuator with 16 A 120-230 V~ change-over relay output



**01851.2**  
Actuator with 4 16 A 120-230 V~ change-over relay outputs, with fan-coil function



**01852.2**  
Actuator for 2 roller blinds with lath positioning, 16 A 120-230 V~ change-over relay output



**01856**  
Actuator 0-10 V d.c. for ballast control, 120-230 V~ change-over relay output



**01853**  
MASTER dimmer, 40-500 W/VA, 40-300 VA, 230 V~  
**\*01853.120**  
As above, 120 V~



**01854**  
SLAVE dimmer, 40-500 W/VA, 40-300 VA, 230 V~  
**\*01854.120**  
As above, 120 V~



**\*01857.120**  
MASTER dimmer, 40-400 VA, 120 V~



**\*01858.120**  
SLAVE dimmer, 40-400 VA, 120 V~



**\*01861**  
MASTER dimmer, 40-1000 W/VA, 230 V~, MOSFET+TRIAC



**\*01862**  
SLAVE dimmer, 40-1000 W/VA, 230 V~, MOSFET+TRIAC



**01863**  
MASTER dimmer, 40-800 W/VA 50 Hz, 40-700 W/VA 60 Hz, 230 V~, MOSFET+TRIAC



**01864**  
SLAVE dimmer, 40-800 W/VA 50 Hz, 40-700 W/VA 60 Hz, 230 V~, MOSFET+TRIAC



**\*01865**  
MASTER dimmer, 40-700 VA, 230 V~ 50-60 Hz, MOSFET



**\*01866**  
SLAVE dimmer, 40-700 VA, 230 V~ 50-60 Hz, MOSFET



**01867**  
MASTER dimmer, 40-500 VA 50 Hz, 40-400 VA 60 Hz, 230 V~, MOSFET



**01868**  
SLAVE dimmer, 40-500 VA 50 Hz, 40-400 VA 60 Hz, 230 V~, MOSFET



**01845**  
Line coupler



**01855**  
Load control module



**01801**  
Supply unit, 29 V d.c. 800 mA output, 120-230 V~ 50-60 Hz



**01800**  
Supply unit, 29 V d.c. 320 mA output, 120-230 V~ 50-60 Hz



**01842**  
Decoupling coil



**01941**  
GSM phone dial, 2-input and 2-output channels, 120-230 V~ 50-60 Hz



**01848**  
Communication interface between 01941 and Bus line



**01942**  
GSM phone dial, for direct connection to Bus 12-24 V~ 50-60 Hz or 12-30 V d.c. (SELV)



**▲01945**  
Web server for local and remote control of the By-me system via IP

## Sound system - Devices for DIN rail (60715 TH35) installation



**01900**  
FM radio tuner with RDS, coaxial connector for external FM antenna, built-in line terminator



**01901**  
Stereo amplifier, 2 outputs for sound diffusers 8 Ω 10+10 W, power supply 110-230 V~ 50-60 Hz, built-in line terminator



**01902**  
Bus line/sound diffusion decoupler for By-me power supply, built-in line terminator

Grey

White

Next

## Burglar alarm system - Devices for DIN rail (60715 TH35) installation



**01800**  
Supply unit, 29 V d.c.  
320 mA output,  
120-230 V~ 50-60 Hz



**01830**  
Supply unit 12 V d.c.  
output, 120-230 V~  
50-60 Hz



**01941**  
GSM phone dial, 2-input and  
2-output channels, 120-230 V~  
50-60 Hz



**01848**  
Communication  
interface  
between 01941  
and Bus line



**01807**  
Back-up unit with decou-  
pling, BUS+AUX 600 mA  
output, 29 V d.c.



**01809**  
Battery holder for  
consumer unit

## Access control system - Devices for DIN rail (60715 TH35) installation



**01800**  
Supply unit, 29 V d.c.  
320 mA output,  
120-230 V~ 50-60 Hz



**01842**  
Decoupling coil

## Accessories and cables



**01839**  
Removable 2 screw  
terminals, for Bus  
system



**01840**  
Bus system cable, halo-  
gen-free 2x0,50 mm<sup>2</sup>, rated  
operating voltage to earth  
400 V, suitable for I cate-  
gory cables, white - 100 m



**01840.B**  
Cable for sound system,  
halogen-free 2x0,50 mm<sup>2</sup>,  
rated operating voltage to  
earth 400 V, suitable for I cate-  
gory cables, blue - 100 m



**01840.Y**  
Bus buglar alarm system cable,  
halogen-free 2x0,50 mm<sup>2</sup>,  
rated operating voltage to earth  
400 V, suitable for I category  
cables, yellow - 100 m



**02037**  
Due Fili video door  
entry system cable for  
inner cabling, twisted  
pair wire 2x1mm<sup>2</sup>,  
100 m



**02038**  
Due Fili video door  
entry system cable for  
underground cabling,  
twisted pair wire  
2x1mm<sup>2</sup>, 100 m

## Software and interfaces



**01997.2**  
Software to interfa-  
ce By-me system  
and Windows  
Media Center® for  
Windows Vista and  
7 (32 bit)



**▲01994**  
EasyTool Professional  
software for By-me  
system, provided of  
interface for the Bus-  
connection from RJ11  
jack to PC through  
USB-port



**02024**  
EVCom software for  
Due Fili video entry  
system, with USB  
interface



**01998.U**  
EasyTool Professional  
LT software for By-me  
system, supplied with  
USB interface



**01996**  
Interface for Due Fili video  
door entry system con-  
nection, from special RJ11 jack  
to PC with Windows Media  
Center®

## Special Bus RJ11 jacks



**20329**  
Special jack for Bus,  
screw terminals



**20329.B**  
Special jack for Bus,  
screw terminals



**20329.N**  
Special jack for Bus,  
screw terminals



## Stand-alone systems • Accessories

Grey

White

Next

### Stand-alone access control system



**20461**  
Smart card reader/programmer, 12-24 V~ 50-60 Hz/12-24 V d.c. (SELV)  
- 3 modules



**20465**  
Electronic switch, vertical pocket, 230 V~ 50-60 Hz, 24 V~/24 V d.c. (SELV)  
- 3 modules



**20461.B**  
Smart card reader/programmer, 12-24 V~ 50-60 Hz/12-24 V d.c. (SELV)  
- 3 modules



**20465.B**  
Electronic switch, vertical pocket, 230 V~ 50-60 Hz, 24 V~/24 V d.c. (SELV)  
- 3 modules



**20461.N**  
Smart card reader/programmer, 12-24 V~ 50-60 Hz/12-24 V d.c. (SELV)  
- 3 modules



**20465.N**  
Electronic switch, vertical pocket, 230 V~ 50-60 Hz, 24 V~/24 V d.c. (SELV)  
- 3 modules



**16474**  
Smart card for serial connection of reader/programmer



**16452**  
Programmable smart card  
**16452.H**  
As above, customizable



**16452.S**  
ISO-card (badge)

### Stand-alone radio devices - With EnOcean module



**20505**  
2 flat rocker buttons with EnOcean wireless connection, no battery, to complete with 20506  
- 2 modules



**01796**  
Actuator with EnOcean module, relay output, supply voltage 230 V~ 50 Hz



**20507**  
Frame for surface mounting of 20505, to complete with 2 central modules cover plate, grey



**20507.B**  
Frame for surface mounting of 20505, to complete with 2 central modules cover plate, white



**20506**  
Pair of buttons for 20505 device, customizable



**20506.B**  
Pair of buttons for 20505 device, customizable



**20506.N**  
Pair of buttons for 20505 device, customizable

### LED signalling units



**00935.A:** 12-24 V~ 0,1 W, amber  
**00935.G:** 12-24 V~ 0,1 W, green  
**00935.R:** 12-24 V~ 0,1 W, red  
**00935.B:** 12-24 V~ 0,1 W, blue  
**00935.W:** 12-24 V~ 0,1 W, white

**00936.A:** 110-250 V~ 0,5 W, amber  
**00936.G:** 110-250 V~ 0,5 W, green  
**00936.R:** 110-250 V~ 0,5 W, red  
**00936.B:** 110-250 V~ 0,5 W, blue  
**00936.W:** 110-250 V~ 0,5 W, white

### Signalling units



**Δ 10493.V**  
Fluorescent 250 V~ 0,5 W, green<sup>1</sup>

**Δ 10493.AZ**  
Fluorescent 250 V~ 0,5 W, light blue<sup>1</sup>

### E10 10x28 mm lamps



Neon:  
**14778**  
110 V~ 0,5 W, red<sup>1</sup>  
**14779**  
230 V~ 0,5 W, red<sup>1</sup>



Incandescent:  
**14770**  
12 V~ 3 W, white<sup>1</sup>  
**14771**  
24 V~ 3 W, white<sup>1</sup>  
**14774**  
12 V~ 0,6 W, white<sup>1</sup>  
**14775**  
24 V~ 1,2 W, white<sup>1</sup>  
**14776**  
130 V~ 2,6 W, white<sup>1</sup>  
**14777**  
230 V~ 3 W, white<sup>1</sup>

### ø 5x20 mm 250 V~ fuses



Glass tube:  
**07050.02:** 2 A  
**07050.04:** 4 A  
**07050.06:** 6 A



Steatite tube, breaking capacity 1500 A:  
**07050.HF.2.5:** F2,5AH  
**07051.HF.16:** FF16AH, ø 6,3x32 mm

### Pre-wired signalling units



**00930**  
250 V~ 0,3 W, red  
suitable for British  
standard socket outlets



**00931**  
110-250 V~ 0,5 W,  
amber

## Well-contact Plus

Grey

White

Next


## Building automation - Control



**20848**  
Color touch screen, 4,3", for the control,  
with built-in mounting frame for installation  
in 8-module mounting box



**20849**  
Monochrome touch screen, for  
the room control - 3 modules



**20840**  
Control device with four independent  
push buttons, KNX standard, visible  
in darkness, to be completed with  
half-buttons



**20848.B**  
Color touch screen, 4,3", for the control,  
with built-in mounting frame for installation  
in 8-module mounting box



**20849.B**  
Monochrome touch screen, for  
the room control - 3 modules



**20848.N**  
Color touch screen, 4,3", for the control,  
with built-in mounting frame for installation  
in 8-module mounting box




**20849.N**  
Monochrome touch screen, for  
the room control - 3 modules

## Building automation - 1-module interchangeable half-buttons



**20841**  
Four half-buttons  
without symbol



**20841.0**  
Four half-buttons,  
O symbol



**20841.1**  
Four half-buttons,  
I symbol



**20841.B**  
Four half-buttons  
without symbol



**20841.0.B**  
Four half-buttons,  
O symbol



**20841.1.B**  
Four half-buttons,  
I symbol



**20841.N**  
Four half-buttons  
without symbol



**20841.0.N**  
Four half-buttons,  
O symbol



**20841.1.N**  
Four half-buttons,  
I symbol



**20841.2**  
Four half-buttons,  
I O symbol



**20841.3**  
Four half-buttons,  
directional arrows  
symbol



**20841.4**  
Four half-buttons,  
regulation symbol



**20841.2.B**  
Four half-buttons,  
I O symbol



**20841.3.B**  
Four half-buttons,  
directional arrows  
symbol



**20841.4.B**  
Four half-buttons,  
regulation symbol



**20841.2.N**  
Four half-buttons,  
I O symbol



**20841.3.N**  
Four half-buttons,  
directional arrows  
symbol



**20841.4.N**  
Four half-buttons,  
regulation symbol



**20843**  
Four fixed half-buttons,  
without symbol



**20843.B**  
Four fixed half-buttons,  
without symbol




**20843.N**  
Four fixed half-buttons,  
without symbol

## Building automation - 2-module interchangeable half-buttons



**20842**  
Two half-buttons  
without symbol



**20842.0**  
Two half-buttons,  
O symbol



**20842.1**  
Two half-buttons,  
I symbol



**20842.B**  
Two half-buttons  
without symbol



**20842.0.B**  
Two half-buttons,  
O symbol



**20842.1.B**  
Two half-buttons,  
I symbol



**20842.N**  
Two half-buttons  
without symbol



**20842.0.N**  
Two half-buttons,  
O symbol















**20842.1.N**  
Two half-buttons,  
I symbol

# Well-contact Plus

Grey	White	Next
------	-------	------

## Building automation - 2-module interchangeable half-buttons

 <b>20842.2</b> Two half-buttons, I O symbol	 <b>20842.3</b> Two half-buttons, directional arrows symbol	 <b>20842.4</b> Two half-buttons, regulation symbol	 <b>20842.2.B</b> Two half-buttons, I O symbol	 <b>20842.3.B</b> Two half-buttons, directional arrows symbol	 <b>20842.4.B</b> Two half-buttons, regulation symbol	 <b>20842.2.N</b> Two half-buttons, I O symbol	 <b>20842.3.N</b> Two half-buttons, directional arrows symbol	 <b>20842.4.N</b> Two half-buttons, regulation symbol
 <b>20844</b> Two fixed half-buttons, without symbol	 <b>20844.B</b> Two fixed half-buttons, without symbol	 <b>20844.N</b> Two fixed half-buttons, without symbol						

## Building automation - Control

 <b>20650</b> Passive infrared presence detector, KNX standard - 2 modules	 <b>20636</b> Orientable support - 2 modules	 <b>20650.B</b> Passive infrared presence detector, KNX standard - 2 modules	 <b>20636.B</b> Orientable support - 2 modules	 <b>20650.N</b> Passive infrared presence detector, KNX standard - 2 modules	 <b>20636.N</b> Orientable support - 2 modules
 <b>20637</b> Adaptor for orientable support flush mounting - 2 modules	 <b>16831</b> Frame for orientable support surface mounting	 <b>20637.B</b> Adaptor for orientable support flush mounting - 2 modules	 <b>16831.01</b> Frame for orientable support surface mounting	 <b>20637.N</b> Adaptor for orientable support flush mounting - 2 modules	 <b>16831.N</b> Frame for orientable support surface mounting

## Building automation - Access control

 <b>20457</b> Transponder card reader for installation outside rooms, KNX standard, 2 NO 4 A 24 V~ relay outputs, 2 inputs, power supply 12-24 V~ 50-60 Hz and 12-24 V d.c. (SELV) - 3 modules. Supplied without transponder card	 <b>20453</b> Transponder card reader with vertical pocket for installation inside rooms, KNX standard, 2 NO 4 A 24 V~ relay outputs, 2 inputs, supplementary power supply 12-24 V~ 50-60 Hz and 12-24 V d.c. (SELV) - 3 modules	 <b>20457.B</b> Transponder card reader for installation outside rooms, KNX standard, 2 NO 4 A 24 V~ relay outputs, 2 inputs, power supply 12-24 V~ 50-60 Hz and 12-24 V d.c. (SELV) - 3 modules. Supplied without transponder card	 <b>20453.B</b> Transponder card reader with vertical pocket for installation inside rooms, KNX standard, 2 NO 4 A 24 V~ relay outputs, 2 inputs, supplementary power supply 12-24 V~ 50-60 Hz and 12-24 V d.c. (SELV) - 3 modules	 <b>20457.N</b> Transponder card reader for installation outside rooms, KNX standard, 2 NO 4 A 24 V~ relay outputs, 2 inputs, power supply 12-24 V~ 50-60 Hz and 12-24 V d.c. (SELV) - 3 modules. Supplied without transponder card	 <b>20453.N</b> Transponder card reader with vertical pocket for installation inside rooms, KNX standard, 2 NO 4 A 24 V~ relay outputs, 2 inputs, supplementary power supply 12-24 V~ 50-60 Hz and 12-24 V d.c. (SELV) - 3 modules
 <b>20450</b> Transponder card reader/programmer, in 4-module table mounting box. To complete with 4-module cover plate	 <b>20450.B</b> Transponder card reader/programmer, in 4-module table mounting box. To complete with 4-module cover plate	 <b>20450.N</b> Transponder card reader/programmer, in 4-module table mounting box. To complete with 4-module cover plate			



**01598**  
 Programmable and customizable transponder card

## Well-contact Plus

Grey

White

Next

## Building automation - Temperature control



**20430**  
Thermostat for ambient temperature control of 2 independent zones (heating and air-conditioning), KNX standard, NO 4 A 24 V~ relay output + 1 temperature sensor (20432) input + 1 programmable input - 2 modules



**20430.B**  
Thermostat for ambient temperature control of 2 independent zones (heating and air-conditioning), KNX standard, NO 4 A 24 V~ relay output + 1 temperature sensor (20432) input + 1 programmable input - 2 modules



**20430.N**  
Thermostat for ambient temperature control of 2 independent zones (heating and air-conditioning), KNX standard, NO 4 A 24 V~ relay output + 1 temperature sensor (20432) input + 1 programmable input - 2 modules



**20432**  
Electronic temperature sensor



**20432.B**  
Electronic temperature sensor



**20432.N**  
Electronic temperature sensor

## Building automation - Devices for DIN rail (60715 TH35) installation



**01510**  
4-channel digital input device, programmable for NO, NC and 120-230 V~ contacts, KNX standard



**01523**  
Actuator with 4 NO 16 A 250 V~ relay outputs, KNX standard



**01522**  
Input/output device, 4 NO 16 A 250 V~ relay outputs, 4 inputs for NO contacts, KNX standard



**01524**  
Actuator for 2 roller shutters, 16 A 250 V~ relay outputs, KNX standard



**01528**  
Dimmer, 2 inputs for 01530, 2 NO 16 A 250 V~ relay outputs, 2 1-10 V outputs, KNX standard



**01526**  
Dimmer 230 V~ 50-60 Hz for 2x300 W incandescent lamps, 2x300 VA ferromagnetic transformers, 2x300 VA electronic transformers, KNX standard



**01530**  
Light sensor for dimmer 01528, KNX standard, ceiling installation



**01515**  
Interface with 4 input or output programmable channels for LEDs, KNX standard



**01500**  
Power supply with Bus 30 V d.c. 320 mA output, supply voltage 230 V~ 50-60 Hz, with decoupling coil, KNX standard




**01501**  
Power supply with Bus 30 V d.c. 640 mA output, 30 V d.c. auxiliary output, supply voltage 230 V~ 50-60 Hz, with decoupling coil, KNX standard



**01504**  
Line coupler, KNX standard



**01540**  
USB interface, KNX B-type



**16887**  
Safety transformer, 230/12-24 V~ (SELV), 24 VA

## KNX cable



**01890**  
2x2x0,8 mm cable, KNX standard

## Software and interface



Software for Well-contact Plus system management.

**01590:** Well-contact Suite Basic

**01591:** Well-contact Suite Top

**01592:** Well-contact Suite Client

**01593:** Well-contact Suite Office

**01594:** Well-contact Suite Client Office

**01595**

Additional software for interfacing with existing management system





















**01597**  
USB spare key for Well-contact Suite software



**01998.U**  
Well-contact Plus touch screen configurator, supplied with USB interface

## Eikon Evo types of mounting

Module	Box	Frame
2 for ø 60 mm or 56x56 mm mounting box	<p>Flush mounting</p>  <p><b>V71001</b> For masonry GW 650 °C, light blue <b>V71001.AU</b> GW 960 °C, black</p>  <p><b>V71601</b> For hollow walls, with screws, GW 850 °C, light blue</p>	 <p><b>21602</b> 2-module, with claws. Not for V71601</p>  <p><b>21603</b> 2-module, without screws</p>   <p>This mounting frame can install also Eikon cover plates</p>
3	<p>Flush mounting</p>  <p><b>V71303</b> For masonry GW 650 °C, light blue <b>V71303.AU</b> GW 960 °C, black</p>  <p><b>V71613</b> For hollow walls GW 850 °C, light blue</p>	 <p><b>21613</b> 3-module, with screws</p>  <p>This mounting frame can install also Eikon cover plates</p>
4	<p>Flush mounting</p>  <p><b>V71304</b> For masonry GW 650 °C, light blue <b>V71304.AU</b> GW 960 °C, black</p>  <p><b>V71614</b> For hollow walls GW 850 °C, light blue</p>	 <p><b>21614</b> 4-module, with screws</p>  <p>This mounting frame can install also Eikon cover plates</p>
7	<p>Flush mounting</p>  <p><b>V71306</b> For masonry GW 650 °C, light blue <b>V71306.AU</b> GW 960 °C, black</p>  <p><b>V71616</b> For hollow walls GW 850 °C, light blue</p>	 <p><b>21617</b> 7-module, with screws</p>  <p>This mounting frame can install also Eikon cover plates</p>

## Eikon Evo types of mounting

Cover plate	Material and finishing availability*							
	Primari	Esclusivi	Scolpiti	Naturali	Luminosi	Speciali (Corian®)	Raffinati	Essenziali
 <p><b>21642...</b> 2-module Dimensions: 94,7x94,7 mm</p>	●	●	●	●	●	●	●	●
 <p><b>21653...</b> 3-module Dimensions: 117,3x105,3 mm</p>	●	●	●	●	●	●	●	●
 <p><b>21654...</b> 4-module Dimensions: 139,8x105,3 mm</p>	●	●	●	●	●	●	●	●
 <p><b>21657...</b> 7-module Dimensions: 207,3x105,3 mm</p>	●	●	●	●	●	●	●	●



\* Cover plates range, page 54



## Eikon Evo types of mounting

Module	Box	Touch screen
8 (4+4)	<p>Flush mounting</p>  <p><b>V71318</b> For masonry GW 650 °C, light blue</p>	 <p><b>21554</b> 4,3" Full Flat video touch screen, grey <b>21554.BN:</b> neutral</p>  <p><b>21511</b> 4,3" Full Flat touch screen, grey <b>21511.BN:</b> neutral</p>  <p><b>21550</b> 3,5" LCD monitor, grey <b>21550.BN:</b> neutral</p>
	<p>Semi-flush mounting</p>  <p><b>V71318</b> For masonry GW 650 °C, light blue</p>	 <p><b>21553</b> 10" IP multimedia video touch screen (cover plates not supplied)</p>

## Eikon Evo types of mounting

Cover plate	Material and finishing availability*							
	Primari	Esclusivi	Scolpiti	Naturali	Luminosi	Speciali (Corian®)	Raffinati	Essenziali
 <p><b>21668...</b> 8-module (4+4) Dimensions: 154,7x154,7 mm</p>  <p>Cover plate rotated at a 90° angle</p>	●	●	●	●	●	●	●	●
 <p><b>21665...</b> For multimedia video touch screen Dimensions: 345x250 mm</p>	Aluminium				Crystal			
	.11 Aluminium				.70 White diamond .76 Black Diamond			

\* Cover plates range, page 54

Eikon Evo German standard mounting



































Module	Box	Frame
2 + 2 71 mm between centres		
2 + 2 + 2 71 mm between centres		
2 + 2 + 2 + 2 71 mm between centres		

## Eikon Evo German standard mounting





Cover plate	Material and finishing availability*							
	Primari	Esclusivi	Scolpiti	Naturali	Luminosi	Speciali (Corian®)	Raffinati	Essenziali
 <p><b>21643...</b> 4-module (2+2), for horizontal and vertical installation. Dimensions: 166,4x95,4 mm</p>	●	●			●			●
 <p><b>21644...</b> 6-module (2+2+2), for horizontal and vertical installation. Dimensions: 237,4x95,4 mm</p>	●	●			●			●
 <p><b>21669...</b> 8-module (2+2+2+2), for horizontal and vertical installation. Dimensions: 308,4x95,4 mm</p>	●	●			●			●

\* Cover plates range, page 54

## Eikon Evo cover plates: guideline

		2-module	3-module	4-module	7-module
					
<b>Primari (anodized aluminium)</b>					
	Brilliant Aluminium	21642.01	21653.01	21654.01	21657.01
	Next Grey	21642.02	21653.02	21654.02	21657.02
	Lava Grey	21642.03	21653.03	21654.03	21657.03
	Neutral Bronze	21642.04	21653.04	21654.04	21657.04
	Dark Bronze	21642.05	21653.05	21654.05	21657.05
<b>Esclusivi (refined aluminium)</b>					
	Black Sapphire	21642.06	21653.06	21654.06	21657.06
	Silver	21642.07	21653.07	21654.07	21657.07
	Titanium	21642.08	21653.08	21654.08	21657.08
	Polished gold	21642.09	21653.09	21654.09	21657.09
	Satin gold	21642.10	21653.10	21654.10	21657.10
<b>Scolpiti (carved stone)</b>					
	Carrara white	21642.51	21653.51	21654.51	21657.51
	Natural split slate	21642.52	21653.52	21654.52	21657.52
	Grey quartzite	21642.53	21653.53	21654.53	21657.53
<b>Naturali (solid wood)</b>					
	Italian walnut	21642.31	21653.31	21654.31	21657.31
	White Oak	21642.32	21653.32	21654.32	21657.32
	Wengé	21642.33	21653.33	21654.33	21657.33
<b>Luminosi (bevelled crystal)</b>					
	White diamond	21642.70	21653.70	21654.70	21657.70
	Aqua	21642.71	21653.71	21654.71	21657.71
	Silver ice	21642.72	21653.72	21654.72	21657.72
	Pearl grey	21642.73	21653.73	21654.73	21657.73
	Opal brown	21642.74	21653.74	21654.74	21657.74
	Bronze mirror	21642.75	21653.75	21654.75	21657.75
	Black Diamond	21642.76	21653.76	21654.76	21657.76
<b>Raffinati (natural leather)</b>					
	Cream	21642.21	21653.21	21654.21	21657.21
	Tobacco	21642.22	21653.22	21654.22	21657.22
<b>Speciali (Corian®)</b>					
	Glacier ice	21642.41	21653.41	21654.41	21657.41
<b>Essenziali (total aluminium and crystal)</b>					
	Total White	21642.17	21653.17	21654.17	21657.17
	Total Black	21642.18	21653.18	21654.18	21657.18
	Total White Diamond	21642.87	21653.87	21654.87	21657.87
	Total Black Diamond	21642.88	21653.88	21654.88	21657.88

## Eikon Evo cover plates: guideline

8-module	4-module (between centres 71 mm)	6-module (between centres 71 mm)	8-module (between centres 71 mm)
			
21668.01	21643.01	21644.01	21669.01
21668.02	21643.02	21644.02	21669.02
21668.03	21643.03	21644.03	21669.03
21668.04	21643.04	21644.04	21669.04
21668.05	21643.05	21644.05	21669.05
21668.06	21643.06	21644.06	21669.06
21668.07	21643.07	21644.07	21669.07
21668.08	21643.08	21644.08	21669.08
21668.09	21643.09	21644.09	21669.09
21668.10	21643.10	21644.10	21669.10
21668.51	-	-	-
21668.52	-	-	-
21657.53	-	-	-
21668.31	-	-	-
21657.32	-	-	-
21668.33	-	-	-
21668.70	21643.70	21644.70	21669.70
21668.71	21643.71	21644.71	21669.71
21668.72	21643.72	21644.72	21669.72
21668.73	21643.73	21644.73	21669.73
21668.74	21643.74	21644.74	21669.74
21668.75	21643.75	21644.75	21669.75
21668.76	21643.76	21644.76	21669.76
21668.21	-	-	-
21668.22	-	-	-
21668.41	-	-	-
21668.17	21643.17	21644.17	21669.17
21668.18	21643.18	21644.18	21669.18
21668.87	21643.87	21644.87	21669.87
21668.88	21643.88	21644.88	21669.88



## Primari

(anodized aluminium)



01 Brilliant Aluminium



02 Next Grey



03 Lava Grey

## Esclusivi

(refined aluminium)



06 Black Sapphire



07 Silver



08 Titanium

## Scolpiti

(carved stone)



51 Carrara white



52 Natural split slate



53 Grey quartzite

## Naturali

(solid wood)



31 Italian walnut



32 White Oak



33 Wengé



04 Neutral Bronze



05 Dark Bronze



09 Polished gold



10 Satin gold

## Luminosi (bevelled crystal)



70 White diamond



71 Aqua



72 Silver ice

## Raffinati (natural leather)



21 Cream



22 Tobacco

## Speciali (Corian®)



41 Glacier ice

## Essenziali (total aluminium and crystal)



17 Total White



18 Total Black



87 Total White Diamond



73 Pearl grey



74 Opal brown



75 Bronze mirror





























76 Black Diamond





88 Total Black Diamond

# Eikon types of mounting

Module	Box		Frame
2 for ø 60 mm mounting box	<p><b>Flush mounting</b></p>  <p><b>V71001</b> For masonry GW 650 °C, light blue <b>V71001.AU</b> GW 960 °C, black</p>  <p><b>V71601</b> For hollow walls, with screws, GW 850 °C, light blue</p>	<p><b>Surface mounting</b></p>  <p><b>09971.A</b> 43,5 deep, RAL 9001 ivory <b>09971.01:</b> white <b>09971.SL:</b> Silver</p>	  <p><b>20602</b> 2-module, with claws. Not for V71601</p>   <p><b>20603</b> 2-module, without screws</p>
2-central and 3	<p><b>Flush mounting</b></p>  <p><b>V71303</b> For masonry GW 650 °C, light blue <b>V71303.AU</b> GW 960 °C, black</p>  <p><b>V71613</b> For hollow walls GW 850 °C, light blue</p>	<p><b>Surface mounting</b></p>  <p><b>09983</b> 35-45 mm deep, grey <b>09983.B:</b> white <b>09983.N:</b> Next</p>  <p><b>09975.A</b> 43,5 mm deep, RAL 9001 ivory <b>09975.01:</b> white <b>09975.SL:</b> Silver</p>  <p><b>09976.04</b> 30 mm deep, Idea white <b>09976.14:</b> Idea grey</p>	  <p><b>20612</b> 2-central-module, with screws</p>   <p><b>20613</b> 3-module, with screws</p>
4	<p><b>Flush mounting</b></p>  <p><b>V71304</b> For masonry GW 650 °C, light blue <b>V71304.AU</b> GW 960 °C, black</p>  <p><b>V71614</b> For hollow walls GW 850 °C, light blue</p>	<p><b>Table mounting</b></p>  <p><b>20784</b> 4-module table mounting box, grey <b>20784.B</b> As above, white <b>20784.N</b> As above, Next</p>	  <p><b>20614</b> 4-module, with screws</p>
7	<p><b>Flush mounting</b></p>  <p><b>V71306</b> For masonry GW 650 °C, light blue <b>V71306.AU</b> GW 960 °C, black</p>  <p><b>V71616</b> For hollow walls GW 850 °C, light blue</p>	<p><b>Table mounting</b></p>  <p><b>20787</b> 7-module table mounting box, grey <b>20787.B</b> As above, white <b>20787.N</b> As above, Next</p>	  <p><b>20617</b> 7-module, with screws</p>
















## Eikon types of mounting

Cover plate	Material and finishing availability*						
	Bright	Galvanic	Inox	Wood	Stone	Glass	Reflex
<b>Classic</b>  <b>20642...</b> 2-module Dimensions: 85x85 mm	●	●	●	●	●	●	●
<b>Round</b>  <b>20672...</b> 2-module Dimensions: 80x80 mm	●	●	●	●		●	
<b>Classic</b>  <b>20652...</b> 2-central-module Dimensions: 120x85 mm	●	●	●	●	●	●	●
<b>Round</b>  <b>20682...</b> 2-central-module Dimensions: 120x80 mm	●	●	●	●		●	
<b>Classic</b>  <b>20652...</b> 2-central-module Dimensions: 120x85 mm	●	●	●	●	●	●	●
<b>Round</b>  <b>20682...</b> 2-central-module Dimensions: 120x80 mm	●	●	●	●		●	
<b>Classic</b>  <b>20653...</b> 3-module Dimensions: 120x85 mm	●	●	●	●	●	●	●
<b>Round</b>  <b>20683...</b> 3-module Dimensions: 120x80 mm	●	●	●	●		●	
<b>Classic</b>  <b>20654...</b> 4-module Dimensions: 142x85 mm	●	●	●	●	●	●	●
<b>Round</b>  <b>20684...</b> 4-module Dimensions: 142x80 mm	●	●	●	●		●	
<b>Classic</b>  <b>20657...</b> 7-module Dimensions: 206x85 mm	●	●	●	●	●	●	●
<b>Round</b>  <b>20687...</b> 7-module Dimensions: 210x80 mm	●	●	●	●		●	









\* Cover plates range, page 72



## Eikon types of mounting








































Module	Box	Frame	
8 (4+4)	<div>Flush mounting</div> <div></div> <div><b>V71318</b> For masonry GW 650 °C, light blue</div>	<div>Table mounting</div> <div></div> <div><b>20788</b> 8-module with Classic and Round frame, grey <b>20788.B</b> white <b>20788.N</b> Next Dimensions: 141x151,9x135 mm</div>	<div></div> <div><b>20550...</b> Color monitor, LCD 3,5", with built-in 8-module frame</div> <div></div> <div><b>20511.1....</b> Color touch screen, 4,3", Energy, for control, 1 tempera- ture sensor input, with built-in 8-module frame</div> <div><b>20848....</b> Color touch screen, 4,3", Well-contact Plus with built-in 8-module frame</div>
14 (7+7)	<div>Flush mounting</div> <div></div> <div><b>V71320</b> For masonry GW 650 °C, light blue</div> <div></div> <div><b>V71620</b> For hollow walls GW 850 °C, light blue</div>	<div>Surface mounting</div> <div></div> <div><b>09920.01</b>, White <b>09920.14</b>, Grey <b>09920.N</b>, Next</div>	<div></div> <div><b>20620...</b> 14-module (7+7), with screws</div>
21 (7+7+7)	<div>Flush mounting</div> <div></div> <div><b>V71321</b> For masonry GW 650 °C, light blue</div>	<div>Surface mounting</div> <div></div> <div><b>09921.01</b>, White <b>09921.14</b>, Grey <b>09921.N</b>, Next</div>	<div></div> <div><b>20621</b> 21-module (7+7+7), with screws</div>
1	<div>Panel mounting</div> <div></div> <div><b>16776.AU</b> GW 960 °C</div>		<div></div> <div><b>20626</b> 1-module, with screws</div>
2	<div>Panel mounting</div> <div></div> <div><b>16776.AU</b> x 2 GW 960 °C</div>		<div></div> <div><b>20627</b> 2-module, with screws</div>

## Eikon types of mounting











Cover plate	Material and finishing availability*						
<b>Classic</b>  <b>20668...</b> 8-module Dimensions: 142x156 mm	<b>Bright</b>	<b>Galvanic</b>	<b>Inox</b>	<b>Wood</b>	<b>Stone</b>	<b>Glass</b>	<b>Reflex</b>
	●	●	●	●	●	●	●
<b>Round</b>  <b>20698...</b> 8-module Dimensions: 142x151 mm	●	●	●	●		●	
<b>Classic</b>  <b>20660...</b> 14-module (7+7), technopolymer, with signalling tags. Dimensions: 207x153 mm	<b>Technopolymer</b>						
	.01 white .13 silver .15 anthracite						
<b>Classic</b>  <b>20661...</b> 21-module (7+7+7), technopolymer, with signalling tags. Dimensions: 207x223 mm	<b>Technopolymer</b>						
	.01 white .13 silver .15 anthracite						
<b>Classic</b>  <b>20666...</b> 1-module Dimensions: 40x80 mm	<b>Bright</b>	<b>Galvanic</b>	<b>Inox</b>	<b>Wood</b>	<b>Stone</b>	<b>Glass</b>	<b>Reflex</b>
<b>Round</b>  <b>20696...</b> 1-module Dimensions: 40x80 mm	.01 white .B01 white .13 silver .N13 silver .15 anthracite						
<b>Classic</b>  <b>20667...</b> 2-module Dimensions: 40x137 mm	.01 white .B01 white .13 silver .N13 silver .15 anthracite						
<b>Round</b>  <b>20697...</b> 2-module Dimensions: 40x137 mm							

\* Cover plates range, page 72

# Eikon cover plates: guideline





































		2-module		2-central-module		3-module		4-module	
									
		Classic	Round	Classic	Round	Classic	Round	Classic	Round
<b>Bright (varnished metal)</b>									
 Artic white	20642.01	20672.01	20652.01	20682.01	20653.01	20683.01	20654.01	20684.01	
 Artic white (with white frame)	20642.B01	20672.B01	20652.B01	20682.B01	20653.B01	20683.B01	20654.B01	20684.B01	
 Antique white	20642.02	20672.02	20652.02	20682.02	20653.02	20683.02	20654.02	20684.02	
 Antique white (with white frame)	20642.B02	20672.B02	20652.B02	20682.B02	20653.B02	20683.B02	20654.B02	20684.B02	
 Heron grey	20642.03	20672.03	20652.03	20682.03	20653.03	20683.03	20654.03	20684.03	
 Metallic imperial red	20642.04	20672.04	20652.04	20682.04	20653.04	20683.04	20654.04	20684.04	
 Metallic Oxford green	20642.05	20672.05	20652.05	20682.05	20653.05	20683.05	20654.05	20684.05	
 Metallic Toledo blue	20642.06	20672.06	20652.06	20682.06	20653.06	20683.06	20654.06	20684.06	
 Metallic champagne	20642.07	20672.07	20652.07	20682.07	20653.07	20683.07	20654.07	20684.07	
 Metallic champagne (with Next frame)	20642.N07	20672.N07	20652.N07	20682.N07	20653.N07	20683.N07	20654.N07	20684.N07	
 Metallic titanium	20642.08	20672.08	20652.08	20682.08	20653.08	20683.08	20654.08	20684.08	
 Metallic Atlantic grey	20642.09	20672.09	20652.09	20682.09	20653.09	20683.09	20654.09	20684.09	
 Metallic silver	20642.10	20672.10	20652.10	20682.10	20653.10	20683.10	20654.10	20684.10	
 Metallic Siena	20642.11	20672.11	20652.11	20682.11	20653.11	20683.11	20654.11	20684.11	
 Metallic anthracite	20642.12	20672.12	20652.12	20682.12	20653.12	20683.12	20654.12	20684.12	
 Matt silver	20642.13	20672.13	20652.13	20682.13	20653.13	20683.13	20654.13	20684.13	
 Matt silver (with Next frame)	20642.N13	20672.N13	20652.N13	20682.N13	20653.N13	20683.N13	20654.N13	20684.N13	
 Matt titanium	20642.14	20672.14	20652.14	20682.14	20653.14	20683.14	20654.14	20684.14	
 Matt titanium (with Next frame)	20642.N14	20672.N14	20652.N14	20682.N14	20653.N14	20683.N14	20654.N14	20684.N14	
 Matt anthracite	20642.15	20672.15	20652.15	20682.15	20653.15	20683.15	20654.15	20684.15	
<b>Galvanic (galvanic metal)</b>									
 Satin gold	20642.21	20672.21	20652.21	20682.21	20653.21	20683.21	20654.21	20684.21	
 Satin nickel	20642.22	20672.22	20652.22	20682.22	20653.22	20683.22	20654.22	20684.22	
 Satin chrome	20642.23	20672.23	20652.23	20682.23	20653.23	20683.23	20654.23	20684.23	
 Polished gold	20642.24	20672.24	20652.24	20682.24	20653.24	20683.24	20654.24	20684.24	
 Polished gold (with white frame)	20642.B24	20672.B24	20652.B24	20682.B24	20653.B24	20683.B24	20654.B24	20684.B24	
 Black chrome	20642.25	20672.25	20652.25	20682.25	20653.25	20683.25	20654.25	20684.25	
 Antique brass	20642.27	20672.27	-	-	20653.27	20683.27	20654.27	20684.27	
<b>Inox (stainless steel)</b>									
 Brushed inox	20642.91	20672.91	20652.91	20682.91	20653.91	20683.91	20654.91	20684.91	
 Brushed inox (with Next frame)	20642.N91	20672.N91	20652.N91	20682.N91	20653.N91	20683.N91	20654.N91	20684.N91	
 Cotton	20642.92	20672.92	20652.92	20682.92	20653.92	20683.92	20654.92	20684.92	
 Brushed anthracite	20642.93	20672.93	20652.93	20682.93	20653.93	20683.93	20654.93	20684.93	

## Eikon cover plates: guideline











7-module		8-module		14-module	21-module	Panel mounting 1-module		Panel mounting 2-module	
									
Classic	Round	Classic	Round	Classic	Classic	Classic	Round	Classic	Round
20657.01	20687.01	20668.01	20698.01	<b>20660.01*</b>	<b>20661.01*</b>	20666.01	20696.01	20667.01	20697.01
20657.B01	20687.B01	20668.B01	20698.B01	-	-	20666.B01	20696.B01	20667.B01	20697.B01
20657.02	20687.02	20668.02	20698.02	-	-	-	-	-	-
20657.B02	20687.B02	20668.B02	20698.B02	-	-	-	-	-	-
20657.03	20687.03	20668.03	20698.03	-	-	-	-	-	-
20657.04	20687.04	20668.04	20698.04	-	-	-	-	-	-
20657.05	20687.05	20668.05	20698.05	-	-	-	-	-	-
20657.06	20687.06	20668.06	20698.06	-	-	-	-	-	-
20657.07	20687.07	20668.07	20698.07	-	-	-	-	-	-
20657.N07	20687.N07	20668.N07	20698.N07	-	-	-	-	-	-
20657.08	20687.08	20668.08	20698.08	-	-	-	-	-	-
20657.09	20687.09	20668.09	20698.09	-	-	-	-	-	-
20657.10	20687.10	20668.10	20698.10	-	-	-	-	-	-
20657.11	20687.11	20668.11	20698.11	-	-	-	-	-	-
20657.12	20687.12	20668.12	20698.12	-	-	-	-	-	-
20657.13	20687.13	20668.13	20698.13	<b>20660.13*</b>	<b>20661.13*</b>	20666.13	20696.13	20667.13	20697.13
20657.N13	20687.N13	20668.N13	20698.N13	-	-	20666.N13	20696.N13	20667.N13	20697.N13
20657.14	20687.14	20668.14	20698.14	-	-	-	-	-	-
20657.N14	20687.N14	20668.N14	20698.N14	-	-	-	-	-	-
20657.15	20687.15	20668.15	20698.15	<b>20660.15*</b>	<b>20661.15*</b>	20666.15	20696.15	20667.15	20697.15
20657.21	20687.21	20668.21	20698.21	-	-	-	-	-	-
20657.22	20687.22	20668.22	20698.22	-	-	-	-	-	-
20657.23	20687.23	20668.23	20698.23	-	-	-	-	-	-
20657.24	20687.24	20668.24	20698.24	-	-	-	-	-	-
20657.B24	20687.B24	20668.B24	20698.B24	-	-	-	-	-	-
20657.25	20687.25	20668.25	20698.25	-	-	-	-	-	-
20657.27	20687.27	-	-	-	-	-	-	-	-
20657.91	20687.91	20668.91	20698.91	-	-	-	-	-	-
20657.N91	20687.N91	20668.N91	20698.N91	-	-	-	-	-	-
20657.92	20687.92	20668.92	20698.92	-	-	-	-	-	-
20657.93	20687.93	20668.93	20698.93	-	-	-	-	-	-

\* Technopolymer

## Eikon cover plates: guideline















		2-module		2-central-module		3-module		4-module	
									
		Classic	Round	Classic	Round	Classic	Round	Classic	Round
<b>Wood (solid wood)</b>									
	African wengé	20642.31	20672.31	20652.31	20682.31	20653.31	20683.31	20654.31	20684.31
	White oak	20642.32	20672.32	20652.32	20682.32	20653.32	20683.32	20654.32	20684.32
	Dark oak	20642.33	20672.33	20652.33	20682.33	20653.33	20683.33	20654.33	20684.33
	Burma teak	20642.34	20672.34	20652.34	20682.34	20653.34	20683.34	20654.34	20684.34
	Italian walnut	20642.35	20672.35	20652.35	20682.35	20653.35	20683.35	20654.35	20684.35
	American cherrywood	20642.36	20672.36	20652.36	20682.36	20653.36	20683.36	20654.36	20684.36
	European maple	20642.37	20672.37	20652.37	20682.37	20653.37	20683.37	20654.37	20684.37
<b>Stone (natural stone)</b>									
	Absolute black	20642.51	-	20652.51	-	20653.51	-	20654.51	-
	Cardoso	20642.52	-	20652.52	-	20653.52	-	20654.52	-
	Carrara white	20642.53	-	20652.53	-	20653.53	-	20654.53	-
	Guatemala green	20642.54	-	20652.54	-	20653.54	-	20654.54	-
	Asiago red	20642.55	-	20652.55	-	20653.55	-	20654.55	-
	Atlantis yellow	20642.56	-	20652.56	-	20653.56	-	20654.56	-
	Jerusalem stone	20642.57	-	20652.57	-	20653.57	-	20654.57	-
	Jerusalem stone (with white frame)	20642.B57	-	20652.B57	-	20653.B57	-	20654.B57	-
<b>Glass (crystal)</b>									
	Black ice	20642.71	20672.71	20652.71	20682.71	20653.71	20683.71	20654.71	20684.71
	White ice	20642.72	20672.72	20652.72	20682.72	20653.72	20683.72	20654.72	20684.72
	White ice (with white frame)	20642.B72	20672.B72	20652.B72	20682.B72	20653.B72	20683.B72	20654.B72	20684.B72
	Amber ice	20642.73	20672.73	20652.73	20682.73	20653.73	20683.73	20654.73	20684.73
	Blue ice	20642.74	20672.74	20652.74	20682.74	20653.74	20683.74	20654.74	20684.74
	Yellow ice	20642.75	20672.75	20652.75	20682.75	20653.75	20683.75	20654.75	20684.75
	Green ice	20642.76	20672.76	20652.76	20682.76	20653.76	20683.76	20654.76	20684.76
	Silver mirror	20642.81	20672.81	20652.81	20682.81	20653.81	20683.81	20654.81	20684.81
	Silver mirror (with Next frame)	20642.N81	20672.N81	20652.N81	20682.N81	20653.N81	20683.N81	20654.N81	20684.N81
	Ash mirror	20642.82	20672.82	20652.82	20682.82	20653.82	20683.82	20654.82	20684.82
	Bronze mirror	20642.83	20672.83	20652.83	20682.83	20653.83	20683.83	20654.83	20684.83
<b>Reflex (technopolymer)</b>									
	Reflex graphite	20642.40	-	20652.40	-	20653.40	-	20654.40	-
	Reflex ice (with white frame)	20642.B41	-	20652.B41	-	20653.B41	-	20654.B41	-

## Eikon cover plates: guideline







7-module		8-module		14-module	21-module	Panel mounting 1-module		Panel mounting 2-module	
									
Classic	Round	Classic	Round	Classic	Classic	Classic	Round	Classic	Round
20657.31	20687.31	20668.31	20698.31	-	-	-	-	-	-
20657.32	20687.32	20668.32	20698.32	-	-	-	-	-	-
20657.33	20687.33	20668.33	20698.33	-	-	-	-	-	-
20657.34	20687.34	20668.34	20698.34	-	-	-	-	-	-
20657.35	20687.35	20668.35	20698.35	-	-	-	-	-	-
20657.36	20687.36	20668.36	20698.36	-	-	-	-	-	-
20657.37	20687.37	20668.37	20698.37	-	-	-	-	-	-
20657.51	-	20668.51	-	-	-	-	-	-	-
20657.52	-	20668.52	-	-	-	-	-	-	-
20657.53	-	20668.53	-	-	-	-	-	-	-
20657.54	-	20668.54	-	-	-	-	-	-	-
20657.55	-	20668.55	-	-	-	-	-	-	-
20657.56	-	20668.56	-	-	-	-	-	-	-
20657.57	-	20668.57	-	-	-	-	-	-	-
20657.B57	-	20668.B57	-	-	-	-	-	-	-
20657.71	20687.71	20668.71	20698.71	-	-	-	-	-	-
20657.72	20687.72	20668.72	20698.72	-	-	-	-	-	-
20657.B72	20687.B72	20668.B72	20698.B72	-	-	-	-	-	-
20657.73	20687.73	20668.73	20698.73	-	-	-	-	-	-
20657.74	20687.74	20668.74	20698.74	-	-	-	-	-	-
20657.75	20687.75	20668.75	20698.75	-	-	-	-	-	-
20657.76	20687.76	20668.76	20698.76	-	-	-	-	-	-
20657.81	20687.81	20668.81	20698.81	-	-	-	-	-	-
20657.N81	20687.N81	20668.N81	20698.N81	-	-	-	-	-	-
20657.82	20687.82	20668.82	20698.82	-	-	-	-	-	-
20657.83	20687.83	20668.83	20698.83	-	-	-	-	-	-
20657.40	-	20668.40	-	-	-	-	-	-	-
20657.B41	-	20668.B41	-	-	-	-	-	-	-



# Eikon British standard mounting

Module	Box	Frame
1 and 2	<div>Flush mounting</div> <div></div> <div>1-gang mounting box Fixing centres: 60,3 mm</div>	<div><b>20606<sup>1</sup></b> 1-module, with screws M 3,5, grey</div> <div><b>20606.B<sup>1</sup></b> 1-module, with screws M 3,5, white</div> <div><b>20606.N<sup>1</sup></b> 1-module, with screws M 3,5, Next</div> <div><b>20607<sup>1</sup></b> 2-module, with screws M 3,5</div> <div></div>
Monobloc	<div>Flush mounting</div> <div></div> <div>1-gang mounting box Fixing centres: 60,3 mm</div>	<div><b>20215.L</b> Example of monobloc device</div> <div><b>20017.L</b> Example of monobloc device</div>
5 and Monobloc	<div>Flush mounting</div> <div></div> <div>2-gang mounting box Fixing centres: 120,6 mm</div>	<div><b>20609<sup>1</sup></b> 5-module, with screws M 3,5</div> <div></div> <div><b>20222.L</b> Example of monobloc device in horizontal mounting</div> <div><b>20291</b> Example of monobloc device in vertical mounting</div>






































## Eikon British standard mounting

Cover plate	Material and finishing availability*					
	Bright	Galvanic	Inox	Wood	Stone	Glass
<b>Classic</b>  <b>20647<sup>1</sup>...</b> 2-module Dimensions: 95x95x9 mm	●	●	●	●	●	●
<b>Round</b>  <b>20677<sup>1</sup>...</b> 2-module Dimensions: 95x95x9 mm	●	●	●	●		●
<b>Classic</b>  <b>20648<sup>1</sup>...</b> Cover plate for horizontal and vertical installation. Dimensions: 95x95x9 mm Cover plate for monobloc device mounting, only.	●	●	●	●	●	●
<b>Round</b>  <b>20678<sup>1</sup>...</b> Cover plate for horizontal and vertical installation. Dimensions: 95x95x9 mm Cover plate for monobloc device mounting, only.	●	●	●	●		●
<b>Classic</b>  <b>20649<sup>1</sup>...</b> 5-module For horizontal and vertical installation. Dimensions: 155x95x9 mm	●	●	●	●	●	●
<b>Round</b>  <b>20679<sup>1</sup>...</b> 5-module For horizontal and vertical installation. Dimensions: 155x95x9 mm	●	●	●	●		●

































<sup>1</sup> Items conform to BS 5733

\* Cover plates range, page 72

## Eikon cover plates for British standard: guideline

		2-module		Monobloc		5-module/monobloc	
							
		Classic	Round	Classic	Round	Classic	Round
Bright (varnished metal)							
	Artic white	20647.01	20677.01	20648.01	20678.01	20649.01	20679.01
	Artic white (with white frame)	20647.B01	20677.B01	20648.B01	20678.B01	20649.B01	20679.B01
	Antique white	20647.02	20677.02	20648.02	20678.02	20649.02	20679.02
	Antique white (with white frame)	20647.B02	20677.B02	20648.B02	20678.B02	20649.B02	20679.B02
	Heron grey	20647.03	20677.03	20648.03	20678.03	20649.03	20679.03
	Metallic imperial red	20647.04	20677.04	20648.04	20678.04	20649.04	20679.04
	Metallic Oxford green	20647.05	20677.05	20648.05	20678.05	20649.05	20679.05
	Metallic Toledo blue	20647.06	20677.06	20648.06	20678.06	20649.06	20679.06
	Metallic champagne	20647.07	20677.07	20648.07	20678.07	20649.07	20679.07
	Metallic champagne (with Next frame)	20647.N07	20677.N07	20648.N07	20678.N07	20649.N07	20679.N07
	Metallic titanium	20647.08	20677.08	20648.08	20678.08	20649.08	20679.08
	Metallic Atlantic grey	20647.09	20677.09	20648.09	20678.09	20649.09	20679.09
	Metallic silver	20647.10	20677.10	20648.10	20678.10	20649.10	20679.10
	Metallic Siena	20647.11	20677.11	20648.11	20678.11	20649.11	20679.11
	Metallic anthracite	20647.12	20677.12	20648.12	20678.12	20649.12	20679.12
	Matt silver	20647.13	20677.13	20648.13	20678.13	20649.13	20679.13
	Matt silver (with Next frame)	20647.N13	20677.N13	20648.N13	20678.N13	20649.N13	20679.N13
	Matt titanium	20647.14	20677.14	20648.14	20678.14	20649.14	20679.14
	Matt titanium (with Next frame)	20647.N14	20677.N14	20648.N14	20678.N14	20649.N14	20679.N14
	Matt anthracite	20647.15	20677.15	20648.15	20678.15	20649.15	20679.15
Galvanic (galvanic metal)							
	Satin gold	20647.21	20677.21	20648.21	20678.21	20649.21	20679.21
	Satin nickel	20647.22	20677.22	20648.22	20678.22	20649.22	20679.22
	Satin chrome	20647.23	20677.23	20648.23	20678.23	20649.23	20679.23
	Polished gold	20647.24	20677.24	20648.24	20678.24	20649.24	20679.24
	Polished gold (with white frame)	20647.B24	20677.B24	20648.B24	20678.B24	20649.B24	20679.B24
	Black chrome	20647.25	20677.25	20648.25	20678.25	20649.25	20679.25
	Antique brass	20647.27	20677.27	20648.27	20678.27	20649.27	20679.27
Inox (stainless steel)							
	Brushed inox	20647.91	20677.91	20648.91	20678.91	20649.91	20679.91
	Brushed inox (with Next frame)	20647.N91	20677.N91	20648.N91	20678.N91	20649.N91	20679.N91
	Cotton	20647.92	20677.92	20648.92	20678.92	20649.92	20679.92
	Brushed anthracite	20647.93	20677.93	20648.93	20678.93	20649.93	20679.93

## Eikon cover plates for British standard: guideline

		2-module		Monobloc		5-module/monobloc	
							
		Classic	Round	Classic	Round	Classic	Round
<b>Wood (solid wood)</b>							
	African wengé	20647.31	20677.31	20648.31	20678.31	20649.31	20679.31
	White oak	20647.32	20677.32	20648.32	20678.32	20649.32	20679.32
	Dark oak	20647.33	20677.33	20648.33	20678.33	20649.33	20679.33
	Burma teak	20647.34	20677.34	20648.34	20678.34	20649.34	20679.34
	Italian walnut	20647.35	20677.35	20648.35	20678.35	20649.35	20679.35
	American cherrywood	20647.36	20677.36	20648.36	20678.36	20649.36	20679.36
	European maple	20647.37	20677.37	20648.37	20678.37	20649.37	20679.37
<b>Stone (natural stone)</b>							
	Absolute black	20647.51	-	20648.51	-	20649.51	-
	Cardoso	20647.52	-	20648.52	-	20649.52	-
	Carrara white	20647.53	-	20648.53	-	20649.53	-
	Guatemala green	20647.54	-	20648.54	-	20649.54	-
	Asiago red	20647.55	-	20648.55	-	20649.55	-
	Atlantis yellow	20647.56	-	20648.56	-	20649.56	-
	Jerusalem stone	20647.57	-	20648.57	-	20649.57	-
	Jerusalem stone (with white frame)	20647.B57	-	20648.B57	-	20649.B57	-
<b>Glass (crystal)</b>							
	Black ice	20647.71	20677.71	20648.71	20678.71	20649.71	20679.71
	White ice	20647.72	20677.72	20648.72	20678.72	20649.72	20679.72
	White ice (with white frame)	20647.B72	20677.B72	20648.B72	20678.B72	20649.B72	20679.B72
	Amber ice	20647.73	20677.73	20648.73	20678.73	20649.73	20679.73
	Blue ice	20647.74	20677.74	20648.74	20678.74	20649.74	20679.74
	Yellow ice	20647.75	20677.75	20648.75	20678.75	20649.75	20679.75
	Green ice	20647.76	20677.76	20648.76	20678.76	20649.76	20679.76
	Silver mirror	20647.81	20677.81	20648.81	20678.81	20649.81	20679.81
	Silver mirror (with Next frame)	20647.N81	20677.N81	20648.N81	20678.N81	20649.N81	20679.N81
	Ash mirror	20647.82	20677.82	20648.82	20678.82	20649.82	20679.82
	Bronze mirror	20647.83	20677.83	20648.83	20678.83	20649.83	20679.83

## Classic

### Bright

(varnished metal)



01 Arctic white



B01 Arctic white  
(with white frame)



02 Antique white



B02 Antique white  
(with white frame)



03 Heron grey



09 Metallic Atlantic grey



10 Metallic silver



11 Metallic Siena



12 Metallic anthracite



13 Matt silver

### Galvanic

(galvanic metal)




21 Satin gold




22 Satin nickel



23 Satin chrome



24 Polished gold



B24 Polished gold  
(with white frame)

### Inox

(stainless steel)



91 Brushed inox



N91 Brushed inox  
(with Next frame)



92 Cotton



93 Brushed anthracite

### Wood

(solid wood)



31 African wengé



32 White oak



33 Dark oak



34 Burma teak



35 Italian walnut

### Stone

(natural stone)



51 Absolute black



52 Cardoso



53 Carrara white



54 Guatemala green



55 Asiago red

### Glass

(crystal)



71 Black ice




72 White ice



B72 White ice  
(with white frame)



73 Amber ice



74 Blue ice

### Reflex

(technopolymer)



40 Reflex graphite



B41 Reflex ice  
(with white frame)






04 Metallic imperial red



05 Metallic Oxford green



06 Metallic Toledo blue



07 Metallic champagne

N07 Metallic champagne  
(with Next frame)

08 Metallic titanium

N13 Matt silver  
(with Next frame)

14 Matt titanium

N14 Matt titanium  
(with Next frame)

15 Matt anthracite



25 Black chrome



27 Antique brass



36 American cherrywood



37 European maple



56 Atlantis yellow



57 Jerusalem stone

B57 Jerusalem stone  
(with white frame)

75 Yellow ice



76 Green ice



81 Silver mirror

N81 Silver mirror  
(with Next frame)

82 Ash mirror



83 Bronze mirror



## Round

### Bright

(varnished metal)



01 Arctic white



B01 Arctic white  
(with white frame)



02 Antique white



B02 Antique white  
(with white frame)



03 Heron grey



09 Metallic Atlantic grey



10 Metallic silver



11 Metallic Siena



12 Metallic anthracite



13 Matt silver

### Galvanic

(galvanic metal)



21 Satin gold



22 Satin nickel



23 Satin chrome



24 Polished gold



B24 Polished gold  
(with white frame)

### Inox

(stainless steel)



91 Brushed inox



N91 Brushed inox  
(with Next frame)



92 Cotton



93 Brushed anthracite

### Wood

(solid wood)



31 African wengé



32 White oak



33 Dark oak



34 Burma teak



35 Italian walnut

### Glass

(crystal)



71 Black ice



72 White ice



B72 White ice  
(with white frame)



73 Amber ice



74 Blue ice



04 Metallic imperial red



05 Metallic Oxford green



06 Metallic Toledo blue



07 Metallic champagne



N07 Metallic champagne  
(with Next frame)



08 Metallic titanium



N13 Matt silver  
(with Next frame)



14 Matt titanium



N14 Matt titanium  
(with Next frame)



15 Matt anthracite



25 Black chrome



27 Antique brass



36 American cherrywood



37 European maple



75 Yellow ice



76 Green ice



81 Silver mirror



N81 Silver mirror  
(with Next frame)



82 Ash mirror



83 Bronze mirror



# Isoset

## Modules

1

IP40




IP55



IP55 cover

2



3



4




6



\*\*) For white version, add to the basic code: .01  
For granite version, add to the basic code: .14

8



10



12



14



16



# Customization

## Devices and cover plates customization

Vimar laser technology allows the reproduction of any name, logotype or trademark, with absolute precision and indelebility, even for small quantities.

### Information

- all devices, buttons and cover plates are customized depending on conditions described below;
- Eikon Evo**  
the following finishings of cover plates are not customizable: **Crystal: silver ice (72), pearl grey (73), opal brown (74), bronze mirror (75); Natural leather: tobacco (22);**
- Eikon**  
the following finishings of cover plates are not customizable: **Bright: matt titanium (.14); Galvanic: antique brass (.27); Glass: black ice (.71), blue ice (.74), silver mirror (.81), ash mirror (.82), bronze mirror (.83); Stone: Cardoso (.52);**
- Wooden cover plate** customization: prices and quantities agreed with the commercial networks.
- for button engravings, make sure that the desired symbol or label is not already included in the table 'Standard symbols and wordings' below; if so, simply indicate the corresponding code in addition to the article code in your order. (e. g. 20001.01 - 1P 16 AX 1-way switch with 01 symbol).
- the customization **visible in darkness** it is possible in devices and buttons with symbol or interchangeable buttons with area to customize (e. g. 20031, 20032, 20033).

### Laser customization advantages

- indelible engraving that does not deteriorate over time;
- high-precision reproduction even of very fine lines and complex images;
- service available even for minimal quantities;
- possibility of ordering the same customization at different times with identical results.

### The few limits of technology

- it is not possible to reproduce coloured images.

### What to supply

- a printout of the image to be reproduced, in black-and-white line drawing scaled 2 or 3 times larger than the finished size;
- an image in EPS, TIFF or JPEG format of the subject to be reproduced.

### Things to avoid

- do not provide photocopies;
- do not fax the image to be reproduced, because the low definition of the fax makes it impossible to reproduce the customization with the high quality of laser system.

### How to proceed

- enclose (without paper clips, staples or adhesive tape) or send the image to be reproduced;
- deliver all the documentation to your area wholesaler/distributor, who will then forward it to Vimar.

### Estimated lead times for devices and cover plates


- 10 working days for the sample;
- 10 working days from confirmation for completed order.

## Cover plates, switches and buttons customized



## Customizable positions

### Cover plates



### Buttons and switches



## Standard symbols and wordings (♦ symbols already on product catalogue)

♦ 64	♦ 65	♦ 66	67	68	69	70	71	72	73	74
ON	OFF									
75	76	77	78	79	80	81	82	83	84	85
			OPEN	CLOSE	ALARM	DO NOT DISTURB	COME IN	BACK	LIGHT	GENERAL
86	87	88	289	290	91	92	293	294	295	296
OUTSIDE	GARAGE	GARDEN	BATHROOM	CELLAR	STOREROOM	STAIRS	ATTIC	TERRACE		
297	298	299	2100	2101	2102	2103	2104	2105	106	107

## Smart card customization

Black-and-white customization in the rear side of smart, ISO and transponder cards.



B.C12005 EN 1201



8 007352 441262



**VIMAR**

Viale Vicenza, 14  
36063 Marostica VI - Italy  
Tel. +39 0424 488 600  
Fax +39 0424 488 709

[www.vimar.com](http://www.vimar.com)