



Multiple socket outlets: Multi-outlet16A 3DE+4USB+swit.+Wi-Fi+S31

00447.CK.B

Portable installation / Plugs and socket outlets / Multiple socket outlets /
Other multiple socket outlets

Multi-outlet16A 3DE+4USB+swit.+Wi-Fi+S31

2P+E 16 A 250 V~ multiple portable socket outlet, 3 SICURY German standard outlets, 4 5 Vdc 2,4 A USB ports, luminous 1-way switch, local and remote control by app, 1.5 m 3-wire 1,5 mm² (3G1,5) cable and 2P+E 16 A plug, German/French standards, 90° cable entry, white

- You can control your household appliances from your smartphone or voice assistants
- View Product App to turn on/turn off/time connected devices, check consumption levels, create scenarios by combining multiple actions and receive notifications if the device is offline
- 3 Schuko outputs and 4 USB outputs for remote control



Product Status

3 - Active


Minimum order quantity

12 NR


Sheets, Manuals, Documentation

- [User manual \(1188 kb\)](#)


Drawings



Space view



Backside view



3D View

Gallery



Technical data

- **Class group:** Domestic switching devices
- **Class:** Socket outlet combination
- **Housing shape:** Rectangular
- **Number of socket outlets CEE 7/1 (no protective contact):** 0
- **Number of socket outlets CEE 7/16 (EURO):** 0
- **Number of socket outlets with protective contact CEE 7/3 (type F):** 3
- **Number of socket outlets with earth pin:** 3
- **Number of socket outlets Italian standard type Bipasso:** 0
- **Number of socket outlets Italian standard type P11:** 0
- **Number of socket outlets Italian standard type P17:** 0
- **Number of NEMA-outlets:** 0
- **Number of socket outlets Swiss standard type 13:** 0
- **Number of socket outlets Swiss standard type 15:** 0
- **Number of socket outlets Swiss standard type 23:** 0
- **Number of socket outlets Swiss standard type 25:** 0
- **With on/off switch:** Yes
- **Residual current circuit breaker (RCCB):** No
- **Number of universal multi standard sockets:** 0
- **Mains filter:** No
- **Number of other socket outlets:** 0
- **Number of USB connections:** 4
- **Over voltage protection:** No
- **Nominal current:** 16 A
- **With cover:** No
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Surface protection:** Untreated
- **Surface finishing:** Glossy
- **Colour:** White
- **RAL-number (similar):** 9016
- **Transparent:** No
- **Degree of protection (IP):** IP20
- **Length of power cord:** 1,50 m
- **Rotated central insert:** No
- **Angle rotated central insert:** 45°

Certifications

• 00. CE Marking - EU ([download](#))

• 99. WEEE Directive ([download](#))

Packaging



Code 8007352682719
Quantity 1 NR
Dim. 7.2x8.4x36.5 [cm]
Weight 489 [g]

Code 8007352693807
Quantity 12 NR
Dim. 36x35x24 [cm]
Weight 6,420 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).