



Shared components: Supply unit 230V~ 29Vdc 400mA

01400

Smart systems&products / By-me Plus / Shared components / DIN devices

Supply unit 230V~ 29Vdc 400mA

Power supply with 29 Vdc 400 mA output, supply voltage 230 V~ 50/60 Hz, with decoupling coil (choke) for DIN (60715 TH35) rail installation, occupies 2 17,5 mm modules



Product Status

3 - Active

Minimum order quantity

1 NR


Sheets, Manuals, Documentation

- [Multilanguage instructions sheet \(859 kb\)](#)

Gallery




Drawings



Space view



Backside view



3D View

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy
- 37. Marking - Morocco
- 92. RoHS UAE
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Technical data

Class group: Installation bus systems

Class: Power supply for bus system

Bus system KNX: No

Bus system KNX-RF (Radio Frequency): No

Bus system radio frequency: Yes

Bus system LON: No

Bus system Powernet: No

Other bus systems: Other

Mounting method: Other

Width in number of modular spacings: 2

Width: 35,80 mm

Height: 110,00 mm

Depth: 59,00 mm

With LED indication: No

Bus voltage stockable: No

Number of integrated choke coils: 1

Number of lines to feed: 2

Max. output current: 400,00 mA

Packaging



8007352511873

Qtà 1 NR
Dim 14.2x6.7x5.9 [cm]
Weight 167 [g]



8007352573130

Qtà 40 NR
Dim 37x28.5x25 [cm]
Weight 7,010 [g]

You may also be interested in



01410 - By-me home automation Light Gateway



01411 - By-me home automation Gateway



01401 - Supply unit 120-230V~ 29Vdc 1280mA

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).