



Shared components: Toroidal current sensor 7.5mm hole

01457

Smart systems&products / By-me Plus / Shared components / Non-modular components

Toroidal current sensor 7.5mm hole

Toroidal current sensor for load control and power measurement, hole diameter 7.5 mm, cable length 40 cm


Product Status

3 - Active


Minimum order quantity

1 NR

Drawings



Space view



Backside view



3D View



Technical data

- **Class group:** Installation bus systems
- **Class:** Energy management for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** No
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** None
- **Radio frequent bidirectional:** No
- **Model:** Direct/transformer
- **Connection type:** Direct
- **Reactive power:** No
- **Approved according to PTB:** No
- **S0 impulse interface:** None
- **Tariff switch:** No

Certifications

- 00. CE Marking - EU
- 43. UKCA mark - Great Britain
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Packaging



8 007352490215

Code 8007352490215
Quantity 1 NR
Dim. 11x10x1.7 [cm]
Weight 28.2 [g]



8 007352490222

Code 8007352490222
Quantity 10 NR
Dim. 19x14.3x9.5 [cm]
Weight 336.5 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).