




Shared components: Actuator for 8 rolling shutters KNX

01525

Smart systems&products / KNX / Shared components / DIN devices

Actuator for 8 rolling shutters KNX

Actuator for 8 roller shutters, 6 A 230V~ 50/60 Hz relay outputs, KNX standard, installation on DIN rail (60715 TH35), occupies 8 17,5 mm modules



Product Status

2 - Will be discontinued

Minimum order quantity

1 NR




Sheets, Manuals, Documentation

- [Multilanguage instructions sheet \(1047 kb\)](#)
- [Manuale installatore \(1110 kb\)](#)
- [Installer manual \(2706 kb\)](#)

Product Software

- [DB_ComponentiAutomazione_KNX_01.16_20210920.zip](#)
- [DB_ComponentiAutomazione_KNX_01.19_20230331.zip](#)
- [DB_ComponentiAutomazione_KNX_01.20_20240917.zip](#)
- [DB_ComponentiAutomazione_KNX_01.21_20250224.zip](#)

Drawings



Space view

Backside view

3D View

Certifications

- 00. CE Marking - EU
- 27. KNX
- 37. Marking - Morocco
- 46. UK PSTI compliance ([download](#))
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Technical data

Class group: Installation bus systems

Class: Shutting actuator for bus system

Bus system KNX: Yes

Bus system KNX-RF (Radio Frequency): No

Bus system radio frequency: No

Bus system LON: No

Bus system Powernet: No

Other bus systems: None

Radio frequency bidirectional: No

Mounting method: Other

Width in number of modular spacings: 8

With bus connection: Yes

Bus module detachable: No

Local operation/hand operation: No

With LED indication: No

Number of inputs: 0

Switching current (resistive): 6 A

Max. number of venetian-blind outputs: 8

With switch function: Yes

Type of current: AC

Degree of protection (IP): IP20

Packaging



8 007352 517912

8007352517912

Qtà 1 NR

Dim 15x9.2x6.6 [cm]

Weight 418 [g]



8 007352 738843

8007352738843

Qtà 11 NR

Dim 40x37x8 [cm]

Weight 4,598 [g]

Alternative products



01532 - KNX Secure
actuator 16 OUTS 250V
10AX

You may also be interested in



01532 - KNX Secure
actuator 16 OUTS 250V
10AX

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).