Surface mounting components: Ceiling adaptor for 01527 detector

01527.S

Smart systems&products / KNX / Surface mounting components / Non-modular components

Ceiling adaptor for 01527 detector

Adaptor pour ceiling installation of 01527 360° presence detector

Product Status

2 - Will be discontinued

Minimum order quantity

1 NR

Sheets, Manuals, Documentation

- Light multilanguage instructions sheet (145 kb)

Drawings



Space view





Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **37. Marking - Morocco**

Technical data

Class group: Installation bus systems

Class: Movement sensor for bus system

Bus system KNX: Yes

Bus system KNX-RF (Radio Frequency): No

Bus system radio frequency: No

Bus system LON: No

Bus system Powernet: No

Radio frequency bidirectional: No

Model: Other

Mounting method: Surface mounted

Material: Plastic

Material quality: Thermoplastic

Surface protection: Untreated

Surface finishing: Matt

Colour: White

RAL-number (similar): 9016

Transparent: No

With bus connection: No

Operation mode switch: No

Staircase light controller: No

Teach-function for response value luminosity: No

Switch-off delay self-learning: No

Optimum mounting height: 2,50 m

Max. reach sideways: 0,00 m

Width: 80,00 mm

Height: 80,00 mm

Depth: 34,00 mm

Built-in width: 80,00 mm

Packaging

8007352556515

Qtà	1 NR
Dim	11.2x8.5x6 [cm]
Weight	84.9 [g]

8007352738850

Qtà	11 NR
Dim	40x37x8 [cm]
Weight	1,433.9 [g]

Alternative products

01529.2.S - Ceiling support 01527.2 01529.2

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.