



Shared components: 4-channel RF actuator/receiver

01924

Smart systems&products / Smart climate control / Shared components / DIN devices

4-channel RF actuator/receiver

4-channel radiofrequency actuator-receiver, for DIN (60715 TH35) rail installation, occupies 6 17,5 mm modules



Product Status

3 - Active

Minimum order quantity

1 NR

Sheets, Manuals, Documentation

- [Installer manual \(2073 kb\)](#)

Certifications

- **00. CE Marking - EU** ([download](#))
- **00. CE Marking - EU**
- **37. Marking - Morocco**
- **96. Electrotechnical expert** ([download](#))
- **99. WEEE Directive** ([download](#))

Technical data

Class group: Installation bus systems

Class: Heating actuator for bus system

Bus system KNX: No

Bus system KNX-RF (Radio Frequency): No

Bus system radio frequency: Yes

Bus system LON: No

Bus system Powernet: No

Radio frequency bidirectional: No

Width in number of modular spacings: 6

With bus connection: No

Correcting variable consistent: No

Valve protection function: No

Manual switch: No

Max. switching current (resistive load): 16,00
A

Number of outputs: 4

Max. output current: 6,00 A

Switching voltage: 250,00 - 250,01 V

Degree of protection (IP): IP20

Packaging



8 007352 153745

8007352153745

Qtà 1 NR

Dim 11.7x10.8x7.1
[cm]

Weight 330.67 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).