



Shared components: 4-channel RF actuator/receiver

01924

Smart systems&products / Smart climate control / Shared components / DIN devices

4-channel RF actuator/receiver

4-channel radiofrequency actuator-receiver, for DIN (60715 TH35) rail installation, occupies 6 17,5 mm modules

Product Status

3 - Active

Minimum order quantity

1 NR

Sheets, Manuals, Documentation

- [Installer manual \(2073 kb\)](#)

Technical data

- **Class group:** Installation bus systems
- **Class:** Heating actuator for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** Yes
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Radio frequent bidirectional:** No
- **Width in number of modular spacings:** 6
- **With bus connection:** No
- **Correcting variable consistent:** No
- **Valve protection function:** No
- **Manual switch:** No
- **Max. switching current (resistive load):** 16,00 A
- **Number of outputs:** 4
- **Max. output current:** 6,00 A
- **Switching voltage:** 250,00 - 250,01 V
- **Degree of protection (IP):** IP20

Certifications

- 00. CE Marking - EU ([download](#))
- 00. CE Marking - EU
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))



Packaging



Code 8007352153745
Quantity 1 NR
Dim. 11.7x10.8x7.1 [cm]
Weight 330.67 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).