



Surface mounting components: Bluetooth Low Energy RF device

03925

Smart systems&products / Smart switch&sound / Surface mounting components / Non-modular components

Bluetooth Low Energy RF device

4-button flat device with 2.4 GHz Bluetooth Low Energy standard radiofrequency transmitter, energy harvesting supply powered by built-in electrodynamic generator, to complete with Eikon 20506 or 20506.2, Arké 19506 or 19506.2(>,)> Idea 16526 or 16526.2 or Plana 14506 or 14506.2 buttons - 2 modules

Product Status

3 - Active

Minimum order quantity

1 NR




You may also be interested in



14592.0 - 2-way switch IoT connected mechanism



14593 - Connected actuator 16A white



14593.SL - Connected actuator 16A Silver




19593 - 16 A IoT connected actuator grey



19593.B - 16 A IoT connected actuator white



19593.M - 16 A IoT connected actuator Metal



20593 - 16 A IoT connected actuator grey



20593.B - 16 A IoT connected actuator white



20593.N - 16 A IoT connected actuator Next



14597 - IoT connected gateway 2M white



14597.SL - IoT connected gateway 2M Silver



19597 - IoT connected gateway 2M grey



19597.B - IoT connected gateway 2M white



19597.M - IoT connected gateway 2M Metal



20597 - IoT connected gateway 2M grey



20597.B - IoT connected gateway 2M white



20597.N - IoT connected gateway 2M Next



14506 - Button 1M for RF switch white - 2pieces



14506.SL - Button 1M for RF switch Silver - 2pieces



14506.2 - Button 2M for RF switch white



14506.2.SL - Button 2M for RF switch Silver




19506 - Button 1M for RF switch grey - 2pieces



19506.B - Button 1M for RF switch white - 2pieces




19506.M - Button 1M for RF switch Metal - 2pieces



19506.2 - Button 2M for RF switch grey



19506.2.B - Button 2M for RF switch white



19506.2.M - Button 2M for RF switch Metal



20506 - Button 1M for RF switch grey - 2pieces



20506.B - Button 1M for RF switch white - 2pieces



20506.N - Button 1M for RF switch Next - 2pieces




20506.2 - Button 2M for RF switch grey




20506.2.B - Button 2M for RF switch white



20506.2.N - Button 2M for RF switch Next




14507 - Frame 2M for RF device white



19507.CL - Frame RF device Classic plate grey




19507.RN - Frame RF device Round plate grey




19507.CL.B - Frame RF device Classic plate white




19507.RN.B - Frame RF device Round plate white




21507.1 - Frame for RF device grey



21507.1.B - Frame for RF device white



22507 - Frame for RF device grey



22507.B - Frame for RF device white

Sheets, Manuals, Documentation

- [Installation diagrams \(1068 kb\)](#)
- [Multilanguage instructions sheet \(1268 kb\)](#)
- [Manuale installatore \(550 kb\)](#)
- [Installer manual \(649 kb\)](#)
- [Manuale app View Wireless \(15556 kb\)](#)
- [Manuel appli View Wireless \(37703 kb\)](#)
- [Manual app View Wireless \(37528 kb\)](#)
- [Manual View Wireless app \(37579 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37781 kb\)](#)
- [Installationsanleitung View Wireless \(37508 kb\)](#)

Video

- [Radio frequency controls](#)

Technical data

- **Class group:** Installation bus systems
- **Class:** Light control unit for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** Yes
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** None
- **Radio frequent bidirectional:** No
- **Mounting method:** Surface mounted
- **Width in number of modular spacings:** 2
- **With bus connection:** No
- **Substation input:** No
- **Local operation/hand operation:** No
- **With LED indication:** No
- **Interface 1-10 V:** No
- **Number of inputs for light sensor:** 0
- **Degree of protection (IP):** IP40

Certifications

- 00. CE Marking - EU ([download](#))
- 10. EAC Eurasian Customs Union
- 10. EAC Eurasian Customs Union
- 29. QCERT - Colombia
- 32. FCC - USA
- 33. ISED - Canada
- 37. Marking - Morocco
- 40. Bluetooth technology
- 43. UKCA mark - Great Britain
- 99. WEEE Directive ([download](#))

Packaging



8 007352 596054

Code 8007352596054
Quantity 1 NR
Dim. 5.1x4.3x5.3 [cm]
Weight 41.5 [g]



8 007352 596061

Code 8007352596061
Quantity 6 NR
Dim. 14.4x11.6x6 [cm]
Weight 297.4 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).