



Surface mounting components: EnOcean RF device

03955

Smart systems&products / Smart switch&sound / Surface mounting components / Non-modular components

EnOcean RF device

4-button flat device with 868 MHz EnOcean standard radiofrequency transmitter, energy harvesting supply powered by built-in electrodynamic generator, to complete with Eikon 20506 or 20506.2, Arké 19506 or 19506.2 or Plana 14506 or 14506.2 buttons - 2 modules

Product Status

3 - Active

Minimum order quantity

1 NR



You may also be interested in



01796.2 - EnOcean 1-relay actuator



14506 - Button 1M for RF switch white - 2pieces



14506.SL - Button 1M for RF switch Silver - 2pieces



14506.2 - Button 2M for RF switch white




14506.2.SL - Button 2M for RF switch Silver



19506 - Button 1M for RF switch grey - 2pieces



19506.B - Button 1M for RF switch white - 2pieces




19506.M - Button 1M for RF switch Metal - 2pieces



19506.2 - Button 2M for RF switch grey




19506.2.B - Button 2M for RF switch white




19506.2.M - Button 2M for RF switch Metal



20506 - Button 1M for RF switch grey - 2pieces



20506.B - Button 1M for RF switch white - 2pieces



20506.N - Button 1M for RF switch Next - 2pieces




20506.2 - Button 2M for RF switch grey




20506.2.B - Button 2M for RF switch white



20506.2.N - Button 2M for RF switch Next




14507 - Frame 2M for RF device white



19507.CL - Frame RF device Classic plate grey




19507.RN - Frame RF device Round plate grey




19507.CL.B - Frame RF device Classic plate white




19507.RN.B - Frame RF device Round plate white




21507.1 - Frame for RF device grey



21507.1.B - Frame for RF device white



22507 - Frame for RF device
grey



22507.B - Frame for RF
device white

Sheets, Manuals, Documentation

- [Multilanguage instructions sheet \(1362 kb\)](#)

Video

- [Radio frequency controls](#)

Technical data

- **Class group:** Installation bus systems
- **Class:** Light control unit for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** Yes
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** None
- **Radio frequent bidirectional:** No
- **Mounting method:** Surface mounted
- **Width in number of modular spacings:** 2
- **With bus connection:** No
- **Substation input:** No
- **Local operation/hand operation:** No
- **With LED indication:** No
- **Interface 1-10 V:** No
- **Number of inputs for light sensor:** 0
- **Degree of protection (IP):** IP40

Certifications

- 00. CE Marking - EU ([download](#))
- 10. EAC Eurasian Customs Union
- 10. EAC Eurasian Customs Union
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 99. WEEE Directive ([download](#))

Packaging



8 007352 596078

Code 8007352596078
Quantity 1 NR
Dim. 5.1x4.3x5.3 [cm]
Weight 36.4 [g]



8 007352 596085

Code 8007352596085
Quantity 6 NR
Dim. 14.4x11.6x6 [cm]
Weight 263.2 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).