



Surface mounting components: Connected magnetic contact

03980

Wiring devices / View Wireless wiring devices / Surface mounting components / Non-modular components

Connected magnetic contact

Connected magnetic contact for windows and doors, View Wireless, Bluetooth 5.0 standard technology for mesh system realization, 1 clean-contact input, powered with AA LR6 1,5 V batteries (not supplied), white. To use as accessory of connected thermostat or with gateway as sensor for notification of magnetic contact open/close



Product Status

3 - Active

Minimum order quantity

1 NR


Sheets, Manuals, Documentation

- [Multilanguage instructions sheet \(789 kb\)](#)
- [Manuale app View Wireless \(15556 kb\)](#)
- [Manuel appli View Wireless \(37703 kb\)](#)
- [Manual app View Wireless \(37528 kb\)](#)
- [Manual View Wireless app \(37579 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37781 kb\)](#)
- [Installationsanleitung View Wireless \(37508 kb\)](#)


Video

- [App View Wireless - temperature control](#)


Drawings



Space view



Backside view



3D View

Technical data

- **Class group:** Alarm installations, emergency call and signalling
- **Class:** Opening detector for danger detection system
- **Mounting method:** Surface mounting
- **Colour:** Other

Certifications

- 00. CE Marking - EU ([download](#))
- 06. SUBTEL - Chile
- 29. QCERT - Colombia
- 37. Marking - Morocco
- 40. Bluetooth technology
- 43. UKCA mark - Great Britain
- 92. RoHS UAE
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352657564
Quantity 1 NR
Dim. 12.2x7.9x3.3 [cm]
Weight 152.8 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).