



Shared components: IoT connected relay module

03981

Wiring devices / View Wireless wiring devices / Shared components / Non-modular components

IoT connected relay module

View Wireless connected actuator with NO 100-240 V 50/60 Hz relay output for 500 W incandescent lamps, 100 W LED lamps, 250 VA electronic transformers, 120 W fluorescent lamps, remote control, 1 input for wired control to recall a scenario, double technology with Bluetooth® wireless technology 5.0 standard for the realization of View Wireless mesh system and Zigbee 3.0 standard, 100-240 V 50/60 Hz power supply, for flush mounting at the back of the device

- Configuration from View Wireless App for Bluetooth technology system and Amazon App for Zigbee technology
- Compatible with Alexa, Google Home and IFTTT, using the dedicated gateway or Zigbee hub
- The shape fosters maximum flexibility of installation (retrofit, junction boxes, etc.)
- When operated directly from the battery-free controls, wiring with electro-mechanical push buttons is not necessary



Product Status

3 - Active

Minimum order quantity

1 NR


Sheets, Manuals, Documentation

- [Light multilanguage instructions sheet \(876 kb\)](#)
- [\(501 kb\)](#)
- [Foglio istruzioni \(438 kb\)](#)
- [Notices techniques \(435 kb\)](#)
- [Hoja de instrucciones \(434 kb\)](#)
- [Instructions sheet \(431 kb\)](#)
- [Φύλλο οδηγιών \(590 kb\)](#)
- [Anwendungshinweise \(457 kb\)](#)
- [Manuale app View Wireless \(15556 kb\)](#)
- [Manuel appli View Wireless \(37703 kb\)](#)
- [Manual app View Wireless \(37528 kb\)](#)
- [Manual View Wireless app \(37579 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37781 kb\)](#)
- [Installationsanleitung View Wireless \(37508 kb\)](#)

Video

- [Creating-the-system](#)
- [Customisations](#)
- [Operation-in-Zigbee-mode](#)
- [Bluetooth-wifi-gateway](#)

Drawings



Space view



Backside view



3D View

Gallery



Technical data

- **Class group:** Relays
- **Class:** Switching relay
- **Complete with socket:** No
- **With detachable clamps:** No
- **With LED indication:** No
- **With forced-guided contacts:** No

Certifications

- 00. CE Marking - EU ([download](#))
- 01. IMQ - Italy ([download](#))
- 06. SUBTEL - Chile
- 19. NOM - Mexico
- 29. QCERT - Colombia
- 37. Marking - Morocco
- 40. Bluetooth technology
- 42. Zigbee certified
- 43. UKCA mark - Great Britain
- 92. RoHS UAE
- 99. WEEE Directive ([download](#))

Packaging



8 007352648494

Code 8007352648494
Quantity 1 NR
Dim. 6x5.4x5.2 [cm]
Weight 48 [g]



8 007352648500

Code 8007352648500
Quantity 60 NR
Dim. 37.5x30x13.5 [cm]
Weight 3,200 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).