



Shared components: IoT connected roller shutter module

03982

Wiring devices / View Wireless wiring devices / Shared components / Non-modular components

IoT connected roller shutter module

View Wireless connected actuator for 1 roller shutter with slat orientation and change-over relay output for $\cos\phi$ 0,6 2 A 100-240 V~ 50/60 Hz motor, remote control, double technology with Bluetooth® wireless technology 5.0 standard for the realization of View Wireless mesh system and Zigbee 3.0 standard, 100-240 V 50/60 Hz power supply, flush mounting at the back of the device

- Configuration from View Wireless App for Bluetooth technology system and Amazon App for Zigbee technology
- Compatible with Alexa, Google Home and IFTTT, using the dedicated gateway or Zigbee hub
- The shape fosters maximum flexibility of installation (retrofit, junction boxes, etc.)
- When operated directly from the battery-free controls, wiring with electro-mechanical push buttons is not necessary



Product Status

3 - Active

Minimum order quantity

1 NR


Sheets, Manuals, Documentation

- [Light multilanguage instructions sheet \(810 kb\)](#)
- [\(462 kb\)](#)
- [Foglio istruzioni \(398 kb\)](#)
- [Notices techniques \(398 kb\)](#)
- [Hoja de instrucciones \(397 kb\)](#)
- [Instructions sheet \(393 kb\)](#)
- [Φύλλο οδηγιών \(532 kb\)](#)
- [Anwendungshinweise \(397 kb\)](#)
- [Manuale app View Wireless \(15556 kb\)](#)
- [Manuel appli View Wireless \(37703 kb\)](#)
- [Manual app View Wireless \(37528 kb\)](#)
- [Manual View Wireless app \(37579 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37781 kb\)](#)
- [Installationsanleitung View Wireless \(37508 kb\)](#)

Video

- [Creating-the-system](#)
- [Customisations](#)
- [Operation-in-Zigbee-mode](#)
- [Bluetooth-wifi-gateway](#)


Drawings



Space view



Backside view



3D View

Gallery



Technical data

- **Class group:** Domestic switching devices
- **Class:** Push button
- **Rated current:** 2,00 A
- **With signal lamp:** No
- **Anti-bacterial treatment:** No
- **Surface finishing:** Matt
- **Colour:** Yellow
- **RAL-number (similar):** 7015
- **Transparent:** No
- **Label space/information surface:** Yes
- **Imprint:** None
- **Device width:** 50,35 mm
- **Device height:** 50,65 mm
- **Device depth:** 19,50 mm

Certifications

- 00. CE Marking - EU ([download](#))
- 01. IMQ - Italy ([download](#))
- 06. SUBTEL - Chile
- 29. QCERT - Colombia
- 37. Marking - Morocco
- 40. Bluetooth technology
- 42. Zigbee certified
- 43. UKCA mark - Great Britain
- 92. RoHS UAE
- 99. WEEE Directive ([download](#))

Packaging



8 007352 648517

Code 8007352648517
Quantity 1 NR
Dim. 6x5.4x5.2 [cm]
Weight 45.1 [g]



8 007352 648524

Code 8007352648524
Quantity 60 NR
Dim. 37.5x30x13.5 [cm]
Weight 2,897.9 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).