



# MASCOT: 2P+E 16A German outlet ivory

### 06417

Wiring devices / Traditional wiring devices / MASCOT / Devices

### 2P+E 16A German outlet ivory

2P+E 16 A 250 V~ socket outlet, German standard, thermosetting resin base, ivory

### **Product Status**

2 - Will be discontinued

### Minimum order quantity

20 NR

## Technical data

- **Class group**: Domestic switching devices
- Class: Socket outlet
- Number of socket outlets switchable: 0
- Imprint/indication: None
- **Connection type**: Screwed terminal
- With hinged lid: No
- With enhanced contact protection: No
- Label space/information surface: Yes
- Colour: White
- RAL-number (similar): 9001
- Metallic colour: No
- Transparent: No
- Lockable: No
- Eject-mechanism: No
- Insulated mounting: No
- With function lighting: No
- Over voltage protection: No
- Fault current protection: No

- Mounting method: Flush-mounted
- Material: Plastic
- Material quality: Thermoplastic
- Halogen free: Yes
- Surface protection: Untreated
- Surface finishing: Matt
- With loop through function: No
- With on/off switch: No
- Rotated central insert: No
- Nominal current: 16 A
- Nominal voltage: 250 V
- **Frequency**: 50,00 60,00 HZ
- Suitable for degree of protection (IP): IP20
- Impact strength: Other
- Device width: 80,00 mm
- Device height: 80,00 mm
- Device depth: 41,50 mm



## Certifications

- 00. CE Marking EU
- 37. Marking Morocco

## Packaging





 Code
 8007352039261

 Quantity
 1 NR

 Dim.
 8x8x3.6 [cm]

 Weight
 71.07 [g]

 Code
 80

 Quantity
 20

 Dim.
 35

 Weight
 1,6

8007352008809 20 NR 35.5x24.8x8.7 [cm] 1,656 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.

#### 99. WEEE Directive (download)