



## NEVE UP: IoT dial thermostat 2M white

---

**09473**

Wiring devices / View Wireless wiring devices / NEVE UP / Devices

### IoT dial thermostat 2M white

Dial thermostat for ambient temperature control, 5(2) A 240 V~ relay output, View Wireless technology on Bluetooth® wireless technology 5.0 for mesh View Wireless system realization, 1 input for outer temperature sensor, supply voltage 100-240 V~ 50/60 Hz, heating and air-conditioning ON/OFF and PID, class I temperature control device (contribution 1%) in ON/OFF mode, class IV (contribution 2%) in PID mode, white LED backlighting and brightness regulation, supply voltage 100-240 V 50/60 Hz, white - 2 modules



### Product Status

3 - Active


### Minimum order quantity

1 NR


## Sheets, Manuals, Documentation

- [Light Multilanguage instructions sheet \(933 kb\)](#)
- [Foglio istruzioni \(697 kb\)](#)
- [Notices techniques \(701 kb\)](#)
- [Hoja de instrucciones \(697 kb\)](#)
- [Instructions sheet \(693 kb\)](#)
- [Φύλλο οδηγιών \(856 kb\)](#)
- [Anwendungshinweise \(700 kb\)](#)
- [\(870 kb\)](#)
- [Manuale app View Wireless \(15556 kb\)](#)
- [Manuel appli View Wireless \(37703 kb\)](#)
- [Manual app View Wireless \(37528 kb\)](#)
- [Manual View Wireless app \(37579 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37781 kb\)](#)
- [Installationsanleitung View Wireless \(37508 kb\)](#)


## Drawings



Space view



Backside view



3D View


## Technical data

- **Class group:** Stats, switches and controllers
- **Class:** Room thermostat
- **Model:** Other
- **Type of power supply:** 230 V AC
- **Connection:** 3-/4-wire
- **With receiver:** No
- **External sensor:** Yes
- **Thermal feedback:** Parallel
- **Control characteristic:** PID
- **Suitable for heating:** Yes
- **Number of heater outputs:** 1
- **Number of cooler outputs:** 1
- **Adjustable differential:** Yes
- **Temperature readable:** Yes
- **With sound indicator:** No
- **Sensor/feeler type:** Other
- **Mounting method:** Other
- **Number of modules (module system):** 2
- **With display:** Yes
- **Operation:** Turn
- **With tap water circuit:** No
- **Max. contact voltage:** 240 V
- **Max. contact load:** 5 A
- **Degree of protection (IP):** IP30
- **Explosion-proof:** No
- **Colour:** White
- **RAL-number:** 9003
- **Height:** 47,00 mm
- **Width:** 44,80 mm
- **Depth:** 41,50 mm
- **Class of the temperature control:** IV

## Certifications

- 00. CE Marking - EU
- 00. CE Marking - EU ([download](#))
- 37. Marking - Morocco
- 40. Bluetooth technology
- 43. UKCA mark - Great Britain
- 99. WEEE Directive ([download](#))

## Packaging



8 007352671386

**Code** 8007352671386  
**Quantity** 1 NR  
**Dim.** 5.7x5.3x7.7 [cm]  
**Weight** 80 [g]



8 007352746534

**Code** 8007352746534  
**Quantity** 60 NR  
**Dim.** 37.5x30x13.5 [cm]  
**Weight** 5,254.2 [g]



8 007352671393

**Code** 8007352671393  
**Quantity** 70 NR  
**Dim.** 39.5x30x17 [cm]  
**Weight** 6,130 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).