



Connector block boxes: Surface-box 3M 30mm depth Idea white

09976.04

System infrastructure / Enclosures and control units / Connector block boxes / Surface mounting

Surface-box 3M 30mm depth Idea white

3-module surface mounting box, 30 mm depth, for Eikon, Idea and Plana devices with relevants mounting frame and cover plates, Idea white. To be installed on insulating non-perforated or metallic with earth connection surfaces. Idea series: suitable only for Classica cover plates. Eikon series: suitable only for Eikon Chrome cover plates




Product Status

3 - Active

Minimum order quantity

5 NR

Drawings







Backside view



3D View

Technical data

Class group: Connection material (electrotechnical)

Class: Box/housing for surface mounting on the wall/ceiling

Max. conductor cross section: 0

Equipped with: None **Shape**: Rectangular

Mounting method: Wall-/ceiling mounting

Mounting in the soil: No Mounting under water: No For tube diameter: 20/25 mm **Inlet from the rear**: Yes

Length: 84,00 mm Width: 121,50 mm **Depth**: 30,00 mm Diameter: 0 mm Tackable: No

Number of inlets: 4 Type of housing feed-through: None

Material: Plastic

Halogen free: Yes

Surface protection: Untreated

Colour: White

Degree of protection (IP): IP20

Cover model: Other Transparent cover: No Cover attachment: Screwed

Castable: No

With casting compound: No

Sealable: No

Rated insulation voltage Ui: 450 V

Circuit integrity: None With screening: No Weatherproof: No

Operating temperature: 0 - 60 °C Explosion-tested version: No

For Ex-zone gas: None For Ex-Zone dust: None

Certifications

00. CE Marking - EU

01. IMQ - Italy (download)

37. Marking - Morocco

43. UKCA mark - Great Britain

96. Electrotechnical expert (download)

Packaging



8007352138957 Code Quantity 1 NR

Dim. 12.1x8.4x3 [cm] Weight 46 [g]



8007352138964 Code 5 NR Quantity

19x14.3x9.5 [cm] Dim.

302 [g] Weight

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see Conditions of Use.