Connector block boxes: Surface-box 3M Next

09983.N

System infrastructure / Enclosures and control units / Connector block boxes / Surface mounting

Surface-box 3M Next

3-module surface mounting box, 35/45 mm depth, for Eikon, Idea and Plana with relevants mounting frame and cover plates, Next

Product Status

2 - Will be discontinued

Minimum order quantity

10 NR

Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **37. Marking - Morocco**

Technical data

Class group: Electrical installation, isolation and connection material

Class: Box/housing for surface mounting on the wall/ceiling

Equipped with: None

Max. conductor cross section: 0,00 mm2

Shape: Rectangular

Mounting method: Wall-/ceiling mounting

Mounting in the soil: No

Mounting under water: No

For tube diameter: 20/25 mm

Number of inlets: 4

Inlet from the rear: Yes

Length: 87,10 mm

Width: 122,10 mm

Depth: 46,00 mm

Diameter: 0,00 mm

Connectable: No

Type of housing feed-through: None

Material: Plastic

Halogen free: Yes

Surface protection: Untreated

Colour: Grey

Degree of protection (IP): IP20

Cover model: Other

Transparent cover: No

Castable: No

Cover attachment: Screwed

Casting compound included: No

Sealable: No

Rated insulation voltage Ui: 450 V

Circuit integrity: None

With screening: No

Weatherproof: No

Working temperature: 0 - 60 °C

Explosion-tested version: No

For Ex-zone gas: None

For Ex-zone dust: None

Packaging

8007352290891

Qtà	1 NR
Dim	12.1x8.4x4.5 [cm]
Weight	80.33 [g]

8007352290907

Qtà	10 NR
Dim	28.6x24.8x9.6 [cm]
Weight	946 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.