



Connector block boxes: Flush-box 6(3+3)M blue

09996

System infrastructure / Enclosures and control units / Connector block boxes
 / Flush mounting

Flush-box 6(3+3)M blue

6-module flush mounting box (3 over 3) for masonry, (Glow Wire 650 °C),
 light blue

- Knockouts designed for the insertion of pipes with various cross-sections
- Fixing lug of the support screws with zinc-plating treatment to prevent the thread from clogging during installation and favour screwing




Product Status

3 - Active


Minimum order quantity

20 NR


Drawings



Space view



Backside view



3D View

Technical data

- **Class group:** Connection material (electrotechnical)
- **Class:** Box/housing for built-in mounting in the wall/ceiling
- **Mounting method:** Flush-mounted
- **Shape:** Rectangular
- **Construction type:** Device connection box (round/square)
- **Model:** Other
- **Provided with revolving ring:** No
- **Couplable:** Yes
- **Equipped with:** None
- **Diameter:** 0 mm
- **Length:** 111,00 mm
- **Width:** 94,00 mm
- **Depth:** 0,00 - 48,00 mm
- **Inner depth:** 50,00 mm
- **For number of electric fittings:** 6
- **Mounting switching equipment:** Screwing
- **With screws:** No
- **Housing feed-through by break-out opening:** Yes
- **Housing feed-through by seal membrane:** No
- **Housing feed-through by nozzle:** No
- **Housing feed-through by step membrane:** No
- **For tube diameter:** 20/25 mm
- **Pipe locking:** No
- **Pipe locking optional:** No
- **Inlet from the rear:** Yes
- **Number of inlets:** 16
- **Number of included spouts:** 0
- **Material:** Plastic
- **Halogen free:** Yes
- **Surface protection:** Untreated
- **Colour:** Blue
- **Degree of protection (IP):** IP00
- **Cover model:** None
- **Transparent cover:** No
- **Cover attachment:** Screwed
- **Sealable:** No
- **Circuit integrity:** None
- **With screening:** No
- **Air tight:** No
- **Max. conductor cross section:** 0
- **Number of poles of the clamp:** 0
- **Clamp position fixed:** No
- **Luminaire hook mounting:** No
- **Nozzle:** None
- **Special application:** None

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 96. Electrotechnical expert ([download](#))

Packaging



Code 8007352043961
Quantity 1 NR
Dim. 12.2x10.5x4.8 [cm]
Weight 43.8 [g]



Code 8007352018839
Quantity 20 NR
Dim. 37.5x30x13.5 [cm]
Weight 1,237.6 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).