



# Connector block boxes: Flush-box 6(3+3)M blue

#### 09996

System infrastructure / Enclosures and control units / Connector block boxes / Flush mounting

### Flush-box 6(3+3)M blue

6-module flush mounting box (3 over 3) for masonry, (Glow Wire 650  $^{\circ}$ C), light blue

- Knockouts designed for the insertion of pipes with various crosssections
- Fixing lug of the support screws with zinc-plating treatment to prevent the thread from clogging during installation and favour screwing




### **Product Status**

3 - Active


### Minimum order quantity

20 NR


## Drawings



Space view



Backside view



3D View

### Technical data

Class group: Connection material (electrotechnical)

Class: Box/housing for built-in mounting in the wall/ceiling

Mounting method: Flush-mounted

**Shape**: Rectangular

**Construction type**: Device connection box (round/square)

Model: Other

Provided with revolving ring: No

Couplable: Yes
Equipped with: None
Diameter: 0 mm
Length: 111,00 mm
Width: 94,00 mm

**Depth**: 0,00 - 48,00 mm **Inner depth**: 50,00 mm

For number of electric fittings: 6

Mounting switching equipment: Screwing

With screws: No

Housing feed-through by break-out opening: Yes

A Housing feed-through by seal membrane: No

Housing feed-through by nozzle: No

Housing feed-through by step membrane: No

For tube diameter: 20/25 mm

Pipe locking: No

Pipe locking optional: No

• Inlet from the rear: Yes

Number of inlets: 16

Number of included spouts: 0

Material: PlasticHalogen free: Yes

Surface protection: Untreated

**Colour**: Blue

Degree of protection (IP): IP00

Cover model: None
Transparent cover: No
Cover attachment: Screwed

**Sealable**: No

Circuit integrity: None

• With screening: No

Air tight: No

Max. conductor cross section: 0Number of poles of the clamp: 0

**Clamp position fixed**: No

Luminaire hook mounting: No

Nozzle: None

Special application: None

### Certifications

00. CE Marking - EU

01. IMQ - Italy (download)

37. Marking - Morocco

43. UKCA mark - Great Britain

96. Electrotechnical expert (download)

# **Packaging**



Code Quantity Dim.

Weight

8007352043961 1 NR

12.2x10.5x4.8 [cm]

43.8 [g]



Code Quantity

8007352018839 20 NR

Dim.

37.5x30x13.5 [cm]

Weight

1,237.6 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see Conditions of Use.