



PLANA: Plate 3M techn. matt gold

14653.25

Wiring devices / Traditional wiring devices / PLANA / Cover plates

Plate 3M techn. matt gold

3-module cover plate, technopolymer, matt gold

Product Status

3 - Active

Minimum order quantity

10 NR




You may also be interested in




[14613 - Frame 3M +screws](#)


Drawings



Space view



Backside view



3D View

Gallery



Technical data

- **Class group:** Domestic switching devices
- **Class:** Cover frame for domestic switching devices
- **Number of units:** 3
- **Mounting direction:** Horizontal and vertical
- **Number of units horizontal:** 3
- **Number of units vertical:** 1
- **Number of modules horizontal (module system):** 3
- **Number of modules vertical (module system):** 1
- **With mounting grid:** Yes
- **Suitable for subfloor installation duct box:** Yes
- **Suitable for wall duct:** Yes
- **Suitable for built-in installation:** Yes
- **Label space/information surface:** Yes
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Surface protection:** Metallic
- **Surface finishing:** Glossy
- **Colour:** Gold
- **RAL-number (similar):** 1036
- **Transparent:** No
- **With hinged lid:** No
- **Degree of protection (IP):** IP00
- **Type of fastening:** Clamp mounting
- **Width:** 120,00 mm
- **Height:** 80,00 mm
- **Depth:** 9,00 mm
- **Built-in width:** 120,00 mm
- **Built-in height:** 80,00 mm
- **Diameter bore hole (opening):** 0 mm

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 29. QCERT - Colombia
- 43. UKCA mark - Great Britain

Packaging



8 007352132733

Code 8007352132733
Quantity 1 NR
Dim. 17x8x0.9 [cm]
Weight 19.47 [g]



8 007352132740

Code 8007352132740
Quantity 10 NR
Dim. 14.1x9.8x9.9 [cm]
Weight 241.33 [g]



8 007352629202

Code 8007352629202
Quantity 480 NR
Dim. 59x39x31.5 [cm]
Weight 13,053.6 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).