



# Connector block boxes: Flush mounting box for panel mounting

#### 16776.AU

System infrastructure / Enclosures and control units / Connector block boxes / Flush mounting

### Flush mounting box for panel mounting

Flush mounting box for panel mounting frames (GW 960 °C), black


#### **Product Status**

3 - Active

### Minimum order quantity

12 NR

# Drawings



Space view



Backside view





3D View

### Technical data

Class group: Connection material (electrotechnical)

Class: Box/housing for built-in mounting in the wall/ceiling

Mounting method: Other

**Shape**: Rectangular

**Construction type**: Device connection box (round/square)

Model: Single

Provided with revolving ring: No

Couplable: No

• Equipped with: None
• Diameter: 25 mm
• Length: 54,00 mm
• Width: 29,00 mm
• Denth: 0.00 - 42 20 mm

**Depth**: 0,00 - 42,20 mm **Inner depth**: 36,20 mm

For number of electric fittings: 1

Mounting switching equipment: Spread

• With screws: No

Housing feed-through by break-out opening: Yes

Housing feed-through by seal membrane: No

Housing feed-through by nozzle: No

Housing feed-through by step membrane: No

For tube diameter: 20/25 mm

Suitable for cable diameter: 0 - 25 mm

Pipe locking: No

Pipe locking optional: No Inlet from the rear: Yes

Number of inlets: 3

Number of included spouts: 0

Material: Plastic Halogen free: Yes

Surface protection: Untreated

**Colour**: Black

Degree of protection (IP): IP40

Cover model: None
Transparent cover: No
Cover attachment: Other

Sealable: No

• With screening: No

Air tight: No

Max. conductor cross section: 0Number of poles of the clamp: 0

**Clamp position fixed**: No

Luminaire hook mounting: No

Nozzle: None

Special application: None

### Certifications

01. IMQ - Italy (download)

15. CCC - China (download)

96. Electrotechnical expert (download)

## **Packaging**



Code 8007352082496 Quantity 1 NR

**Dim.** 2.9x5.4x4.2 [cm] **Weight** 9.6 [g]



**Code** 8007352084094 **Quantity** 12 NR

**Dim.** 14.2x9.8x9.1 [cm] **Weight** 159.93 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see Conditions of Use.