



IDEA: 2P 15A USA+EU ø4,8mm outlet grey

17044

Wiring devices / Traditional wiring devices / IDEA / Devices

2P 15A USA+EU ø4,8mm outlet grey

2P 15 A 250 V \sim socket outlet, Euro-American standard (for plugs with parallel and in-line flat pins and Ø 4,8 mm pins), grey - reduced module


Product Status

3 - Active

Minimum order quantity

20 NR

Drawings




Space view



Backside view





3D View

Technical data

Class group: Domestic switching devices

Class: Socket outlet

Model: Other

Number of units: 1

Number of modules (module system): 1

Number of socket outlets switchable: 0

Imprint/indication: None

Connection type: Screwed terminal

With hinged lid: No

• With enhanced contact protection: No Label space/information surface: Yes

Colour: Grey

RAL-number (similar): 7015

Metallic colour: NoTransparent: NoLockable: No

Eject-mechanism: NoInsulated mounting: NoWith function lighting: No

Certifications

10. EAC Eurasian Customs Union

Packaging



Code 8007352081161 **Quantity** 1 NR

Dim. 4.1x2.8x5.3 [cm] Weight 27.27 [g]

Code 8007352081178 Quantity 20 NR

Dim. 21.4x11.6x6 [cm] **Weight** 608.07 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see Conditions of Use.

Over voltage protection: No
Fault current protection: No
Mounting method: Flush-mounted

Material: Plastic

Material quality: Thermoplastic

Halogen free: Yes

Surface protection: Untreated

Surface finishing: Matt

With loop through function: No

With on/off switch: No
Rotated central insert: No
Nominal current: 15 A
Nominal voltage: 250 V
Frequency: 50,00 - 60,00 HZ

Suitable for degree of protection (IP): IP20

Impact strength: Other
Device width: 43,80 mm
Device height: 50,10 mm
Device depth: 36,50 mm

37. Marking - Morocco