



IDEA: TV-RD-SATthrough-line male outlet 10dB g

17066.10

Wiring devices / Traditional wiring devices / IDEA / Devices

TV-RD-SATthrough-line male outlet 10dB g

Coaxial TV-RD-SAT 5-2400 MHz socket outlet, through-line, with IEC 60169-2 male connector, connection attenuation 10 dB, grey - reduced module


Product Status

3 - Active

Minimum order quantity

20 NR


Drawings



Space view



Backside view



3D View



Technical data

- **Class group:** Antenna and satellite technique
- **Class:** Antenna socket box
- **Model:** Loop-through socket
- **Cover:** None
- **Tap loss at 860 MHz:** 10,60 dB
- **Tap loss at 2150 MHz:** 9,90 dB
- **Number of outlets:** 1
- **Through loss at 860 MHz:** 2,20 dB
- **Through loss at 2150 MHz:** 3,40 dB
- **Suitable for remote power supply:** No
- **Type of fastening:** Snap mounting (engagement)
- **Colour:** Grey
- **RAL-number (similar):** 7015
- **Material:** Plastic

Certifications

- 00. CE Marking - EU
- 10. EAC Eurasian Customs Union
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352013858
Quantity 1 NR
Dim. 4.1x2.8x5.3 [cm]
Weight 51.8 [g]

Code 8007352013865
Quantity 20 NR
Dim. 21.4x11.6x6 [cm]
Weight 1,093 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).