



IDEA: Classica plate 1-2M metal matt gold

17092.33

Wiring devices / Traditional wiring devices / IDEA / Cover plates

Classica plate 1-2M metal matt gold

1-module or 2-reduced-module Classica cover plate, die-cast metal, matt gold

Product Status


2 - Will be discontinued

Minimum order quantity


1 NR




Drawings



Space view



Backside view



3D View

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))

Technical data

Class group: Domestic switching devices

Class: Cover frame for domestic switching devices

Number of units: 2

Mounting direction: Horizontal and vertical

Number of device inserts horizontal: 2

Number of device inserts vertical: 1

Number of modules horizontal (module system): 2

Number of modules vertical (module system): 1

With mounting grid: Yes

Suitable for subfloor installation duct box: Yes

Suitable for wall duct: Yes

Suitable for built-in installation: Yes

Label space/information surface: Yes

Material: Metal

Material quality: Other

Halogen free: Yes

Surface protection: Lacquered

Surface finishing: Matt

Colour: Gold

RAL-number (similar): 1036

Transparent: No

With hinged lid: No

Degree of protection (IP): IP00

Type of fastening: Clamp mounting

Width: 88,00 mm

Height: 80,00 mm

Depth: 9,300 mm

Built-in width: 88,00 mm

Built-in height: 80,00 mm

Diameter bore hole (opening): 0,00 mm

Packaging



8 007352 103719

8007352103719

Qtà 1 NR

Dim 8.5x9.1x1.1 [cm]

Weight 93 [g]



8 007352 103726

8007352103726

Qtà 10 NR

Dim 9.9x12.4x9.6 [cm]

Weight 969.6 [g]

You may also be interested in



17080 - Frame 1M
smooth front+claws grey



17080.B - Frame 1M
smooth front+claws
white



17082 - Frame
2reducedM+claws for
ø60mm



17086.B - Frame 1M
smooth no/screws
ø60/56x56mm w



17086 - Frame 1M
smooth no/screws
ø60/56x56mm g



17087 - Frame 2red.M
no/screws ø60/56x56mm

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).