



IDEA: Classica plate 1-2M metal chrome

17092.36

Wiring devices / Traditional wiring devices / IDEA / Cover plates

Classica plate 1-2M metal chrome

1-module or 2-reduced-module Classica cover plate, die-cast metal, chrome

Product Status

3 - Active

Minimum order quantity

1 NR



You may also be interested in



17080 - Frame 1M smooth front+claws grey




17080.B - Frame 1M smooth front+claws white



17086 - Frame 1M smooth no/screws ø60/56x56mm g



17086.B - Frame 1M smooth no/screws ø60/56x56mm w




17082 - Frame 2reducedM+claws for ø60mm




17087 - Frame 2red.M no/screws ø60/56x56mm


Drawings



Space view



Backside view



3D View

Technical data

- **Class group:** Domestic switching devices
- **Class:** Cover frame for domestic switching devices
- **Number of units:** 2
- **Mounting direction:** Horizontal and vertical
- **Number of units horizontal:** 2
- **Number of units vertical:** 1
- **Number of modules horizontal (module system):** 2
- **Number of modules vertical (module system):** 1
- **With mounting grid:** Yes
- **Suitable for subfloor installation duct box:** Yes
- **Suitable for wall duct:** Yes
- **Suitable for built-in installation:** Yes
- **Label space/information surface:** Yes
- **Material:** Metal
- **Material quality:** Other
- **Halogen free:** Yes
- **Surface protection:** Metallic
- **Surface finishing:** Glossy
- **Colour:** Chrome
- **RAL-number (similar):** 9007
- **Transparent:** No
- **With hinged lid:** No
- **Degree of protection (IP):** IP00
- **Type of fastening:** Clamp mounting
- **Width:** 88,00 mm
- **Height:** 80,00 mm
- **Depth:** 9,00 mm
- **Built-in width:** 88,00 mm
- **Built-in height:** 80,00 mm
- **Diameter bore hole (opening):** 0 mm

Certifications

- 01. IMQ - Italy ([download](#))

Packaging



8 007352 115347

Code 8007352115347
Quantity 1 NR
Dim. 8.5x9.1x1.1 [cm]
Weight 93.65 [g]



8 007352 115354

Code 8007352115354
Quantity 10 NR
Dim. 9.9x12.4x9.6 [cm]
Weight 982 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).