



ARKÉ: 1P 16AX 2-way switch Metal

19005.M

Wiring devices / Traditional wiring devices / ARKÉ / Devices

1P 16AX 2-way switch Metal

1P 16 AX 250 V~ 2-way switch, lightable, replaceable button, Metal. Max 200 W for self-ballasted lamps (IEC 60669-1:2017)

Product Status

3 - Active

Minimum order quantity

50 NR



You may also be interested in



19005 - 1P 16AX 2-way
switch grey



19005.B - 1P 16AX 2-way
switch white




00936.250.W - LED unit 250V
0,35W white


Video

- [Arké lives in your time](#)


Drawings



Space view



Backside view



3D View

Gallery



Technical data

- **Class group:** Domestic switching devices
- **Class:** Installation switch
- **Wiring system:** Two-way switch
- **Method of operation:** Rocker/button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Number of modules (module system):** 1
- **Push button switch:** Yes
- **Number of rockers:** 1
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **With mounting plate:** No
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Surface protection:** Lacquered
- **Surface finishing:** Matt
- **Colour:** Aluminium
- **RAL-number (similar):** 9007
- **Label space/information surface:** Yes
- **Illumination:** Optional
- **Function lighting:** Control and orientation
- **Type of lighting:** LED exchangeable
- **Suitable for degree of protection (IP):** IP40
- **Nominal voltage:** 250 V
- **Rated current:** 16,00 A
- **Feedback-signal contact:** No
- **Connection type:** Screwed terminal
- **Washing machine switch:** No
- **Device width:** 22,30 mm
- **Device height:** 49,00 mm
- **Device depth:** 36,80 mm
- **Built-in depth:** 25,00 mm

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 07. INGCER - Chile
- 10. EAC Eurasian Customs Union
- 13. SNI - Indonesia
- 14. TSE - Turkey
- 15. CCC - China ([download](#))
- 19. NOM - Mexico
- 28. NSW - Australia ([download](#))
- 29. QCERT - Colombia
- 31. TISI - Thailand
- 34. PSE - Japan
- 36. ISI - India
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 50. Product Environm. Profile
- 92. RoHS UAE
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352598188
Quantity 1 NR
Dim. 4.1x2.8x5.3 [cm]
Weight 28.2 [g]

Code 8007352598195
Quantity 50 NR
Dim. 21.4x11.6x14.2 [cm]
Weight 1,513 [g]

Code 8007352598201
Quantity 500 NR
Dim. 57.5x22.5x30 [cm]
Weight 15,584 [g]

Code 8007352750494
Quantity 10,500 NR
Dim. 120x80x105 [cm]
Weight 327,264 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).