ARKÉ: 2P+E16A P17/11 outlet antibacterial grey

19203.AB

Wiring devices / Traditional wiring devices / ARKÉ / Devices

2P+E16A P17/11 outlet antibacterial grey

2P+E 16 A 250 V~ SICURY Bpresa socket outlet, Italian standard P17/11, antibacterial material, grey

Product Status

3 - Active

Minimum order quantity

50 NR

Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **37. Marking - Morocco**
- **96. Electrotechnical expert (download)**
- **99. WEEE Directive (download)**

Technical data

Class group: Domestic switching devices

Class: Socket outlet

Model: Italian type Bipasso

Number of socket outlets: 1

Number of modules (module system): 1

Number of socket outlets switchable: 0

Imprint/indication: None

Connection type: Screwed terminal

With hinged lid: No

With enhanced contact protection: Yes

Label space/information surface: Yes

Colour: Grey

RAL-number (similar): 7015

Metallic colour: No

Transparent: No

Lockable: No

Eject-mechanism: No

Insulated mounting: No

With function lighting: No

With orientation lighting: No

Overvoltage protection: No

Fault current protection: No

Mounting method: Flush-mounted

Type of fastening: Snap mounting (engagement)

Material: Plastic

Material quality: Thermoplastic

Halogen free: Yes

Surface protection: Other

Surface finishing: Matt

Anti-bacterial treatment: Yes

With loop through function: No

With on/off switch: No

Rotated central insert: No

Nominal current: 16 A

Nominal voltage: 250 V

Frequency: 50,00 - 60,00 HZ

Suitable for degree of protection (IP): IP20

Impact strength: Other

Device width: 22,30 mm

Device height: 49,00 mm

Device depth: 34,50 mm

Packaging

8007352652026

Qtà	1 NR
Dim	4.1x2.8x5.3 [cm]
Weight	30.6 [g]

8007352652033

Qtà	50 NR
Dim	21.6x11.6x14.3 [cm]
Weight	1,633.4 [g]

8007352653825

Qtà	500 NR
Dim	57.5x22.5x30 [cm]
Weight	16,812 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.