



## ARKÉ: 2P+E 16A P17/11 outlet grey

**19203**

Wiring devices / Traditional wiring devices / ARKÉ / Devices

### 2P+E 16A P17/11 outlet grey

2P+E 16 A 250 V~ SICURY Bpresa socket outlet, Italian standard P17/11, grey

### Product Status

3 - Active

### Minimum order quantity


50 NR




## Gallery




## Drawings



Space view



Backside view



3D View

## Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 07. INGCER - Chile
- 37. Marking - Morocco
- 37. Marking - Morocco
- 50. Product Environm. Profile
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

## Technical data

**Class group:** Domestic switching devices

**Class:** Socket outlet

**Model:** Italian type Bipasso

**Number of socket outlets:** 1

**Number of modules (module system):** 1

**Number of socket outlets switchable:** 0

**Imprint/indication:** None

**Connection type:** Screwed terminal

**With hinged lid:** No

**With enhanced contact protection:** Yes

**Label space/information surface:** Yes

**Colour:** Grey

**RAL-number (similar):** 7015

**Metallic colour:** No

**Transparent:** No

**Lockable:** No

**Eject-mechanism:** No

**Insulated mounting:** No

**With function lighting:** No

**With orientation lighting:** No

**Overvoltage protection:** No

**Fault current protection:** No

**Mounting method:** Flush-mounted

**Type of fastening:** Snap mounting (engagement)

**Material:** Plastic

**Material quality:** Thermoplastic

**Halogen free:** Yes

**Surface protection:** Untreated

**Surface finishing:** Matt

**With loop through function:** No

**With on/off switch:** No

**Rotated central insert:** No

**Nominal current:** 16 A

**Nominal voltage:** 250 V

**Frequency:** 50,00 - 60,00 HZ

**Suitable for degree of protection (IP):** IP20

**Impact strength:** Other

**Device width:** 22,30 mm

**Device height:** 49,00 mm

**Device depth:** 34,50 mm

## Packaging



8 007352 414334

8007352414334

**Qtà** 1 NR

**Dim** 4.1x2.8x5.3 [cm]

**Weight** 30.6 [g]



8 007352 414341

8007352414341

**Qtà** 50 NR

**Dim** 21.6x11.6x14.3 [cm]

**Weight** 1,633.4 [g]



8 007352 414358

8007352414358

**Qtà** 500 NR

**Dim** 57.5x22.5x30 [cm]

**Weight** 16,280 [g]



8 007352 482562

8007352482562

**Qtà** 10,500 NR

**Dim** 120x80x103 [cm]

**Weight** 353,010 [g]

## You may also be interested in



19593 - 16 A IoT  
connected actuator grey

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).