



ARKÉ: TV 40-862MHz through-line outlet 20dB w

19314.B

Wiring devices / Traditional wiring devices / ARKÉ / Devices

TV 40-862MHz through-line outlet 20dB w

Coaxial TV 40-862 MHz socket outlet, through-line, with IEC 60169-2 female connector, throughpass attenuation 3 dB, connection attenuation 20 dB, white

Product Status

2 - Will be discontinued

Minimum order quantity


20 NR

Video


- [Arké lives in your time](#)




Drawings



Space view



Backside view



3D View

Technical data

- **Class group:** Antenna and satellite technique
- **Class:** Antenna socket box
- **Model:** Loop-through socket
- **Cover:** None
- **Tap loss at 860 MHz:** 20,00 dB
- **Number of outlets:** 1
- **Through loss at 860 MHz:** 3,00 dB
- **Suitable for remote power supply:** No
- **Type of fastening:** Snap mounting (engagement)
- **Colour:** White
- **RAL-number (similar):** 9016
- **Material:** Plastic

Certifications

- 00. CE Marking - EU
- 43. UKCA mark - Great Britain
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352471443
Quantity 1 NR
Dim. 4.1x2.8x5.3 [cm]
Weight 28.2 [g]

Code 8007352471450
Quantity 20 NR
Dim. 21.4x11.6x6 [cm]
Weight 624.6 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).