



ARKÉ: Green prismatic indicator unit

19387.V

Wiring devices / Traditional wiring devices / ARKÉ / Devices

Green prismatic indicator unit

Prismatic indicator unit for lamps 230 V~ 3 W max, 14770, 14771, 14776 and 14777, vert diffuser - 2 modules. Lamp not provided

Product Status


3 - Active

Minimum order quantity


10 NR

Video


- [Arké lives in your time](#)



Drawings



Backside view



3D View

Gallery



Technical data

- **Class group:** Domestic switching devices
- **Class:** Information light signal for domestic switching devices
- **Assembly arrangement:** Modular device for domestic switching devices
- **Number of modules (module system):** 2
- **Lamp holder:** E10
- **With light source:** No
- **Lamp type:** Incandescent lamp
- **With flashlight:** No
- **With exchangeable symbol:** No
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** Grey
- **RAL-number (similar):** 6029
- **Transparent:** No
- **Colour light source:** Green
- **Suitable for degree of protection (IP):** IP40
- **Nominal voltage:** 230 V
- **Max. lamp power:** 3 W

Certifications

- 00. CE Marking - EU
- 10. EAC Eurasian Customs Union
- 43. UKCA mark - Great Britain
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352436763
Quantity 1 NR
Dim. 6x5.4x5.3 [cm]
Weight 44.7 [g]



Code 8007352436770
Quantity 10 NR
Dim. 28.1x13.1x6 [cm]
Weight 525.2 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).