



ARKÉ: 1P+N C16 CB 120-230V white

19405.16.B

Wiring devices / Traditional wiring devices / ARKÉ / Devices

1P+N C16 CB 120-230V white

1P+N C 16 circuit breaker, supply voltage 120-230 V~ 50-60 Hz, breaking capacity 3000 A, white

Product Status

3 - Active

Minimum order quantity


10 NR

Video


- [Arké lives in your time](#)




Drawings



Space view



Backside view



3D View

Gallery



Technical data

- **Class group:** Circuit breakers and fuses
- **Class:** Miniature circuit breaker (MCB)
- **Built-in depth:** 38,00 mm
- **Release characteristic:** C
- **Number of poles (total):** 2
- **Number of protected poles:** 1
- **Rated current:** 16 A
- **Rated voltage:** 230 V
- **Rated short-circuit breaking capacity I_{cn} according to EN 60898 at 230 V:** 3,00 kA
- **Voltage type:** AC
- **Frequency:** 50 - 60 HZ
- **Current limiting class:** 1
- **Concurrently switching neutral conductor:** Yes
- **Over voltage category:** 3
- **Width in number of modular spacings:** 1
- **Degree of protection (IP):** IP40

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352456396
Quantity 1 NR
Dim. 6x2.8x5.3 [cm]
Weight 53.4 [g]



Code 8007352456402
Quantity 10 NR
Dim. 14.4x13.1x6 [cm]
Weight 582.3 [g]



Code 8007352657380
Quantity 200 NR
Dim. 50.5x20x28 [cm]
Weight 11,646 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).