ARKÉ: KNX thermostat grey

19430

Smart systems&products / KNX / ARKÉ / Devices

KNX thermostat grey

Electronic thermostat for ambient temperature control (heating and air conditioning) of 2 independent zones, KNX standard home automation system, 1 NO relay output 4 A 24 V~, 1 input for temperature sensor 19432, 1 programmable digital input, grey - 2 modules

Product Status

2 - Will be discontinued

Minimum order quantity

1 NR

Sheets, Manals, Documentation

- Multilanguage instructions sheet (1725 kb)

Video

- Arké lives in your time

Drawings



Space view



Backside view



3D View

Gallery

Technical data

- **Class group**: Installation bus systems
- **Class**: Room temperature controller for bus system
- **Bus system KNX**: Yes
- **Bus system KNX-RF (Radio Frequent)**: No
- **Bus system radio frequent**: No
- **Bus system LON**: No
- **Bus system Powernet**: No
- **Other bus systems**: None
- **Radio frequent bidirectional**: No
- **Mounting method**: Flush-mounted
- **With local operation**: Yes
- **With anti-theft/dismantling protection**: No
- **With LED indication**: No
- **With display**: Yes
- **Material**: Plastic
- **Material quality**: Thermoplastic
- **Surface finishing**: Matt
- **Colour**: Grey
- **RAL-number (similar)**: 7015
- **Transparent**: No
- **Manual set point setting**: Yes
- **Presence button**: No
- **Degree of protection (IP)**: IP40
- **With bus connection**: Yes

Certifications

- 10. EAC Eurasian Customs Union
- 27. KNX
- 37. Marking - Morocco

Packaging

8 007352 450936

Code	8007352450936
Quantity	1 NR
Dim.	11.2x9.6x9.8 [cm]
Weight	135 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.