ARKÉ: KNX vertical transponder reader Metal

19453.M

Smart systems&products / KNX / ARKÉ / Devices



KNX vertical transponder reader Metal

Transponder card reader with vertical pocket for installation inside rooms, KNX standard, 2 NO 4 A 24 V~ relay outputs, 2 inputs, supplementary power supply 12-24 V~ 50-60 Hz and 12-24 Vdc (SELV), Metal - 3 modules

Product Status

2 - Will be discontinued

Minimum order quantity

1 NR

Sheets, Manuals, Documentation

- Light Multilanguage instructions sheet (608 kb)
- Full Multilanguage instructions sheet (678 kb)
- Manuale installatore (1081 kb)
- Installer manual (961 kb)

Drawings



Space view





Backside view



3D View

Certifications

- **00. CE Marking - EU (download)**
- **27. KNX (download)**
- **37. Marking - Morocco**
- **46. UK PSTI compliance (download)**
- **99. WEEE Directive (download)**

Technical data

Class group: Installation bus systems

Class: Access control unit for bus system

Bus system KNX: Yes

Bus system KNX-RF (Radio Frequency): No

Bus system radio frequency: No

Bus system LON: No

Bus system Powernet: No

Material: Plastic

Material quality: Thermoplastic

Surface protection: Lacquered

Surface finishing: Matt

Colour: Aluminium

RAL-number (similar): 9007

Transparent: No

With bus connection: Yes

Packaging

8007352594555

Qtà	1 NR
Dim	11.2x9.6x9.8 [cm]
Weight	154.3 [g]

You may also be interested in

01589 - Well-Contact Suite Light software

01592 - Well-Contact Suite Client software

01598 - Programmable transponder card

0K01590.1 - Well-Contact Suite Basic kit - Client

0K01590 - Well-Contact Suite Basic kit-Client

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.