



ARKÉ: Classic plate 2M technopolymer black

19642.71

Wiring devices / Traditional wiring devices / ARKÉ / Cover plates

Classic plate 2M technopolymer black

2-module Classic cover plate, technopolymer, black

Product Status


3 - Active

Minimum order quantity


10 NR



You may also be interested in



19603 - Frame 2M without screws 71mm




19602 - Frame 2M +claws 71mm

Video

- [Arké lives in your time](#)


Drawings



Space view



Backside view



3D View

Gallery



Technical data

- **Class group:** Domestic switching devices
- **Class:** Cover frame for domestic switching devices
- **Number of units:** 2
- **Mounting direction:** Horizontal and vertical
- **Number of units horizontal:** 2
- **Number of units vertical:** 1
- **Number of modules horizontal (module system):** 2
- **Number of modules vertical (module system):** 1
- **With mounting grid:** Yes
- **Suitable for subfloor installation duct box:** Yes
- **Suitable for wall duct:** Yes
- **Suitable for built-in installation:** Yes
- **Label space/information surface:** Yes
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** Anthracite
- **RAL-number (similar):** 9005
- **Transparent:** No
- **With hinged lid:** No
- **Degree of protection (IP):** IP00
- **Type of fastening:** Clamp mounting
- **Width:** 90,00 mm
- **Height:** 90,00 mm
- **Depth:** 8,60 mm
- **Built-in width:** 90,00 mm
- **Built-in height:** 90,00 mm
- **Diameter bore hole (opening):** 0,00 mm

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 08. ASTA - UK
- 29. QCERT - Colombia
- 50. Product Environm. Profile

Packaging



Code 8007352439085
Quantity 1 NR
Dim. 9x9x0.9 [cm]
Weight 18.2 [g]

Code 8007352439092
Quantity 10 NR
Dim. 11.4x9.8x10.4 [cm]
Weight 204 [g]

Code 8007352626577
Quantity 540 NR
Dim. 59x34.5x32.5 [cm]
Weight 11,708 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).