# ARKÉ: Classic plate 2M techno matt silver

**19642.79**

Wiring devices / Traditional wiring devices / ARKÉ / Cover plates

**Classic plate 2M techno matt silver**

2-module Classic cover plate, technopolymer, matt silver

**Product Status**

3 - Active

**Minimum order quantity**

10 NR

## Gallery

## Drawings




Space view




Backside view




3D View

## Certifications

- **00. CE Marking - EU**
- **01. IMQ - Italy (download)**
- **08. ASTA - UK (download)**

## Technical data

**Class group**: Domestic switching devices

**Class**: Cover frame for domestic switching devices

**Number of units**: 2

**Mounting direction**: Horizontal and vertical

**Number of device inserts horizontal**: 2

**Number of device inserts vertical**: 1

**Number of modules horizontal (module system)**: 2

**Number of modules vertical (module system)**: 1

**With mounting grid**: Yes

**Suitable for subfloor installation duct box**: Yes

**Suitable for wall duct**: Yes

**Suitable for built-in installation**: Yes

**Label space/information surface**: Yes

**Material**: Plastic

**Material quality**: Thermoplastic

**Halogen free**: Yes

**Surface protection**: Lacquered

**Surface finishing**: Matt

**Colour**: Silver

**RAL-number (similar)**: 9006

**Transparent**: No

**With hinged lid**: No

**Degree of protection (IP)**: IP00

**Type of fastening**: Clamp mounting

**Width**: 90,00 mm

**Height**: 90,00 mm

**Depth**: 8,600 mm

**Built-in width**: 90,00 mm

**Built-in height**: 90,00 mm

**Diameter bore hole (opening)**: 0,00 mm

## Packaging

8007352445703

| | |
|---|---|
| **Qtà** | 1 NR |
| **Dim** | 9x9x0.9 [cm] |
| **Weight** | 16.4 [g] |

8007352445710

| | |
|---|---|
| **Qtà** | 10 NR |
| **Dim** | 11.4x9.8x10.4 [cm] |
| **Weight** | 205 [g] |

8007352637887

| | |
|---|---|
| **Qtà** | 540 NR |
| **Dim** | 59x34.5x32.5 [cm] |
| **Weight** | 11,820 [g] |

## You may also be interested in

19603 - Frame 2M without screws 71mm

19602 - Frame 2M +claws 71mm

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.