



EIKON: 2P 45A 1-way switch COOKER 5M grey

20019.CK

Wiring devices / Traditional wiring devices / EIKON / Devices

2P 45A 1-way switch COOKER 5M grey

2P 45 A 250 V~, 1-way switch, lightable, COOKER symbol, with built-in frame for installation in British standard mounting boxes, to complete with 5-module British standard cover plate, grey. Max 200 W for integrated ballast lamps (IEC 60669-1:2017)




Product Status

3 - Active


Minimum order quantity

5 NR


Drawings



Space view



Backside view



3D View

Certifications

- 00. CE Marking - EU
- 08. ASTA - UK ([download](#))
- 31. TISI - Thailand
- 37. Marking - Morocco
- 92. RoHS UAE
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Technical data

Class group: Domestic switching devices

Class: Installation switch

Wiring system: Switch 2-pole

Operating method: Rocker/button

Assembly arrangement: Other

Number of modules (module system): 5

Push button switch: Yes

Number of rockers: 1

Mounting method: Flush-mounted

Type of fastening: Screw mounting

With mounting plate: No

Material: Plastic

Material quality: Thermoplastic

Halogen free: Yes

Surface protection: Untreated

Surface finishing: Matt

Colour: Grey

RAL-number (similar): 7024

Label space/information surface: Yes

Lighting: Optional

Function lighting: Control and orientation

Type of lighting: LED exchangeable

Suitable for degree of protection (IP): IP40

Nominal voltage: 250 V

Rated current: 45,00 A

Monitoring contact: No

Connection type: Screwed terminal

Washing machine switch: Yes

Device width: 82,50 mm

Device height: 144,00 mm

Device depth: 33,00 mm

Built-in depth: 22,50 mm

Packaging



8007352406865

Qtà 1 NR
Dim 8.5x3.5x15 [cm]
Weight 144.5 [g]



8007352406872

Qtà 5 NR
Dim 17.5x16.3x9.8 [cm]
Weight 802.5 [g]



8007352825758

Qtà 40 NR
Dim 40x37x18 [cm]
Weight 6,835 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).