



EIKON: 2P 16(3)A 1-way switch +key grey

20083

Wiring devices / Traditional wiring devices / EIKON / Devices

2P 16(3)A 1-way switch +key grey

Independent mounting 2P 16(3) A 250 V~ key-operated 1-way switch, with removable key in both positions, grey. To be installed with the appropriate accessories from the Eikon series. Protection degree: IP20, Degree of pollution: II, Overvoltage category: III, for conductors from 1.5 mm² to 4 mm², complete circuit disconnection, Tracking index: PTI250, Glow wire 850°C




Product Status

3 - Active


Minimum order quantity

10 NR


Drawings



Space view



Backside view



3D View

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 14. TSE - Turkey
- 20. IQC - Argentina
- 31. TISI - Thailand
- 37. Marking - Morocco
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

Technical data

Class group: Domestic switching devices

Class: Installation switch

Wiring system: Switch 2-pole

Operating method: Key

Assembly arrangement: Modular device for domestic switching devices

Number of modules (module system): 1

Push button switch: Yes

Number of rockers: 0

Mounting method: Flush-mounted

Type of fastening: Engage (snap)

With mounting plate: No

Material: Plastic

Material quality: Thermoplastic

Halogen free: Yes

Surface protection: Untreated

Surface finishing: Matt

Colour: Grey

RAL-number (similar): 7024

Label space/information surface: Yes

Lighting: No

Function lighting: Other

Type of lighting: Other

Suitable for degree of protection (IP): IP40

Nominal voltage: 250 V

Rated current: 16,00 A

Monitoring contact: No

Connection type: Screwed terminal

Washing machine switch: Yes

Device width: 22,30 mm

Device height: 49,00 mm

Device depth: 43,50 mm

Built-in depth: 33,50 mm

Packaging



8 007352 253407

8007352253407

Qtà 1 NR

Dim 5.1x2.8x5.3 [cm]

Weight 53.13 [g]



8 007352 253414

8007352253414

Qtà 10 NR

Dim 14.4x11.6x6 [cm]

Weight 575.2 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).