



## EIKON: Battery-timer-thermostat white

### 20446.B

Wiring devices / Traditional wiring devices / EIKON / Devices

#### Battery-timer-thermostat white

Electronic timer-thermostat for ON/OFF ambient temperature control (heating and air-conditioning), daily/weekly programming, class I temperature control device (contribution 1%), input for remote switching of phone dialler on/off, change-over relay output 5(2) A 250 V~, powered by batteries AA LR6 1.5 V, white - 3 modules. Not suitable for installation in Isoset IP40 and IP55 enclosures



#### Product Status

2 - Will be discontinued

#### Minimum order quantity

1 NR

#### Alternative products




02973.B - IoT dial  
thermostat 2M white


#### Sheets, Manuals, Documentation

- [Multilanguage installer manual \(2706 kb\)](#)


## Drawings



Space view



Backside view



3D View

## Gallery



## Technical data

- **Class group:** Stats, switches and controllers
- **Class:** Room clock thermostat
- **Type of power supply:** Battery
- **External sensor:** No
- **Max. contact voltage:** 250 V
- **Colour:** White
- **Height:** 49,00 mm

## Certifications

- 00. CE Marking - EU
- 10. EAC Eurasian Customs Union
- 37. Marking - Morocco
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

# Packaging



**Code** 8007352313453  
**Quantity** 1 NR  
**Dim.** 11.2x9.6x9.8 [cm]  
**Weight** 280.33 [g]

**Code** 8007352313460  
**Quantity** 5 NR  
**Dim.** 30.5x21.2x11.4 [cm]  
**Weight** 1,566.07 [g]

# Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).