



## EIKON: IoT connected dimmer mechanism 220-240V

---

**20595.0**

Wiring devices / View Wireless wiring devices / EIKON / Devices

### IoT connected dimmer mechanism 220-240V

- Compatible with both LE and TE dimmable lamps
- Also configurable as a 1-way switch pending the installation of a dimmable lamp
- Bluetooth mode compatible with Amazon Alexa, Google Assistant, Apple Homekit and IFTTT voice assistants, via the dedicated Vimar gateway
- Zigbee mode compatible with the Amazon Alexa voice assistant, via Amazon Zigbee hub



### Product Status

3 - Active

### Minimum order quantity

1 NR

You may also be interested in



20597 - IoT connected gateway 2M grey



20597.B - IoT connected gateway 2M white



20597.N - IoT connected gateway 2M Next



20755.3.B - 2 half buttons 1M dimmer white



20755.3.N - 2 half buttons 1M dimmer Next




20755.3 - 2 half buttons 1M dimmer grey


### Sheets, Manuals, Documentation

- [Foglio istruzioni multilingua Full \(677 kb\)](#)
- [Feuille d'instructions multilingues Full \(677 kb\)](#)
- [Hoja de instrucciones multilingüe Full \(674 kb\)](#)
- [Full Multilanguage instructions sheet \(670 kb\)](#)
- [Πολυγλωσσικό φύλλο οδηγιών Full \(878 kb\)](#)
- [Mehrsprachig-Gebrauchsinformation Full \(675 kb\)](#)
- [Full \(750 kb\)](#)
- [Light multilanguage instructions sheet \(1024 kb\)](#)
- [Manuale app View Wireless \(19181 kb\)](#)
- [Manual View Wireless app \(40958 kb\)](#)
- [Manual app View Wireless \(40735 kb\)](#)
- [Installationsanleitung View Wireless \(40757 kb\)](#)
- [Manuel appli View Wireless \(40963 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(41171 kb\)](#)


### Drawings



Space view



Backside view



3D View

## Gallery




## Technical data

- **Class group:** Domestic switching devices
- **Class:** Installation switch
- **Wiring system:** Other
- **Method of operation:** Rocker/button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Number of modules (module system):** 1
- **Push button switch:** Yes
- **Number of rockers:** 1
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **With mounting plate:** No
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Anti-bacterial treatment:** No
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** Anthracite
- **RAL-number (similar):** 7024
- **Label space/information surface:** No
- **Lighting:** Yes
- **Function lighting:** Other
- **Type of lighting:** LED not exchangeable
- **Suitable for degree of protection (IP):** IP40
- **Nominal voltage:** 240 V
- **Monitoring contact:** No
- **Connection type:** Screwed terminal
- **Heating switch:** No
- **Washing machine switch:** No
- **Device width:** 22,30 mm
- **Device height:** 49,00 mm
- **Device depth:** 46,90 mm
- **Built-in depth:** 37,50 mm
- **Min. depth of built-in installation box:** 42,00 mm
- **Compatible with Apple HomeKit:** Yes
- **Compatible with Google Assistant:** Yes
- **Compatible with Amazon Alexa:** Yes
- **IFTTT support available:** Yes

## Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 06. SUBTEL - Chile ([download](#))
- 37. Marking - Morocco
- 40. Bluetooth technology
- 42. Zigbee certified
- 46. UK PSTI compliance ([download](#))
- 92. RoHS UAE
- 99. WEEE Directive ([download](#))

# Packaging



**Code** 8007352707993  
**Quantity** 1 NR  
**Dim.** 5.2x3.5x5.3 [cm]  
**Weight** 44.3 [g]

**Code** 8007352708006  
**Quantity** 60 NR  
**Dim.** 27x23x12.5 [cm]  
**Weight** 2,848 [g]

# Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).