



## EIKON: IoT connected gateway 2M Next

**20597.N**

Wiring devices / View Wireless wiring devices / EIKON / Devices

### IoT connected gateway 2M Next

View Wireless gateway, Bluetooth® wireless technology 4.2 Wi-Fi, RGB LED, 100-240 V 50/60 Hz power supply, Next - 2 modules

- Configuration from View Wireless App for Bluetooth technology system and Amazon App for Zigbee technology

### Product Status

3 - Active

### Minimum order quantity

1 NR



You may also be interested in




20592.0 - 2-way switch IoT connected mechanism



20594.0 - Rolling shutter IoT connected mechanism



20593.N - 16 A IoT connected actuator Next



03925 - Bluetooth Low Energy RF device


## Sheets, Manuals, Documentation

- [Light Multilanguage instructions sheet \(716 kb\)](#)
- [Full Multilanguage instructions sheet \(936 kb\)](#)
- [Manuale app View Wireless \(15556 kb\)](#)
- [Manuel appli View Wireless \(37703 kb\)](#)
- [Manual app View Wireless \(37528 kb\)](#)
- [Manual View Wireless app \(37579 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37781 kb\)](#)
- [Installationsanleitung View Wireless \(37508 kb\)](#)


## Video

- [Creating-the-system](#)
- [Customisations](#)
- [Bluetooth-wifi-gateway](#)


## Drawings



Space view



Backside view



3D View

## Technical data

- **Class group:** Installation bus systems
- **Class:** System interface/media gateway for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** Yes
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** Other
- **Radio frequent bidirectional:** Yes
- **Model:** Bluetooth interface
- **Mounting method:** Flush-mounted
- **Width in number of modular spacings:** 2
- **Demounting protection:** No
- **With LED indication:** Yes
- **Updateable:** Yes
- **Protocol:** Other
- **Provider dependent:** No
- **Visualization:** No
- **Web-Server:** Yes
- **Radio interface:** Yes
- **IR interface:** No
- **Degree of protection (IP):** IP40

## Certifications

- 00. CE Marking - EU ([download](#))
- 01. IMQ - Italy ([download](#))
- 19. NOM - Mexico
- 29. QCERT - Colombia
- 37. Marking - Morocco
- 37. Marking - Morocco
- 40. Bluetooth technology
- 41. Wi-Fi CERTIFIED
- 43. UKCA mark - Great Britain
- 92. RoHS UAE
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))

## Packaging



8 007352628748

**Code** 8007352628748  
**Quantity** 1 NR  
**Dim.** 6x5.4x5.2 [cm]  
**Weight** 62 [g]



8 007352746244

**Code** 8007352746244  
**Quantity** 60 NR  
**Dim.** 37.5x30x13.5 [cm]  
**Weight** 4,080 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).