



EIKON: Classic plate 5MBS Bright metallic Siena

20649.C11

Wiring devices / Traditional wiring devices / EIKON / Cover plates

Classic plate 5MBS Bright metallic Siena

5-module Classic cover plate for British standard, Bright varnished metal and chromed frame, metallic Siena brown

Product Status

2 - Will be discontinued

Minimum order quantity


1 NR

You may also be interested in



20609 - Frame 5M BS

Drawings



Space view



3D View

Backside view



Technical data

- Class group: Domestic switching devices
- **Class**: Cover frame for domestic switching devices
- Number of units: 5
- Mounting direction: Horizontal and vertical
- Number of units horizontal: 5
- Number of units vertical: 1
- Number of modules horizontal (module system): 5
- Number of modules vertical (module system): 1
- With mounting grid: Yes
- Suitable for subfloor installation duct box: Yes
- Suitable for wall duct: Yes
- Suitable for built-in installation: Yes
- Label space/information surface: Yes
- Material: Metal
- Material quality: Other

Certifications

08. ASTA - UK

Packaging





 Code
 8007352478497

 Quantity
 1 NR

 Dim.
 15.65x9.7x1.7 [cm]

 Weight
 152.6 [g]

Code Quantity Dim. Weight 8007352478503 5 NR 16.3x9.4x10.5 [cm] 814 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.

- Halogen free: Yes
- Surface protection: Lacquered
- Surface finishing: Glossy
- **Colour**: Brown
- RAL-number (similar): 8014
- Transparent: No
- With hinged lid: No
- Degree of protection (IP): IP00
- Type of fastening: Clamp mounting
- Width: 154,80 mm
- Height: 94,80 mm
- **Depth**: 9,70 mm
- Built-in width: 154,80 mm
- Built-in height: 94,80 mm
- Diameter bore hole (opening): 0 mm