



EIKON: Plate 8M (2+2+2+2) 71mm polished gold

21669.09

Wiring devices / Traditional wiring devices / EIKON / Cover plates

Plate 8M (2+2+2+2) 71mm polished gold

8-module cover plate (2+2+2+2, 71 mm distance between centres), Esclusivi refined aluminium, polished gold



Product Status

2 - Will be discontinued

Minimum order quantity

1 NR

You may also be interested in







21669.G09 - Plate 8M (2+2+2+2) 71mm polished gold

Drawings



Technical data

Class group: Domestic switching devices

Class: Cover frame for domestic switching devices

Number of units: 8

Mounting direction: Horizontal and vertical

Number of units horizontal: 8 Number of units vertical: 1

Number of modules horizontal (module system): 8

Number of modules vertical (module system): 1

With mounting grid: Yes

Suitable for subfloor installation duct box: Yes

Suitable for wall duct: Yes

Suitable for built-in installation: Yes Label space/information surface: Yes

Material: Metal

Material quality: Aluminium

Halogen free: Yes

Surface protection: Lacquered

Surface finishing: Glossy

Colour: Gold

RAL-number (similar): 1036

Transparent: No
With hinged lid: No

Degree of protection (IP): IP00

Type of fastening: Clamp mounting

Width: 95,40 mm Height: 308,40 mm Depth: 9,60 mm

Built-in width: 95,40 mm Built-in height: 308,40 mm

Diameter bore hole (opening): 0 mm

Certifications

01. IMQ - Italy (download)

15. CCC - China

29. QCERT - Colombia

Packaging



 Code
 8007352435384

 Quantity
 1 NR

 Dim.
 31x9.7x1.7 [cm]

Dim. 31x9.7x1.7 [cm] **Weight** 213.8 [g]

8 9 9 7 3 5 2 4 3 5 3 9 1

Code 8007352435391

Quantity 5 NR

Dim. 31.8x10.3x10.7 [cm]

Weight 1,157 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see Conditions of Use.