




## LINEA: 4-button control+dimmer.LED 240V 2M

**30488**

Smart systems&products / By-me Plus / LINEA / Devices

### 4-button control+dimmer.LED 240V 2M

Home automation system control device with four push buttons and 240 V~ 50/60 Hz phase cutting dimmer, for 40-200 W incandescent lamps, 40-300 VA at 240 V~, 20-150 VA at 120 V~ electronic transformers, 10-200 W at 240 V~, 5-100 W at 120 V~ CFL lamps, 3-200 W at 240 V~, 3-100 W at 120 V~ LED lamps, RGB LED visible in darkness with brightness control, to be completed with 1- or 2-module interchangeable half-button caps - 2 modules



### Product Status

3 - Active

### Minimum order quantity

1 NR

You may also be interested in




31480.RG - 2 half buttons  
1M control black




31480.RB - 2 half buttons  
1M control white



31480.RC - 2 half buttons  
1M control canvas



31480.2RG - 2 half buttons  
2M control black



31480.2RB - 2 half buttons  
2M control white




31480.2RC - 2 half buttons  
2M control canvas


## Sheets, Manuals, Documentation

- [Light Multilanguage instructions sheet \(1324 kb\)](#)
- [Foglio istruzioni Full \(405 kb\)](#)
- [Feuille d'instructions Full \(407 kb\)](#)
- [Hoja de instrucciones Full \(405 kb\)](#)
- [Full instructions sheet \(405 kb\)](#)
- [Φυλλάδιο οδηγιών Full \(497 kb\)](#)
- [Anweisungsblatt Full \(408 kb\)](#)
- [Full \(437 kb\)](#)


## Drawings



Space view



Backside view



3D View

## Technical data

- **Class group:** Installation bus systems
- **Class:** Multi operating device for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** No
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** Other
- **Radio frequent bidirectional:** No
- **Mounting method:** Flush-mounted
- **Width in number of modular spacings:** 2
- **Number of actuation points:** 4
- **With display:** No
- **Status-LED:** Yes
- **IR sensor:** No
- **Manual set point setting:** No
- **Presence button:** No
- **With temperature controller:** No
- **With integrated DCF77 receiver:** No
- **With time switch clock:** No
- **With anti-theft/dismantling protection:** No
- **Central functional unit for senders/actuators:** Yes
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** Other
- **RAL-number (similar):** 7024
- **Transparent:** No
- **Degree of protection (IP):** IP40
- **With bus connection:** Yes

## Certifications


- 00. CE Marking - EU
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 46. UK PSTI compliance ([download](#))
- 99. WEEE Directive ([download](#))

## Packaging



8 007352688957

**Code** 8007352688957  
**Quantity** 1 NR  
**Dim.** 6x5.4x5.2 [cm]  
**Weight** 65.4 [g]



8 007352688964

**Code** 8007352688964  
**Quantity** 10 NR  
**Dim.** 28.1x13.1x6 [cm]  
**Weight** 743.2 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).