



Connector block boxes: Table mounting box 4M black

30784.G

System infrastructure / Enclosures and control units / Connector block boxes / Desktop

Table mounting box 4M black

Tilted table mounting box, with variable height, for the installation of 4 modules, black. In the lowered version, connector blocks with a maximum depth of 32 mm can be installed. If you turn the cover the maximum depth extends to 44 mm. The socket outlet with USB, 30210.USB, cannot be installed. To be completed with mounting frame and cover plate.



Product Status

3 - Active

Minimum order quantity

8 NR

You may also be interested in




30614 - Frame 4M + screws

Sheets, Manuals, Documentation

• Multilanguage instructions sheet (888 kb)

Drawings







3D View

Space view Backside view

Technical data

• Class group: Domestic switching devices

Class: Surface mounted box for flush-mounted switching equipment

Assembly arrangement: Other

Suitable for modular domestic switching devices: Yes

Number of modules (module system): 4

Number of units: 4

Mounting direction: Horizontal

Shape: RectangularDesktop device: YesMaterial: Plastic

Material quality: Thermoplastic

Halogen free: Yes

Surface protection: Untreated

Surface finishing: Matt

Colour: Black

RAL-number (similar): 7021

Transparent: No

With cover frame: No

Cross-trunking mounting: No

With duct entry: No With cable entry: Yes

With screw gland entry: NoWith installation tube entry: No

Shock resistant: Yes

Degree of protection (IP): IP20

Width: 147,9 mmHeight: 67,5 mmDepth: 83,1 mm

Device width: 147,90 mm
Device height: 67,50 mm
Device depth: 83,10 mm
Compliant with BS 4662: No

Certifications

00. CE Marking - EU

01. IMQ - Italy (download)

43. UKCA mark - Great Britain

96. Electrotechnical expert (download)

Packaging



 Code
 8007352715981

 Quantity
 1 NR

 Dim.
 15x7x8.5 [cm]

 Weight
 191.7 [g]

Code Quantity

Weight

8007352715998

Quantity 8 NR **Dim.** 35x2

35x29.8x9.2 [cm] 1,720.6 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see Conditions of Use.