



LINEA: IoT dial thermostat 2M canvas

30810.C

Wiring devices / View Wireless wiring devices / LINEA / Devices

IoT dial thermostat 2M canvas

Dial thermostat with relay output 5(2) A 240 V~, IoT technology on Bluetooth technology 5.0 standard for the creation of VIEW Wireless mesh system, 1 input for external temperature sensor, 100-240 V~ 50/60 Hz power supply, heating and air conditioning in ON/OFF and PID mode, class I temperature control device (contribution 1%) in ON/OFF mode, class IV (contribution 2%) in PID mode, white LED backlighting with brightness control, canvas - 2 modules

- It is compatible with voice assistants Alexa and Google Home through Skill and Action VIEW Product
- Maximum simplicity thanks to the large knob
- Configuration via "VIEW Wireless" App for Bluetooth technology system
- Hotkeys are designed for quick interaction




Product Status

3 - Active

Minimum order quantity

1 NR

You may also be interested in




[30807.C - IoT connected Gateway 2M canvas](#)


Sheets, Manuals, Documentation

- [Light multilanguage instructions sheet \(1051 kb\)](#)
- [Foglio istruzioni multilingua Full \(696 kb\)](#)
- [Feuille d'instructions multilingues Full \(700 kb\)](#)
- [Hoja de instrucciones multilingüe Full \(697 kb\)](#)
- [Full multilanguage instructions sheet \(692 kb\)](#)
- [Πολυγλωσσικό φύλλο οδηγιών Full \(860 kb\)](#)
- [Mehrsprachig-Gebrauchsinformation Full \(699 kb\)](#)
- [Full \(829 kb\)](#)
- [Manuale app View Wireless \(15556 kb\)](#)
- [Manuel appli View Wireless \(37703 kb\)](#)
- [Manual app View Wireless \(37528 kb\)](#)
- [Manual View Wireless app \(37579 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37781 kb\)](#)
- [Installationsanleitung View Wireless \(37508 kb\)](#)


Drawings



Space view



Backside view



3D View


Technical data

- **Class group:** Stats, switches and controllers
- **Class:** Room thermostat
- **Model:** Other
- **Type of power supply:** 230 V AC
- **Connection:** 3-/4-wire
- **With receiver:** No
- **Measuring range:** 0 - 40 °C
- **External sensor:** Yes
- **Thermal feedback:** Parallel
- **Control characteristic:** PID
- **Suitable for heating:** Yes
- **Number of heater outputs:** 1
- **Suitable for cooling:** Yes
- **Number of cooler outputs:** 1
- **Differential value:** 0,10 - 1,00 k
- **Adjustable differential:** Yes
- **Temperature readable:** Yes
- **With sound indicator:** No
- **Sensor/feeler type:** Resistance sensor
- **Mounting method:** Flush-mounted
- **Number of modules (module system):** 2
- **With display:** Yes
- **Operation:** Turn
- **With tap water circuit:** No
- **Contact type:** Normally open contact (NO)
- **Max. contact voltage:** 230 V
- **Max. contact load:** 5 A
- **Degree of protection (IP):** IP20
- **Degree of protection (NEMA):** Other
- **Explosion-proof:** No
- **Colour:** Beige
- **RAL-number:** 7032
- **Height:** 52,80 mm
- **Width:** 44,80 mm
- **Depth:** 41,70 mm
- **Diameter:** 0 mm
- **Class of the temperature control:** IV
- **Compatible with Apple HomeKit:** Yes
- **Compatible with Google Assistant:** Yes
- **Compatible with Amazon Alexa:** Yes
- **IFTTT support available:** Yes

Certifications

- 00. CE Marking - EU
- 00. CE Marking - EU
- 37. Marking - Morocco
- 40. Bluetooth technology
- 43. UKCA mark - Great Britain
- 46. UK PSTI compliance ([download](#))
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352691148
Quantity 1 NR
Dim. 6x5.4x5.2 [cm]
Weight 71.2 [g]



Code 8007352691155
Quantity 10 NR
Dim. 28.1x13.1x6 [cm]
Weight 800.8 [g]



Code 8007352691162
Quantity 120 NR
Dim. 38.5x29x30 [cm]
Weight 10,049 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).