



LINEA: White lower 1M path light button

31000S.B

Wiring devices / Traditional wiring devices / LINEA / Buttons

White lower 1M path light button

Aligned 1-module interchangeable button, with vertical light beam, white

Product Status


3 - Active

Minimum order quantity


20 NR




Drawings



Space view



Backside view



3D View

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 96. Electrotechnical expert ([download](#))

Technical data

Class group: Domestic switching devices

Class: Control element/cover plate for domestic switching devices

Model: Other

Imprint/indication: Symbol "light"

Scannable symbol/barrier free: No

Utilization: Switch/push button

Suitable for touch sensor connector for bus system: No

Type of fastening: Engage (snap)

Monitoring window/light outlet: Yes

Material: Plastic

Material quality: Thermoplastic

Halogen free: Yes

Surface protection: Untreated

Surface finishing: Matt

Anti-bacterial treatment: No

Colour: White

RAL-number (similar): 9016

With label area: No

With exchangeable lens/symbol: No

Suitable for degree of protection (IP): IP40

Width: 22,10 mm

Height: 52,70 mm

Depth: 8,00 mm

Packaging



8007352692725

Qtà 1 NR

Dim 10x5x1.5 [cm]

Weight 3.86 [g]



8007352692732

Qtà 20 NR

Dim 19.8x11.5x6.8 [cm]

Weight 142.64 [g]



8007352692749

Qtà 160 NR

Dim 36x22.5x19.5 [cm]

Weight 1,450 [g]

You may also be interested in



30000 - 1P 10AX 1-way
switch mechanism



30004 - 1P 10AX 2-way
switch mechanism



30008 - 1P NO 10A
button mechanism



30012 - 1P 10AX
reversing switch
mechanism

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).