System components: Riserless IP gateway

40165

ELVOX Door entry system / IP video door entry system / System components / System devices

Riserless IP gateway

IP gateway for Riserless video door entry system, connected to Vimar cloud that enables the remote control of the system via dedicated portal and the forwarding of the call to mobile devices. Installation on DIN (60715 TH35) rail, occupies 4 17.5 mm modules. It manages up to 100 IP A/V Riserless licences

Product Status

3 - Active

Minimum order quantity

1 NR

Sheets, Manuals, Documentation

- Multilanguage instructions sheet (795 kb)
- Multilanguage installer manual (1268 kb)
- Manual do utilizador View Vimar Portal (11798 kb)
- Manuale utente View Vimar Portal (11784 kb)
- Manuel Utilisateur View Vimar Portal (11802 kb)
- Manual de usuario View Vimar Portal (11795 kb)
- User Manual View Vimar Portal (12051 kb)
- Εγχειρίδιο χρήστη View Vimar Portal (11806 kb)
- Bedienungsanleitung View Vimar Portal (11801 kb)

Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **00. CE Marking - EU**
- **35. RCM - Australia**
- **37. Marking - Morocco**
- **46. UK PSTI compliance (download)**
- **92. RoHS UAE**
- **99. WEEE Directive (download)**

Technical data

Class group: Communication technique (components and systems)

Class: Accessories/spare parts for door communication

Suitable for: Indoor station

Mounting method: Surface mounted

Material: Other

Colour: White

Packaging

8007352692060

Qtà	1 NR
Dim	11.7x10.8x7.1 [cm]
Weight	172 [g]

8007352692077

Qtà	60 NR
Dim	59x38.5x30 [cm]
Weight	13,200 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.