IP: 4-port Switch Gbit PoE at 1Uplink 1SFP

46260.5P.03

Safety / ELVOX CCTV / IP / Networking

4-port Switch Gbit PoE at 1Uplink 1SFP

Gigabit Ethernet switch with 5 RJ45 10/100/1000 Mbps auto-sensing ports, auto MDI/MDI-X, activity LED indicator, 4 PoE ports Standard IEEE 802.3af/at (End-Span 1/2+,3/6-) + 1 Uplink + 1SFP. Compatible with 10/100/1000 BASE-T, IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x standards, 2K MAC table. Port 1 supports HiPoE up to 60 W. Power supply 100-240 Vac. Dimensions: 200x118x44 mm.

Product Status

3 - Active

Minimum order quantity

1 NR

Sheets, Manuals, Documentation

- Multilanguage installer manual (851 kb)

Certifications

- **00. CE Marking - EU**
- **37. Marking - Morocco**
- **99. WEEE Directive (download)**

Technical data

Class group: Installation material for data and telecommunication networks

Class: Network switch

Ethernet: Yes

Number of ports 10/100 Mbps RJ45: 5

Number of ports 10/100/1000 Mbps RJ45: 5

Number of ports 1000 Mbps RJ45: 5

Number of ports 10 Gbps RJ45: 0

Number of ports 10 Gbps Mini GBIC: 0

Number of ports 100/1000 Mbps Mini GBIC: 0

Number of ports 1000 Mbps Mini GBIC: 0

Number of ports 40 Gbps Mini GBIC: 0

Number of ports 100 Gbps Mini GBIC: 0

Number of combination-ports RJ45/Mini GBIC: 0

Number of ports 1000 Mbps GBIC: 1

Number of ports 10/100 Mbps M12: 0

Number of ports 100 Mbps SC: 0

Number of ports 1000 Mbps SC (SX): 1

Number of ports 1000 Mbps SC (LX): 0

Number of ports 100 Mbps ST: 0

Number of ports 100 Mbps POF: 0

Number of ports 1000 Mbps POF: 0

Number of other ports: 0

Power over Ethernet (PoE): 802.3af (PoE)

Number of ports PoE: 4

Max. PoE power: 60 W

Max. power consumption: 3,79 W

Redundant power supply: No

Mounting method: Desk type

Number of max. stackable switches: 0

Number of module slots: 0

Layer 2: No

Layer 3: No

Manageable: No

Degree of protection (IP): IP00

Height: 27,00 mm

Width: 125,00 mm

Depth: 73,00 mm

Compatible with Grade2TV according to XP-C 90-483: No

Compatible with Grade3TV according to XP-C 90-483: No

Packaging

8007352784741

Qtà	1 NR
Dim	24.5x19x6 [cm]
Weight	930 [g]

8007352790018

Qtà	10 NR
Dim	40x33x28 [cm]
Weight	9,300 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.